

Appendix A. F2 & F5 Replacement Program Memorandum



AECOM Canada Ltd.
50 Sportsworld Crossing Road
Suite 290
Kitchener, ON N2P 0A4
Canada

T: 519.650.5313
F: 519.650.3424
aecom.com

Project name:
Centre Wellington Well Replacement Project

Project ref:
60664299

From:
Jason Murchison, P.Geo
Matthew Alexander, M.Sc., P.Geo
Peter Moffat, M.Eng., P.Eng.

Date:
May 19, 2023

To:
Adam Gilmore, M.A.Sc., P.Eng.
Manager of Engineering
Township of Centre Wellington
1 MacDonald Square, Elora
ON N0B 1S0

CC:
Rick Chilton (Township of Centre Wellington)
Dino Masiero (Township of Centre Wellington)

Technical Memorandum

Subject: Municipal Supply Wells F2 & F5 Replacement Program - Results of Well Installation and Testing

Executive Summary

AECOM Canada Ltd. (AECOM) was retained by the Township of Centre Wellington (the 'Township') to provide professional consulting services relating to the design, construction and hydrogeological (aquifer) testing of replacement municipal (test and production) wells at the F2 (449 St. Andrew St. East) and F5 (900 Scotland St.) well sites, in the Town of Fergus, Ontario.

Drilling, construction and testing of each new well source was completed by Aardvark Drilling Inc. (Aardvark), under contract with the Township. AECOM's hydrogeology staff acted as the Township's representative on-site during both the well construction and testing phases. Test wells F2-T and F5-T were constructed at the Township's existing F2 and F5 well sites to assess hydrogeological conditions within the bedrock below the terminal depths of the original F2 and F5 wells; including an assessment of groundwater quality and quantity. Following the completion of successful testing at both test wells, they were overdrilled to full-scale production diameter (nominal 12" or 305 mm; identified as F2-R and F5-R), and additional groundwater quality and quantity testing was completed by the Township at each location.

In conjunction with the work described above, multi-level monitoring well nest MW7-21 also was constructed by Aardvark within the Township right-of-way near the corner of Cameron St. and St. Andrew St. East, approximately 380 m southwest of the F2 well site. The purpose of this multi-level monitoring well is to allow for the measurement of groundwater levels within each of the shallow, intermediate, and deep bedrock aquifers during subsequent testing of F2-T and F2-R.

Multi-level monitoring well MW8-21 also was installed by Aardvark at the existing F1 well site (281 Queen St. East) following completion of the Township's wellfield capacity testing program in the fall of 2022. The purpose of this multi-level monitoring well is to provide for the long-term assessment of groundwater quality at the F1 well site.

It is recommended that MW7-21 and MW8-21 be integrated into the Township monitoring network for monitoring of groundwater levels and quality. The suite of water quality analytes should include VOCs, as this is known to be present within the local bedrock aquifer (although not detected during the well replacement program).

Based on the results of well capacity testing at F2-R, it is recommended that this well be operated at a maximum rate of 20 L/s, and that the pumping groundwater level be maintained in the range of 350 to 355 mASL. This approach maintains the

groundwater level above the primary water-bearing feature identified in the borehole at approximately 341.8 mASL. Testing of F2-R did not interfere with the ongoing use of any local private wells. Monitoring at MW7-21D, located approximately 380 m southwest of the F2 well site, indicates that deep bedrock wells within 500 m could experience appreciable drawdown in response to long-term pumping at F2-R. The Township may consider obtaining an access agreement with the owner of Well 36 (a private well located at 590 St. Andrew St. East), or an equivalent nearby well, for the purpose of establishing a groundwater level monitoring point in that area. In the absence of a willing participant, the Township could consider establishing a monitoring well on Township-owned property to supplement the existing monitoring network. Testing of the F2-R discharge water indicated a high-quality groundwater source with sodium (30.6 mg/L) in excess of the 20 mg/L limit for individuals on sodium reduced diets (although below its 200 mg/L Aesthetic Objective), and TDS (850 mg/L) in excess its Aesthetic Objective value of 500 mg/L, primarily due to elevated hardness (637 mg/L, as compared to the Operational Guideline range of 80 to 100 mg/L). These results are common for groundwater sources in the local aquifer system. It is anticipated that a groundwater supply source can be developed on this site requiring typical treatment measures (i.e., standard disinfection).

Based on results of the testing completed for the well replacement program and the subsequent wellfield capacity assessment, it is recommended that F5-R be operated at a maximum rate of 20 L/s, and that the pumping groundwater level be maintained above the base of casing at approximately 365 mASL. Testing of F5-R did not interfere with the ongoing use of any private wells. Monitoring at MW3-11A/B, located approximately 370 m northeast of the F5-R well site, indicates that the intermediate and deep components of the bedrock aquifer could experience moderate drawdown (<5 m) in response to long-term pumping on site. This is greater than the drawdown observed at the closest monitored private well at 935 Scotland St., where <1 m of drawdown occurred; however the position of the pump intake within this well is unknown. It is recommended that the Township collect additional information regarding this well, if the resident is willing to participate and provide such information. MW3-11 should continue to be monitored during future operation of the F5-R well to evaluate drawdown within the local aquifer in response to its operation.

Testing of the F5-R discharge water indicated a high-quality groundwater source with hardness (307 mg/L) exceeding its ODWQS Operational guideline range of 80 to 100 mg/L, total aluminum (0.148 mg/L) exceeding its Aesthetic Objective of 0.1 mg/L, and total coliforms (1 MPN/100 mL) exceeding its Maximum Acceptable Concentration (health-related) of 0 MPN/100 mL. The trace total coliform detection of 1 MPN/100 mL is an indication of potential ingress of shallow water into the well intake; however, no E.coli detections occurred within F5-T or F5-R, suggesting that this result is spurious. Turbidity measurements collected on site and by the laboratory (ALS) confirm that the well produces high turbidity, primarily on start-up. AECOM has conducted a separate treatability study, focusing on treatment for the observed turbidity, which is provided under separate cover (AECOM, 2022). It is understood that the treatment system would address required disinfection, turbidity, and total aluminum concentrations.

1.0 Introduction

The Township of Centre Wellington (the 'Township') retained AECOM Canada Ltd. (AECOM) to provide professional consulting services relating to the design, construction and hydrogeological (aquifer) testing of replacement municipal (test and production) wells at the F2 (449 St. Andrew St. East) and F5 (900 Scotland St.) well sites, in the Town of Fergus, Ontario (the 'Project'). The F2 and F5 well site locations are shown in **Figure 1**.

The scope of the replacement well construction and aquifer testing program is provided in the Township's Request for Quotation #38-21 and was developed based on available information regarding the Township's existing municipal well system and geologic setting, AECOM's experience on other municipal well construction and aquifer testing programs, pre-consultation discussion with Ontario Ministry of the Environment, Conservation and Parks (MECP) regional technical support staff, and recommendations presented within Section 8 of the Township's approved Water Supply Master Plan (WSMP), as prepared by AECOM (July 2019). The scope of work for the project includes:

- Review of background information
- Site supervision during well construction and testing
- Input into design of a multilevel monitoring well (MW8-21)
- Data analysis and reporting:

- Hydrographs for the monitored wells
 - Calculation of aquifer hydraulic parameters
 - Zone of influence (ZOI) mapping
 - Borehole logs for all drilled wells
 - Summary of completed well construction and pumping tests
 - Analysis of water quality data (does not include GUDI assessment)
 - Impact assessment, including hydrograph review and ZOI mapping
- Project management

Replacement of the existing F2 and F5 municipal supply wells was recommended in the Township's approved WSMP to increase the capacity of groundwater pumped at each site, as the F2 well site had been non-operational since the early nineties due to its status as a Groundwater Under the Direct Influence of Surface Water (GUDI) source and the F5 well operated below its Permit to Take Water (PTTW) maximum daily rate and volume. The F5 well experienced declining performance over time, with naturally elevated turbidity (silt production) which limited its maximum pumping rate.

This technical memorandum has been prepared to present the key results of drilling, well construction, monitoring and testing during the replacement of Municipal Supply Wells F2 and F5.

2.0 Drilling and Well Installation

Drilling and well installation was completed by Aardvark Drilling Inc. ("ADI") under Township Tender No. 01-21. AECOM hydrogeology staff acted as the Township's representative on site during well construction and testing. Test wells F2-T and F5-T were installed at the F2 and F5 well sites to assess hydrogeological conditions within the bedrock below the terminal depths of the original F2 and F5 wells; including an assessment of groundwater quality and quantity. Following the completion of successful testing at both test wells, they were overdrilled to full-scale production size (nominal 12" or 305 mm), and additional water quality and quantity testing was completed at each location.

Multi-level monitoring well MW7-21 was installed within the Township right-of-way near the corner of Cameron St. and St. Andrew St. East, approximately 380 m southwest of the F2 well site, for the purpose of monitoring groundwater levels within the shallow, intermediate, and deep bedrock aquifers during subsequent testing of F2-T and F2-R. Multi-level monitoring well MW8-21 was installed at the F1 well site at 281 Queen St. East following the Township of Centre Wellington wellfield capacity testing program conducted in fall 2022. The purpose of this multi-level monitoring well is to provide for the long-term assessment of water quality conditions at the F1 well site. The location of wells constructed for the Project are shown in **Figure 1**.

2.1 F2 Well Site

2.1.1 F2-T Well

Test well F2-T was drilled and installed by ADI between July 29th and September 7th, 2021. The borehole was advanced through the overburden using a CME 75 drilling rig equipped with hollow stem augers to top of bedrock at a depth of approximately 2.39 m below ground surface (mBGS). A temporary, 277 mmØ (10-7/8") steel casing equipped with casing shoe was then installed within the borehole from ground surface to a short distance within the upper bedrock at 2.46 mBGS. The borehole was subsequently advanced into bedrock via 153 mmØ (6") SQ coring to a depth of 70.41 mBGS, at which point the core hole was widened via air hammer to accommodate the 169mmØ (6-5/8") steel casing equipped with a casing shoe. Upon sealing the 169 mmØ (6-5/8") casing at 70.41 mBGS, SQ rock coring was continued below the casing to the base of the well at 116.26 mBGS. The well was completed with an above ground casing stick-up of 0.60 m and capped with a locking, vermin-proof lid. Well installation details are provided in **Table 1** and a borehole log is provided in **Appendix A**.

Table 1: F2-T Installation Details

Detail	From (mBGS)	To (mBGS)
10-7/8" Steel Casing	-0.40 ^a	2.46
6-5/8" Steel Casing	-0.60 ^a	70.41
6" (SQ) Open Core hole	70.41	116.26
Coated Bentonite Pellets between 10-7/8" and 6-5/8" Steel Casings	0.00	2.46
Bentonite Grout between Borehole Wall and 6-5/8" Steel Casing	2.46	66.90
Coated Bentonite Pellets between Borehole Wall and 6-5/8" Steel Casing	66.90	70.41

Notes: a – Negative values indicate height above ground surface.

Following completion of the well construction stage, F2-T was developed to remove fine particles generated during the drilling process and establish a good hydraulic connection with the surrounding geological (bedrock) formation. Well development (air surging) was completed on September 9th, 2021 and concluded with a minimum turbidity reading of <1 NTU. A groundwater quality sample was collected during the development process to assess its quality relative to the Fergus Sewer Use By-Law No. 2849 (**Appendix B**). Following review of the groundwater quality testing results, discharge to the local storm sewer was permitted by the Township.

During geophysical logging conducted by Lotowater Technical Services (LTS), a 0.14 m gap at the location of a threaded joint in the 169 mmØ (6-5/8") steel casing was identified at a depth of approximately 7.54 mBGS. Grout placed between the well casing and borehole wall during sealing of F2-T likely entered the well through this gap prior to development. As a result, the integrity of the grout seal was expected to be compromised between 7.54 mBGS and ground surface. Given the relatively shallow depth of the gap in the casing, it likely contributed minimal impact during the pump testing and groundwater quality sampling due to the position of the static groundwater level consistently being below the depth of the casing gap. The LTS geophysical log is provided in **Appendix C**.

2.1.2 F2-R Well

Production well F2-R was drilled and installed by ADI between July 5th and August 15th, 2022. The drilling process involved removing the existing casing in test well F2-T, widening the well annulus, and installing / sealing the production well casing. Casing removal, well drilling and casing installation were completed using a Foremost DR24 drilling rig. Following removal of the F2-T casing, casing advancement / air hammering was utilized to install a temporary 508 mmØ (20") steel casing from ground surface to a depth of 3.05 mBGS. Following placement of the temporary casing, ADI widened the borehole to 458 mmØ (18") from 3.05 to 44.04 mBGS to allow for installation of the permanent 305 mmØ (12") steel casing. Following placement of the casing, the borehole was advanced at 305 mmØ (12") from 44.04 to 116.26 mBGS using an air hammer. Information regarding the water-bearing fracture zones identified within the F2-R well is provided in **Section 2.1.3**.

Following the completion of borehole drilling, the annular space between the 305 mmØ (12") casing and borehole wall was sealed by placing bentonite pellets followed by bentonite grout within the well annulus. The temporary 508 mmØ (20") steel casing was removed during placement of the well seal. The well was completed with an above ground casing stick-up of 0.73 m and capped with a locking, vermin-proof lid. Well installation details are provided in **Table 2** and borehole logs are provided in **Appendix A**.

Table 2: F2-R Installation Details

Detail	From (mBGS)	To (mBGS)
12" Steel Casing	-0.73 ^a	44.04
12" Open Core hole	44.04	116.26
Coated Bentonite Pellets between 12" Steel Casing and borehole wall	43.43	44.04
Bentonite Grout between 12" Steel Casing and borehole wall	0.60	43.43
Coated Bentonite Pellets between 12" Steel Casing and borehole wall	0.00	0.60

Notes: a – Negative values indicate height above ground surface.

Following installation, F2-R was developed via air lifting and pumping to remove fine particles generated during the drilling process and establish a good hydraulic connection with the surrounding geological (bedrock) formation. Well development (air surging) was completed between August 15th and 18th, 2022 and concluded with a minimum turbidity reading of <10 NTU. After turbidity measurements stabilized at approximately 10 NTU, it was deemed by ADI that the development technique of air surging was too aggressive to further reduce the turbidity, and that pumping the well during the step testing and 24-hour pump test was the recommended approach to complete well development. The design standard of <1 NTU turbidity was subsequently achieved via stop-start pump development. Development water was not discharged to the storm sewer until field readings confirmed that TSS was below 15 mg/L. The F2-R MECP Well Record is included in **Appendix A**.

2.1.3 F2 Well Site Geophysics

Geophysical testing was completed by LTS at F2, F2-T and F5-R during the course of the Project, and included flow-profiling, gamma, caliper, temperature, conductivity, optical/acoustic televiewer, and downhole camera. Testing results are provided in **Appendix C**.

LTS identified a majority of groundwater inflow to the F2-R well at approximately 44.80 mBGS, or 358.3 to 322.3 mASL (30% of the total flow; 10% of this at 60.5 mBGS or 341.8 mASL), 80-100 mBGS or 322.3 to 302.3 mASL (30% of the total flow), and 104 mBGS or 298.3 mASL (40% of the total flow).

2.2 F5 Well Site

2.2.1 F5-T Well

Test well F5-T was drilled and installed by ADI between October 6th and November 10th, 2021. The borehole was advanced through the overburden using a Foremost DR24 drilling rig with steel casing advancement at a nominal 277 mmØ (10-7/8"), equipped with casing shoe, to a depth of 21.95 mBGS. The borehole was subsequently advanced using air hammer to a target depth of 35.38 mBGS, at which time a 169 mmØ (6-5/8") steel casing with casing shoe was set within the borehole and sealed. ADI experienced significant difficulty sealing the 169 mmØ (6-5/8") steel casing due to the presence of highly fractured shallow bedrock that displaced grout placed by tremie in the well annulus; however, the base of the casing was

effectively sealed using coated bentonite pellets. The borehole was then advanced below the casing using a CME 75 drilling rig and SQ rock coring, to a depth of 56.13 mBGS. Sand ingress during rock coring necessitated deepening of the 169 mmØ (6-5/8") casing from the original target depth of 35.38 mBGS to a depth of 53.04 mBGS in an attempt to seal off sand-producing fractures. The casing was advanced via air hammer in the SQ core hole. Further sand-producing fractures encountered below 53.04 mBGS necessitated sealing of the 153 mmØ (6") SQ casing at 56.13 mBGS. Below this point, the borehole was advanced using 127 mmØ (5") PQ rock coring to a final depth of 143.54 mBGS. The well was completed with an above ground casing stick-up of 0.46 m and capped with a locking, vermin-proof lid. Well installation details are provided in **Table 3** and a borehole log is provided in **Appendix A**.

Table 3: F5-T Installation Details

Detail	From (mBGS)	To (mBGS)
10-7/8" Steel Casing	-0.36 ^a	21.95
6-5/8" Steel Casing	-0.41 ^a	53.04
6" (SQ) Steel Casing	-0.46 ^a	56.13
5" (PQ) Open Core hole	56.13	143.54
Bentonite Grout	N/A ^b	
Coated Bentonite Pellets between Borehole Wall/ 6-5/8" Steel Casing and 6" (SQ) Steel Casing	50.04	56.13

Notes: a – Negative values indicate height above ground surface.

b – Grout seal not placed due to encountered transmissive fractures.

Following installation, F5-T was developed via air lifting to remove fine particles generated during the drilling process and establish a good hydraulic connection with the surrounding geological (bedrock) formation. Well development (air surging) was completed on November 15th and 16th, 2021, and concluded with a turbidity reading of approximately 300 NTU. Due to the high turbidity encountered during well development, it was determined to be impractical to continue development beyond two (2) days of effort, and that additional development would be conducted during subsequent testing stages. A groundwater quality sample was collected during the development process to assess the water quality for discharge purposes (**Appendix B**). Based on the water quality results, discharge to a woodlot (Township-owned land) located adjacent to and behind the site was permitted by the Township.

2.2.2 F5-R Well

Production well F5-R was drilled and constructed by ADI between February 22nd and April 8th, 2022. The drilling process involved removing the F5-T well casing, widening the borehole, and installing and sealing the production well casing. Casing removal was performed with a CME 75 drilling rig. Subsequent drilling and casing installation was completed using a Foremost DR24 drilling rig. Upon pulling the F5-T casing, gas was observed entering the borehole at a depth of approximately 0.5 mBGS. The local gas utility owner (Enbridge) performed a site inspection and confirmed that no gas utility had been struck and stated that the woodlot/wetland adjacent to the F5 well site was a potential source of the natural gas entering the borehole. Flowable concrete (u-fill) was placed in the hole from approximately 1.5 mBGS to ground surface to mitigate the gas ingress and allow drilling to continue uninhibited. Casing advancement / air hammering was then performed to install a temporary 508 mmØ (20") steel casing from ground surface to a depth of 20.12 mBGS. Following placement of the temporary casing, ADI widened the annulus to 458 mmØ (18") from 20.12 to 55.47 mBGS to allow for installation of the permanent casing. Due to the occurrence of sand/gravel ingress into the borehole during the widening process, a double-

walled steel casing was installed to reduce the risk of seal failure at the base of the casing. This step included placement of a 407 mmØ (16") steel casing from ground surface to 55.46 mBGS, followed by an inner 305 mmØ (12") steel casing to 55.78 mBGS. Native material present within the 407 mmØ (16") casing was cleared via air hammer prior to placement of the 305 mmØ (12") steel casing. With the 305 mmØ (12") and 407 mmØ (16") casings in place, the borehole was widened to 305 mmØ (12") from 55.78 to 144.93 mBGS using an air hammer. Information regarding water-bearing fracture zones identified within the F5-R well is provided in **Section 2.2.3**.

Following the completion of borehole drilling, the annulus between the 305 mmØ (12") and 407 mmØ (16") casings was sealed with coated bentonite pellets followed by bentonite grout. The annular space between the 407 mmØ (16") steel casing and borehole wall contained native infill (sand and gravel) to a depth of 20.12 mBGS. During the process of removing the 508 mmØ (20") casing, bentonite chips were placed above the sand and gravel infill to 18.29 mBGS. Due to the highly fractured/cavernous nature of the shallow bedrock, ADI had difficulty placing seal above the bentonite at 18.29 mBGS. A 5.18 m thick layer of pea gravel was placed above the bentonite (to 13.11 mBGS) as a foundation for the upper seal. Bentonite pellets and grout were then placed, respectively, above the pea gravel to ground surface, while completing removal of the 508 mmØ (20") steel casing. The well was completed with an above-ground casing stick-up of 0.70 m and capped with a locking, vermin-proof lid. Well installation details are provided in **Table 4** and a borehole log is provided in **Appendix A**.

Table 4: F5-R Installation Details

Detail	From (mBGS)	To (mBGS)
16" Steel Casing	-0.10 ^a	55.46
12" Steel Casing	-0.70 ^a	55.78
12" Open Core hole	55.78	144.93
Coated Bentonite Pellets between 12" and 16" Steel Casings	55.17	55.78
Grout between 12" and 16" Steel Casings	0.60	55.17
Coated Bentonite Pellets between 12" and 16" Steel Casings	0.00	0.60
Cave-in/gravel ingress between 16" Steel Casing and Borehole Wall	20.12	55.46
Coated Bentonite Pellets between 16" Steel Casing and Borehole Wall	18.29	20.12
Pea Gravel between 16" Steel Casing and Borehole Wall	13.11	18.29
Bentonite Pellets between 16" Steel Casing and Borehole Wall	12.50	13.11
Bentonite Grout between 16" Steel Casing and borehole wall	0.60	12.50

Detail	From (mBGS)	To (mBGS)
Bentonite Pellets between 16" Steel Casing and Borehole Wall	0.00	0.60

Notes: a – Negative values indicate height above ground surface.

Following the completion of well construction, F5-R was developed via air lifting and pumping to remove fine particles generated during the drilling process and establish a good hydraulic connection with the surrounding geological (bedrock) formation, such that representative groundwater levels and well capacity details during subsequent testing could be obtained. Development of F5-R was extremely difficult, with the well exhibiting high turbidity readings after several weeks of air surging/pumping. During development, turbidity readings of <5 NTU were attained; however, F5-R continued to produce high turbidity during the start of pumping activities / after extended shutdown periods (generally in the range of 10 to 70 NTU, as measured by the Township). The turbidity results are further discussed in **Section 4.2.2**. The F5-R MECP Well Record is included in **Appendix A**.

2.2.3 F5 Well Site Geophysics

Geophysical testing was completed by LTS at F5, F5-T and F5-R over the duration of the Project, and included flow-profiling, gamma, caliper, temperature, conductivity, optical/acoustic televiewer, and downhole camera. Testing results are provided in **Appendix C**.

LTS identified a majority of the inflow to the F5-R well at approximately 75.8, 80.3, and 83.7 mBGS (345.1, 288.1, and 281.4 mASL, respectively), with minor in/outflow at 141 mBGS (224.8 mASL).

2.3 MW7-21 Well Nest

2.3.1 MW7-21D

Monitoring well MW7-21D was drilled and installed between September 15th and October 1st, 2021. This well, along with MW7-21S/I form the multi-level monitoring well nest located at the corner of Cameron St. and St. Andrew St. East, within the Community of Fergus (**Figure 1**). The MW7-21D borehole was advanced through the overburden using a CME 75 drilling rig equipped with hollow stem augers to the top of bedrock at 1.30 mBGS. The borehole was then advanced into bedrock via 127 mmØ (5") PQ rock coring to a depth of 115.98 mBGS. The well was completed using a flush mounted steel cap. Well installation details are provided in **Table 5** and a borehole log is provided in **Appendix A**.

Table 5: MW7-21D Installation Details

Detail	From (mBGS)	To (mBGS)
50 mm schedule 80 PVC Riser	0.08	104.67
50 mm schedule 80 PVC Screen (Size 10 Slot)	104.67	107.72
Bentonite Pellets	0.00	0.30
Bentonite Grout	0.30	99.97
Coated Bentonite Pellets	99.97	100.58
Silica Sand	100.58	108.33
Coated Bentonite Pellets	108.33	115.98

Following the completion of drilling and prior to well installation, MW7-21D was developed to remove fine particles generated during the drilling process and establish a good hydraulic connection with the surrounding geological (bedrock) formation such that representative groundwater levels and well response information during subsequent testing could be obtained. Well development (air surging) was completed on September 24th, 2021, and concluded with turbidity reading of approximately 1.5 NTU.

2.3.2 MW7-21S/I

Monitoring well MW7-21S/I (two wells installed in a single borehole) was drilled and installed adjacent to MW7-21D between October 4th and October 14th, 2021. The borehole was advanced through the overburden using a CME 75 drilling rig equipped with hollow stem augers to the top of bedrock at 1.30 mBGS. The borehole was then advanced into bedrock via air hammer to a total depth of 86.41 mBGS. The well was completed using a flush mounted steel cap. The well comprises two (2) separate well installations within the single borehole, denoted as S (shallow) and I (intermediate), respectively. Well installation details are provided in **Table 6** and a borehole log is provided in **Appendix A**.

Table 6: MW7-21S/I Installation Details

Detail	From (mBGS)	To (mBGS)
Shallow Well: 38 mm schedule 40 PVC Riser	0.12	21.44
Shallow Well: 38 mm schedule 40 PVC Screen (Size 10 Slot)	21.44	24.49
Intermediate Well: 38 mm schedule 40 PVC Riser	0.08	83.16
Intermediate Well: 38 mm schedule 40 PVC Screen (Size 10 Slot)	83.16	86.21
Bentonite Pellets	0.00	0.30
Bentonite Grout	0.30	19.51
Coated Bentonite Pellets	19.51	20.78
Silica Sand	20.78	25.25
Coated Bentonite Pellets	25.25	82.40
Silica Sand	82.40	86.41

Following completion of drilling and prior to well installation, MW7-21S/I was developed to remove fine particles generated during the drilling process and establish a good hydraulic connection with the surrounding geological (bedrock) formation, such that representative groundwater levels and well response information during subsequent testing could be obtained. Well development (air surging) was completed on October 7th, 2021, and concluded when visually clear water was being produced from the borehole.

2.3.3 MW7-21D Geophysics

Geophysical testing was completed by LTS at MW7-21D and included flow-profiling, gamma, caliper, conductivity, temperature, optical/acoustic televiewer, and downhole camera. Testing results are provided in **Appendix C**. Of note were multiple, significant voids identified at depths of approximately 294.05 and 292.05 mASL.

2.4 MW8-21

MW8-21 was originally identified as the "MW4 Replacement Well" in Township of Centre Wellington RFT#01-2,1 but was subsequently renamed by the Township. MW8-21 comprises a multi-level monitoring system with five (5) ports installed within a single borehole using a Solinst® Waterloo Multilevel Groundwater Monitoring System. Each port includes a 153 mmØ (6") length screened interval, with a built-in vibrating wire piezometer (VWP) and double valve pump. The borehole for the multi-level monitoring well was drilled between November 30th and December 9th, 2021, and followed by well installation between December 13th and 23rd, 2022. A packer was installed within the borehole during the interim period to prevent downward groundwater flow within the borehole.

The MW8-21 borehole was advanced through the overburden using a CME 75 drilling rig equipped with hollow stem augers to the top of bedrock at 0.61 mBGS. The borehole was then advanced into bedrock via 127mmØ (5") PQ rock coring to a depth of 78.99 mBGS. Well installation details are provided in **Table 7** and a borehole log is provided in **Appendix A¹**.

Of note, the filter pack for Port 2 was installed with pea stone rather than sand to inhibit potential migration of backfill material, due to its location within the main water bearing fracture supplying the F1 well. The well was completed using a custom steel locking casing with an above ground casing stick-up of 1.35m.

Table 7: MW8-21 Installation Details

Detail	From (mBGS)	To (mBGS)
50 mm PVC Riser	-1.35	13.84
Port 5 Stainless Steel Screen	13.84	14.00
50 mm PVC Riser	14.00	27.10
Port 4 Stainless Steel Screen	27.10	27.25
50 mm PVC Riser	27.25	35.18
Port 3 Stainless Steel Screen	35.18	35.33
50 mm PVC Riser	35.33	53.62
Port 2 Stainless Steel Screen	53.62	53.77
50 mm PVC Riser	53.77	68.40
Port 1 Stainless Steel Screen	68.40	68.55
50 mm PVC Riser	68.55	78.92
Multilevel Base Plug	78.92	78.97
Coated Bentonite Pellets	0.00	13.11
Silica Sand	13.11	14.99

¹ Well coordinates and elevation provided in the borehole log are based on Google Earth as the well has not yet been surveyed.

Detail	From (mBGS)	To (mBGS)
Coated Bentonite Pellets	14.99	26.37
Silica Sand	26.37	27.91
Coated Bentonite Pellets	27.91	33.40
Silica Sand	33.40	36.27
Coated Bentonite Pellets	36.27	52.04
Pea Stone	52.04	54.74
Coated Bentonite Pellets	54.74	67.72
Silica Sand	67.72	69.34
Coated Bentonite Pellets	69.34	79.10
Silica Sand	79.10	79.27

Following the completion of drilling and prior to well installation, MW8-21 was developed to remove fine particles generated during the drilling process and establish a good hydraulic connection with the surrounding geological (bedrock) formation, such that representative groundwater levels and well response information during subsequent testing could be obtained. Well development (air surging) was completed on December 13th, 2021. Well development was concluded when visually clear water was being produced from the borehole.

2.4.1 MW8-21 Geophysics

Geophysical testing was completed by LTS at MW8-21 and included flow-profiling, gamma, caliper, resistivity, optical televiewer, and downhole camera. Testing results are provided in **Appendix C**. This information was utilized to select the multi-level port locations listed in **Table 7**, and shown on the borehole log in **Appendix A**.

3.0 Aquifer Capacity Testing

Over the course of the Well Replacement Project, pumping tests were conducted by LTS at the F2, F2-T, F2-R, F5-T and F5-R wells to determine drawdown characteristics, estimate well yield, and determine potential private well interference related to the replacement wells.

Unfiltered groundwater samples were collected by AECOM upon completion of pumping tests at F2-T, F2-R, F5-T and F5-R to document the quality of groundwater within the target bedrock aquifers at the replacement well sites. Groundwater samples were also collected from the F2 well during the course of pump testing to assess the quality of groundwater produced by the intermediate water-bearing formation, isolated by the use of a packer. Additionally, groundwater quality samples were collected from private residences that participated in the private well monitoring program. A summary of the sampling events completed by AECOM during the F2, and F5 Well Replacement Program is included in the following sections.

A full summary of the analytical testing results provided by CALA-accredited environmental analytical laboratories ALS Laboratories (ALS) and AGAT Laboratories (AGAT) is included within the laboratory Certificates of Analysis in **Appendix B**. Concentrations reported within the laboratory Certificates of Analysis, and subsequently on the exceedance summary tables within this report, reflect non-filtered samples, as required by the Town of Fergus's Sewer Use By-Law criteria and the Ontario Drinking Water Quality Standards (ODWQS). The unfiltered results are representative of raw groundwater quality prior to any treatment processes.

Water level monitoring completed during each test is also summarized in the following sections and displayed on the hydrographs included in **Appendix D**.

3.1 F2 Well Site

3.1.1 Private Well Monitoring

In accordance with the Permit Take Water (PTTW) issued by the Ministry of Environment, Conservation and Parks (MECP) for the well replacement Project pump tests (# P-300-1118618843), AECOM completed a private well monitoring program within a 500 m radius of the F2-T/F2-R wells. A door-to-door survey was completed to obtain background information on existing local aquifer use, and to assess potential locations for the monitoring of groundwater levels and quality both prior to and during replacement well drilling and aquifer testing at the F2-T/F2-R wells (documented in AECOM, 2021). Groundwater quality monitoring included sampling for a general potability package (including general chemistry, physical and bacteriological tests) as well as for a suite of volatile organic compounds (VOCs). Groundwater level monitoring included continuous data collection via in-situ pressure/temperature transducers (with on-board dataloggers), supplemented by manual measurements using an electronic water level tape during datalogger installation and retrieval events.

A summary of the private well monitoring program participants and their agreement to participate in the water level and water quality components of the program is provided in **Table 8**. A copy of the letters sent to residents with the water quality sampling results is provided in **Appendix E**.

Table 8: F2 Well Site – Private Well Monitoring Program Participants Summary

Address	Centre Wellington Private Well ID	Agreed to Participate in Water Level Monitoring (Y/N)	Agreed to Participate in Water Quality Monitoring (Y/N)
515 Orangeville Rd.	N/A	N – shared private well, not located on property	Y
535 Orangeville Rd ^a	Well 37	Y	Y
565 Orangeville Rd.	Well 38	Y	Y
590 St. Andrew St. East	Well 36	Y	Y
640 St. Andrew St. East	Well 33	Y	Y
140 Tom St.	N/A	N – well is not accessible for monitoring	Y

Notes: a – Well owner agreed to participate in monitoring program following F2-T Pump Test #2; monitoring was not completed during the F2-T Step Test, Pump Test #1 and Pump Test #2.

3.1.2 F2-T Well Capacity Testing

A step test was completed at F2-T on October 26th, 2021, to identify an appropriate pumping rate for the planned 24-hour pumping test. The step-test included four (4) one-hour steps at increasing rates of 3, 6, 9, and 11 L/s (**Appendix C**).

The initial 24-hour test was started on October 27th, 2021, at a rate of 10 L/s. An additional short duration (one-hour) pump test was performed on October 29th, 2021, at a slightly increased pump rate (12 L/s) to evaluate the maximum capacity of the well.

A summary of the pump tests performed at F2-T is provided in **Table 9**.

Table 9: F2-T Pump Test Summary

Pump Test	Start Date and Time (YYYY-MM-DD hr:min)	End Date and Time (YYYY-MM-DD hr:min)	Pumping Rate (L/s)
F2-T Step Test	2021-10-26 09:47	2021-10-26 15:30	Four (4) steps at 3, 6, 9 and 11
F2-T Pump Test #1	2021-10-27 10:35	2021-10-28 10:35	10
F2-T Pump Test #2	2021-10-29 08:58	2021-10-29 09:58	12

Groundwater Quality

A summary of groundwater quality sampling completed at F2-T, including laboratory results is provided in **Table 10**. A suite of parameters within ODWQS Schedules 1, 2 and 3 were analyzed for the samples collected from F2-T on October 28th and 29th, 2021 (**Appendix B**). No exceedances of the ODWQS parameter limits were reported in the sample results. Although below its ODWQS Aesthetic Objective of 200 mg/L, the reported concentration of sodium exceeded 20 mg/L (value of 23.6 mg/L), and thus should be reported to the local Medical Officer of Health so that this information may be communicated to local physicians for their use with patients on sodium restricted diets.

Table 10: F2-T – Pump Test Water Quality Sampling Summary

Pump Test	Sampling Date (YYYY-MM-DD)	Parameters Tested	Laboratory Work Order #	ODWQS Exceedances – Aesthetic Objective/ Operational Guideline	ODWQS Exceedances – Maximum Acceptable Concentration
F2-T Pump Test #1	2021-10-28	Bromate, Chloramines, Radionuclides	AGAT: 21T822326	N/A	N/A
		Anions and Nutrients, Cyanides, Bacteriological Tests, Total Metals, PAHs, HAAs, Semi-Volatile Organics, Herbicides, Pesticides	ALS: L2656807	Sodium ^a	N/A
F2-T Pump Test #2	2021-10-29	Mercury, VOCs, THMs, PCBs, Organochlorine Pesticides		N/A	N/A

Notes: a – The aesthetic objective for sodium in drinking water is 200 mg/L. The local Medical Officer of Health should be notified when the sodium concentration exceeds 20 mg/L so that this information may be communicated to local physicians for their use with patients on sodium restricted diets.

Groundwater Level Monitoring

F2-T and Monitoring Well Results

During the F2-T pump tests, groundwater level monitoring was completed at F2-T and MW7-21S/I/D by LTS. Groundwater level monitoring hydrographs for F2-T, each monitored private well, and MW7-21S/I/D are provided in **Appendix D**.

The results indicate that the lower portion of the aquifer (open portion of the well extending from 70.4 to 116.3 mBGS) is capable of sustaining a pumping rate of approximately 10 L/s (**Figure D-1**). This rate was deemed by the Township to be insufficient for a production well at this location, and therefore additional testing was completed on the original F2 well to evaluate the productivity of the upper component of the local aquifer (**Section 3.1.3**).

The hydrograph for the MW7-21S/I/D nest (**Figure D-2**) shows a response to the pumping of F2-T within the intermediate (I) and deep (D) wells. Maximum drawdown in the deep well was approximately 9.6 m during Pump Test #1 at 10 L/s. The observed drawdown in the intermediate well (completed within the Goat Island Formation) was approximately 4.1 m; however, a component of this drawdown is caused by the cyclical pumping of the F1 well, located approximately 160 m to the southeast (across the Grand River). The shallow well (completed within the Guelph Formation) did not respond to pumping at F2-T. It is noted that the MW7-21D groundwater level consistently remained above the level in MW7-21S, reflecting the presence of an upward hydraulic gradient, locally.

Private Well Results

Groundwater level monitoring was completed at private wells located at 565 Orangeville Rd., 590 St. Andrew St. East and 640 St. Andrew St. East for the duration of the pumping tests at F2-T (**Figure D-3**). Although included in the groundwater level monitoring program outlined in **Table 8**, 535 Orangeville Rd. did not request to participate until after the F2-T testing was completed. The private well located at 590 St. Andrew St. East indicated approximately 1.0 m of drawdown during the F2-T pump test #1 (10 L/s); however, this well was operating during the test, causing a portion of observed drawdown. The other two private wells monitored during the F2-T pumping tests (640 St. Andrew St. East and 565 Orangeville Rd.) did not show any groundwater level response.

3.1.3 F2 Well Assessment

Subsequent to F2-T testing, the original F2 well was assessed to evaluate the shallow component of the bedrock aquifer and to inform the final design of the F2 replacement well. A packer was placed within the original F2 well at a depth of 44 mBGS to isolate the upper and lower sections of the well. The lower section of the well was pumped during the subsequent pump tests and results were analyzed to determine the productivity and groundwater quality of the intermediate bedrock and to evaluate the potential presence of a hydraulic connection between the upper and lower aquifer segments. A summary of the pump tests is provided in **Table 11**.

Table 11: F2 Well Pump Test Summary

Pump Test	Start Date and Time (YYYY-MM-DD hr:min)	End Date and Time (YYYY-MM-DD hr:min)	Pumping Rate (L/s)
F2 Pump Test #1	2021-11-17 09:00	2021-11-17 09:58	6.3
F2 Pump Test #2	2021-11-17 11:35	2021-11-17 15:35	6.3
F2 Pump Test #3	2021-11-22 11:35	2021-11-22 17:35	6.3

Groundwater Quality

A summary of groundwater quality sampling completed during F2 Tests #1 and #3 is provided in **Table 12**. No groundwater samples were collected during Test #2.

Table 12: Well F2 – Pump Test Water Quality Sampling Summary

Pump Test	Sampling Date (YYYY-MM-DD)	Parameters Tested	Laboratory Work Order #	ODWQS Exceedances – Aesthetic Objective/ Operational Guideline	ODWQS Exceedances – Maximum Acceptable Concentration
F2 Pump Test #1	2021-11-17	TSS, Turbidity, E.Coli and Total Coliforms	ALS: L2663747	N/A	N/A
F2 Pump Test #3	2021-11-22	VOCs, TSS, Turbidity, E.Coli and Total Coliforms	ALS: L2665028	N/A	Total Coliforms ^a

Notes: a – The total coliform detection of 1 MPN/100 mL may not be indicative of site conditions.

Groundwater Level Monitoring

F2 and Monitoring Well Results

During the F2 well assessment, groundwater level monitoring was completed by LTS in the pumping well both above and below the packer placed at 44 mBGS. A groundwater level monitoring hydrograph for F2 (above and below the packer) is provided in **Appendix D (Figure D-4)**. Results show minimal drawdown above the packer during pumping (<1 m), indicating that there is minor interconnectivity between the upper and intermediate bedrock aquifers. The test rate was limited to 6.3 L/s due to the restricted borehole size (packer installation); however, the observed drawdown of approximately 7.5 m (pumping water level at approximately 17 mBGS) indicated that the intermediate zone of the bedrock aquifer could provide additional capacity to the final replacement well. Therefore, a decision was made to install the base of the F2-R casing to a depth of 44 mBGS.

The hydrograph for the MW7-21S/I/D nest (**Figure D-5**) shows a very minor response to the pumping of F2 within the deep well (<0.5 m). No response was observed in the shallow well and data are not available for the intermediate well due to over pressurization of the installed transducer.

Private Well Results

Groundwater level monitoring was completed at private wells located at 535 and 565 Orangeville Rd., 590 St. Andrew St. East and 640 St. Andrew St. East for the duration of the pump tests at F2 (**Figure D-3**). Similar to the F2-T testing, the private well located at 590 St. Andrew Street East responded to the F2 test, with approximately 0.6 m of drawdown observed. This well was operating during the testing, causing a portion of observed drawdown. The other private wells monitored during the F2 pump tests did not show an appreciable response.

Well Abandonment

Prior to construction of the F2-R well, the original F2 well was abandoned by ADI in accordance with O.Reg. 903, as amended (**Appendix A**).

3.1.4 F2-R Well Capacity Testing

A step test was completed at F2-R on August 31st, 2022, to identify an appropriate pumping rate for the planned 24-hour pump test. The step-test included three (3) one-hour steps at increasing rates of 7, 14, and 20 L/s.

Following the step test, the well was chlorinated and then purged on September 1st, 2022 (**Appendix C**) in advance of a 24-hour test that was completed at a rate of 20 L/s.

A summary of the step-test and long-term pump test performed at F2-R is provided in **Table 13**.

Table 13: F2-R Pump Tests

Pump Test ID	Start Date and Time (YYYY-MM-DD hr:min)	End Date and Time (YYYY-MM-DD hr:min)	Pumping Rate (L/s)
F2-R Step Test	2022-08-31 12:45	2022-08-31 15:45	Three (3) steps at 7, 14 and 20
F2-R Pump Test	2022-09-01 09:00	2022-09-02 10:07	20

Groundwater Quality

A summary of groundwater quality sampling completed at F2-R, including laboratory testing results is provided in **Table 14**. A suite of parameters within ODWQS Schedules 1, 2 and 3 were analyzed for the groundwater samples collected from F2-R on September 2nd, 2022 (**Appendix B**). Similar to the F2-T results, although below its ODWQS Aesthetic Objective of 200 mg/L, the reported concentration of sodium exceeded 20 mg/L (value of 30.6 mg/L), and thus should be reported to the local Medical Officer of Health so that this information may be communicated to local physicians for their use with patients on sodium restricted diets. In addition, TDS in the sampled groundwater (850 mg/L) also was reported to exceed the Aesthetic Objective of 500 mg/L, and hardness (637 mg/L) was reported to exceed the Operational Guideline range of 80 to 100 mg/L.

Table 14: F2-R – Pump Test Water Quality Sampling Summary

Pump Test	Sampling Date (YYYY-MM-DD)	Parameters Tested	Laboratory Work Order #	ODWQS Exceedances – Aesthetic Objective/ Operational Guideline	ODWQS Exceedances – Maximum Acceptable Concentration
F2-R Pump Test	2022-09-02	Physical Tests, Anions and Nutrients, Cyanides, Organic/ Inorganic Carbon, Total Sulfides, Total Metals, Aggregate Organics (NTA), Dissolved Gases (Methane), VOCs, THMs, PAHs, Disinfectant Bi-products, HAAs, Semi-volatile Organics, Chlorinated Phenolics, PCBs, Pesticides, Herbicides, Organic Parameters (microcystin)	ALS: WT2212954	Sodium ^a , TDS; Hardness (as CaCO ₃)	N/A
		Bromate, Chloramines	AGAT: 22T940792	N/A	N/A

Notes: a – The aesthetic objective for sodium in drinking water is 200 mg/L. The local Medical Officer of Health should be notified when the sodium concentration exceeds 20 mg/L so that this information may be communicated to local physicians for their use with patients on sodium restricted diets.

Groundwater Level Monitoring

F2-R and Monitoring Well Results

During the F2-R testing, groundwater level monitoring was completed at F2-R and MW7-21S/I/D by LTS. Groundwater level monitoring hydrographs for F2-R, each monitored private well, and MW7-21S/I/D are provided in **Appendix D**. Drawdown

within F2-R stabilized at about 355 mASL late in the 24-hour test, a total drawdown of approximately 34.4 m and a specific capacity of 0.58 L/s/m (**Figure D-6**). The drawdown curve was relatively smooth with one fairly sharp increase at 6:50PM on September 1st, in response to a pumping rate adjustment. The groundwater level did draw down below the base of the well casing; however, there was no observable impact to the drawdown curve in response.

The hydrograph for the MW7-21S/I/D nest (**Figure D-7**) shows a response to the pumping of F2-R within the intermediate and deep wells. The maximum drawdown in the deep well was approximately 13.3 m during pumping of F2-R at 20 L/s, compared to an approximate drawdown of 9.6 m during pumping of F2-T 10 L/s. The observed drawdown in the intermediate well was approximately 4 m; however, a component of this drawdown was caused by the cyclical pumping of the F1 well, as was observed during the F2-T test.

The hydrograph for MW7-21S displays several metres of variability before and after the F2-R test that may be related to pumping of the F1 well, with the absence of a drawdown trend that can be attributed to the F2-R testing.

Private Well Results

Groundwater level monitoring was completed at the private wells identified in **Table 8** for the duration of the pump test at F2-R. Each of the four (4) private wells show some magnitude of drawdown due to the pump test conducted at F5-R (**Figure D-8**). Private wells at 565 Orangeville Rd., 535 Orangeville Rd. and 640 St. Andrew St. East show very minor to minor drawdown (<1.0 m) at the conclusion of the F2-R pumping test, indicating a slight connection with the fracture zones intercepted by F2-R. The private well located at 590 St. Andrew St. East showed moderate drawdown (approximately 2.6 m) in response to pumping at F5-R.

The maximum observed drawdown at the conclusion of the 24-hour F2-R pump test is shown on **Figure 2**, indicating the zone of influence pattern caused by pumping F2-R. The variability apparent in this pattern is explained by the nature of fractured bedrock hydrogeology, such that the connection with any one observation and/or private well depends on the construction details of the pumping well and the well being monitored, radial distance, and interconnectivity of the fracture network.

Transmissivity Estimate

Aquifer transmissivity was estimated for F2-R using the 24-hour drawdown pumping test data provided by LTS for both the pumping well (F2-R) and municipal monitoring well MW7-21D. The bulk transmissivity surrounding the water supply well was determined to be approximately 90 m²/day at the pumping well and 144 m²/day at the monitoring well (**Appendix F**).

3.2 F5 Well Site

3.2.1 Private Well Monitoring

In accordance with PTTW # P-300-1118618843, as issued by MECP for the F5 replacement well pump tests, AECOM completed a private well monitoring program within a 500 m radius of F5-T/F5-R. A door-to-door survey was completed to obtain background information on existing local aquifer use, and to assess potential locations for the monitoring of groundwater levels and quality both prior to and during replacement well drilling and aquifer testing at F5-T/F5-R (AECOM, 2021). Groundwater quality monitoring included sampling for a general potability package (including general chemistry, physical and bacteriological tests) and VOCs. Groundwater level monitoring included continuous measurements via in-situ pressure/temperature transducers (with on-board datalogger), supplemented by manual groundwater level measurements using an electronic water level tape during datalogger installation and retrieval events.

Table 15 provides a summary of the private well at 935 Scotland St. and their agreement to participate in the groundwater level and water quality components of the program. A copy of the letter sent to this resident with the water quality sampling results is provided in **Appendix E**.

Table 15: F5 Well Site – Private Well Monitoring Program Participant Summary

Address	Centre Wellington Private Well ID	Agreed to Participate in Water Level Monitoring (Y/N)	Agreed to Participate in Water Quality Monitoring (Y/N)
935 Scotland St.	Well 28	Y	Y

3.2.2 F5-T Well Capacity Testing

A summary of the 24-hour pumping test performed at F5-T is provided in **Table 16**. A step test was not completed prior to the long-term pumping test since the pumping rate was limited by the borehole diameter (PQ), rather than aquifer performance. This was due to the reduced casing diameter of F5-T necessitated by the issue of sand ingress to the borehole during drilling, as noted previously.

Table 16: F5-T Pump Test Summary

Pump Test ID	Start Date and Time (YYYY-MM-DD hr:min)	End Date and Time (YYYY-MM-DD hr:min)	Pumping Rate (L/s)
F5-T Pump Test #1	2021-11-30 10:45	2021-12-01 12:00	6.6

Groundwater Quality

A summary of groundwater quality sampling completed at F5-T during the F5-T pumping test, including laboratory testing results is provided in **Table 17**. A suite of parameters within ODWQS Schedules 1, 2 and 3 were analyzed for the samples collected from F5-T on December 1st, 2021. No parameter exceedances were reported.

Table 17: F5-T – Pump Test Water Quality Sampling Summary

Pump Test	Sampling Date (YYYY-MM-DD)	Parameters Tested	Laboratory Work Order #	ODWQS Exceedances – Aesthetic Objective/ Operational Guideline	ODWQS Exceedances – Maximum Acceptable Concentration
F5-T Pump Test	2021-12-01	Anions & Nutrients, Cyanides, Bacteriological Tests, Total Metals, Mercury, VOCs, PAHs, THMs, Semi-Volatile Organics, PCBs, Organochlorine Pesticides, Herbicides, Pesticides, Organic Parameters	ALS: L2668348	N/A	N/A
		Bromate, Chloramines, Radionuclides	AGAT: 21T838364	N/A	N/A

Groundwater Level Monitoring

F5-T and Monitoring Well Results

During the F5-T pumping test, groundwater level monitoring was completed at F5-T and F5 by LTS. Groundwater level monitoring hydrographs for F5, F5-T, the monitored private well and MW3-11A/B/C is provided in **Appendix D**.

The results indicate that the F5-T well was capable of sustaining the test pumping rate of approximately 6.6 L/s. Maximum drawdown in the test well was approximately 4.8 m, being equivalent to pumping water level of 399.1 mASL (**Figure D-9**). As a reference point, the base of the F5-T casing was located at 363.9 mASL. A muted response was observed in the F5 well, with maximum drawdown of approximately 2.4 m. The inverse response occurred during subsequent pumping events where F5 was operating, and the groundwater level response was monitored in F5-T (**Figure D-9**). This response indicated a direct connection between the two wells on site via bedrock fractures occurring below 364 mASL (56 mBGS). Both wells recover quickly after pumping ceases.

Township multi-level monitoring well MW3-11A/B/C is located approximately 370 m northeast of the F5 well site (**Figure 1**) and is screened at three (3) discrete intervals identified as A, B, and C, targeting the Goat Island Formation bedrock, Guelph Formation bedrock, and overburden, respectively. The hydrograph for this monitoring well (**Figure D-9**) shows that, during the F5-T pumping test, MW3-11A and MW3-11B exhibit identical responses, with sharp, immediate drawdown (<1 m) occurring at the start of pumping, and immediate recovery following pump shut-off. Drawdown in response to pumping of F5 is steeper, indicating that shallow fractures open with the F5 well are more directly connected to MW3. The overburden monitoring well, MW3-11C, displays a significantly higher groundwater level (reflecting a downward hydraulic gradient) and did not register a drawdown response to pumping at the F5 well site.

Private Well Results

Groundwater level monitoring was completed at the 935 Scotland St. private well for the duration of the pumping test at F5-T (**Figure D-9**). This private well showed minimal drawdown (<0.2 m) during pumping of F5-T, indicating that a hydraulic connection exists between the F5 site wells, but that the private well likely primarily draws water from shallower fractures within the aquifer.

3.2.3 F5-R Well Capacity Testing

A step test was completed at F5-R to identify an appropriate pumping rate for the long-term pumping test. A summary of the step test and long-term pumping test performed at F5-R is provided in **Table 18**. Following review of the step test results, a pumping rate of 30 L/s was selected for the long-term test. Subsequent to completion of the long-term test, additional development was completed at F5-R to address ongoing high turbidity levels in the well discharge water. An element of the development work included the installation of a packer within the F5 well to assess the relative contribution of the upper and lower aquifer zones to the turbidity issue. Following installation of the packer, an additional step test was completed at F5-R at rates of 10, 20, and 25 L/s. With the upper zone isolated in the F5 well, the pump in F5-R broke suction while pumping at 25 L/s (**Appendix C**). This indicates that, prior to full well development and without a deeper pump setting, 20 L/s was likely the maximum sustainable rate at F5-R, with a packer installed in the F5 well, or if this well were to be decommissioned.

Table 18: F5-R Pump Test

Pump Test ID	Start Date and Time (YYYY-MM-DD hr:min)	End Date and Time (YYYY-MM-DD hr:min)	Pumping Rate (L/s)
F5-R Step Test #1	2022-04-26 12:25	2022-04-26 15:21	Three (3) steps at 10, 20, and 30
F5-R Pump Test	2022-04-27 10:30	2022-04-28 10:50	30
F5-R Step Test #1	2022-05-16 10:38	2022-05-16 13:38	Three (3) steps at 10, 20, and 25 (pump broke suction at 25 L/s)

Monitoring of the private well at 935 Scotland St. continued during pump testing of F5-R and included continuous groundwater level monitoring via in-situ pressure/temperature transducer (with on-board datalogger), supplemented with manual groundwater level measurements using an electronic water level tape during data logger installation and retrieval events.

Groundwater Quality

A summary of groundwater quality sampling completed at F5-R, including laboratory testing results is provided in **Table 19**. A suite of parameters within ODWQS Schedules 1, 2 and 3 were analyzed for in the groundwater samples collected from F5-R on April 28th, 2022. Exceedances of the ODWQS Operational Guideline for hardness (80 to 100 mg/L) and total aluminum (0.1 mg/L), in addition to the Maximum Acceptable Concentration (health-related) for total coliforms were reported. It is noted that, although turbidity was below the ODWQS Aesthetic Objective of 5 mg/L, this parameter was elevated during subsequent testing of F5-R resulting in the Township conducting a related treatability study (**Section 4.2.2**).

Table 19: F5-R – Pump Test Water Quality Sampling Summary

Pump Test	Sampling Date (YYYY-MM-DD)	Parameters Tested	Laboratory Work Order #	ODWQS Exceedances – Aesthetic Objective/ Operational Guideline	ODWQS Exceedances – Maximum Acceptable Concentration
F5-R Pump Test	2022-04-28	Physical Tests, Anions and Nutrients, Cyanides, Organic/ Inorganic Carbon, Bacteriological Tests, Total Metals, VOCs, HAAs, Semi-Volatile Organics, Herbicides, Pesticides, Organic Parameters	ALS: L2702028	Hardness (as CaCO ₃), Total Aluminum	Total Coliforms ^a

Notes: a – The total coliform detection of 1 MPN/100 mL may not be indicative of site conditions.

Groundwater Level Monitoring

F5-R and Monitoring Well Results

During the F5-R pumping test, groundwater level monitoring was completed at F5-R and F5 by LTS. Additionally, Township multi-level monitoring well MW3-11A/B/C was monitored for the duration of the test. Groundwater level monitoring hydrographs for F5-R, the monitored private well and MW3-11A/B/C are provided in **Appendix D**. As displayed on the F5-R pumping test hydrograph (**Figure D-10**), the well drew down from a static level of approximately 405 mASL to approximately 375 mASL over the course of the 24-hour test (total drawdown of 30 m and specific capacity of 0.99 L/s/m). The pumping groundwater level in the late time of the test was about 10 m above the base of the F5-R well casing. As discussed above, the yield of this well is affected by the cross-connection with the F5 well, such that a lower sustainable rate is likely achievable with a packer installed in the F5 well and/or if the F5 well were to be decommissioned. Subsequent to the 24-hour test at 30 L/s, extensive development pumping was completed at a rate of 20 L/s without drawing the groundwater level down to the well pump intake. Additionally, the Township has successfully completed 72-hour testing of F5-R at 20 L/s for the Wellfield Capacity Testing program without issue. This testing will be documented under separate cover.

Cross-connection with the F5 well is demonstrated on **Figure D-10**, which shows an immediate response in F5 to the testing. Total drawdown in F5 is approximately 15 m. Both wells recover very quickly after pumping ceases.

Monitoring wells MW3-11A and MW3-11B show identical responses to pumping at F5-R, with sharp, immediate drawdown displayed at the start of pumping, and immediate recovery following pump shut-off (**Figure D-11**). Maximum drawdown observed in monitoring wells MW3-11A and MW3-11B was approximately 3.0 m. The overburden monitoring well, MW3-11C, registered a slight response (0.3 m drawdown) during the F5-R pumping test (**Figure D-11**).

Private Well Results

Groundwater level monitoring was completed at 935 Scotland St. for the duration of the F5-R testing. This private well showed minimal drawdown (0.6 m) at the conclusion of the 24-hour pump test for F5-R, indicating connection with the fracture zones intercepted by F5-R and this private well, but no interruption to normal well use (**Figure D-11**). Private wells at 535 and 565 Orangeville Rd. did not show a response to the pumping test conducted at F5-R (**Figure D-11**).

The maximum observed drawdown at the conclusion of the 24-hour F5-R pumping test is shown on **Figure 3**, indicating the zone of influence pattern caused by pumping F5-R. The variability apparent in this pattern is explained by the nature of fractured bedrock hydrogeology, such that the connection with any one observation or private well depends on the construction details of the pumping well and monitored well, radial distance, and interconnectivity of the fracture network.

Transmissivity Estimate

Transmissivity was estimated for F5-R using the 24-hour drawdown pumping test data provided by LTS for both the pumping well (F5-R) and nearby municipal monitoring wells MW3-11A and MW3-11B. The bulk transmissivity surrounding the water supply well was determined to be approximately 237 m²/day at the pumping well and 250 m²/day at the monitoring wells (**Appendix F**).

4.0 Discussion and Recommendations

4.1 F2-R Well

4.1.1 Well Capacity

The F2-R well was pumped at 20 L/s for approximately 24-hours during the testing completed for this Project. During the test, the groundwater level in the well was drawn down 34.4 m to a final pumping water level of approximately 355 mASL. This is below the F2-R well casing at 358.3 mASL; however, the stabilized drawdown was not affected by the groundwater level being within the open portion of the well. It is recommended that this well be operated at a maximum rate of 20 L/s and that the pumping groundwater level be maintained in the range of 350 to 355 mASL. This approach maintains the groundwater level above the water-bearing feature identified during well drilling/installation at approximately 341.8 mASL.

4.1.2 Well Water Quality

Testing of the well discharge water indicated a high-quality groundwater source with sodium (30.6 mg/L) in excess of the 20 mg/L limit for individuals on sodium reduced diets (although below its 200 mg/L Aesthetic Objective), and TDS (850 mg/L) in excess its Aesthetic Objective value of 500 mg/L, primarily due to elevated hardness (637 mg/L compared to the ODWQS Operational Guideline range of 80 to 100 mg/L). These results are common for groundwater sources in the local aquifer system. It is anticipated that a groundwater supply source can be developed on this site requiring typical treatment measures (i.e., standard disinfection).

MW7-21 should be integrated into the Township monitoring network for monitoring of groundwater levels and quality. The suite of water quality analytes should include VOCs, as this is known to be present within the local bedrock aquifer (although not detected during the well replacement program).

4.1.3 Pumping Impacts

Testing of F2-R did not interfere with the ongoing use of any local private wells. Monitoring at MW7-21D, located approximately 380 m southwest of the F2 well site, indicates that deep bedrock wells within 500 m could experience appreciable drawdown in response to long-term pumping at F2-R. The Township may consider obtaining an access agreement with the owner of Well 36 (590 St. Andrew St. East), or an equivalent nearby well, for the purpose of establishing a groundwater level monitoring point. It is understood that a cluster of private wells exist in this neighbourhood and further to the north and east. The ongoing collection of data in this area will provide an understanding of how operation of F2-R, along with F4 and F5-R, may affect local groundwater levels. In the absence of a willing participant, the Township could establish a monitoring well on Township-owned property to supplement the existing monitoring network.

4.2 F5-R Well

4.2.1 Well Capacity

The F5-R well was pumped at 30 L/s for approximately 24-hours during the testing completed for this Project. During the test, the groundwater level in the well was drawn down 30.3 m to a final pumping water level of approximately 375 mASL. Following installation of a packer in the F5 well, the specific capacity of F5-R was reduced, and subsequent pumping was conducted at 20 L/s. Based on results of the testing completed for the well replacement program and the subsequent wellfield capacity assessment, it is recommended that this well be operated at a maximum rate of 20 L/s, and that the pumping groundwater level be maintained above the base of casing at approximately 365 mASL.

4.2.2 Well Water Quality

Testing of the well discharge water indicated a high-quality groundwater source with hardness (307 mg/L) exceeding its ODWQS Operational guideline range of 80 to 100 mg/L, total aluminum (0.148 mg/L) exceeding its Aesthetic Objective of 0.1 mg/L, and total coliforms (1 MPN/100 mL) exceeding its Maximum Acceptable Concentration (health-related) of 0 MPN/100 mL. The trace total coliform detection of 1 MPN/100 mL is an indication of potential ingress of shallow water into the well intake; however, no E.coli detections occurred within F5-T or F5-R, suggesting that this result is spurious. This well was subsequently disinfected and is not anticipated to exhibit further coliform detections.

Turbidity measurements collected on site and by the laboratory (ALS) confirm that the well produces high turbidity, primarily on start-up. AECOM has conducted a separate treatability study, focusing on the treatment for the observed turbidity, which is provided under separate cover (AECOM, 2022). It is understood that the treatment system would address required disinfection, turbidity, and total aluminum concentrations.

4.2.3 Pumping Impacts

Testing of F5-R did not interfere with the ongoing use of any private wells. Monitoring at MW3-11A/B, located approximately 370 m northeast of the F5-R well site, indicates that the intermediate and deep components of the bedrock aquifer could experience moderate drawdown (<5 m) in response to long-term pumping on site. This is greater than the drawdown observed at the closest monitored private well at 935 Scotland St., where <1 m of drawdown occurred. This well is approximately 400 m southeast of the F5-R well site. This private well is used frequently to supply a geothermal cooling/heating system on the property; however, the position of the pump intake within the well is unknown. It is recommended that the Township collect additional information regarding this well, if the resident is willing to participate and provide such information. MW3-11 should continue to be monitored during future operation of the F5-R well to evaluate drawdown within the local aquifer in response to its operation. This well provides a conservative representation of potential impacts as the drawdown in the monitoring well is anticipated to exceed that which occurs at 935 Scotland St. It is noted that additional private wells likely exist to the southeast of the site. For example, a well survey response was received from 920 Scotland St., however the resident declined to participate in the monitoring program.

5.0 Closing

This technical memorandum provides a summary of the work completed under the F2 and F5 well replacement program, including an assessment of the collected data. Please do not hesitate to contact AECOM to discuss the contents of this document.

6.0 References

AECOM, 2021. Municipal Supply Wells F2 & F5 Replacement Program. OWRA, Section 34, Permit to Take Water (Category 3) Application for Aquifer Testing. Dated February 2021.

AECOM, 2022. Fergus Well F5R Water Treatment Feasibility Study – Alternatives Evaluation. Township of Centre Wellington. Dated December 2022.

Statement of Qualifications and Limitations

The attached Report (the "Report") has been prepared by AECOM Canada Ltd. ("AECOM") for the benefit of the Client ("Client") in accordance with the agreement between AECOM and Client, including the scope of work detailed therein (the "Agreement").

The information, data, recommendations and conclusions contained in the Report (collectively, the "Information"):

- is subject to the scope, schedule, and other constraints and limitations in the Agreement and the qualifications contained in the Report (the "Limitations");
- represents AECOM's professional judgement in light of the Limitations and industry standards for the preparation of similar reports;
- may be based on information provided to AECOM which has not been independently verified;
- has not been updated since the date of issuance of the Report and its accuracy is limited to the time period and circumstances in which it was collected, processed, made or issued;
- must be read as a whole and sections thereof should not be read out of such context;
- was prepared for the specific purposes described in the Report and the Agreement; and
- in the case of subsurface, environmental or geotechnical conditions, may be based on limited testing and on the assumption that such conditions are uniform and not variable either geographically or over time.

AECOM shall be entitled to rely upon the accuracy and completeness of information that was provided to it and has no obligation to update such information. AECOM accepts no responsibility for any events or circumstances that may have occurred since the date on which the Report was prepared and, in the case of subsurface, environmental or geotechnical conditions, is not responsible for any variability in such conditions, geographically or over time.

AECOM agrees that the Report represents its professional judgement as described above and that the Information has been prepared for the specific purpose and use described in the Report and the Agreement, but AECOM makes no other representations, or any guarantees or warranties whatsoever, whether express or implied, with respect to the Report, the Information or any part thereof.

Without in any way limiting the generality of the foregoing, any estimates or opinions regarding probable construction costs or construction schedule provided by AECOM represent AECOM's professional judgement in light of its experience and the knowledge and information available to it at the time of preparation. Since AECOM has no control over market or economic conditions, prices for construction labour, equipment or materials or bidding procedures, AECOM, its directors, officers and employees are not able to, nor do they, make any representations, warranties or guarantees whatsoever, whether express or implied, with respect to such estimates or opinions, or their variance from actual construction costs or schedules, and accept no responsibility for any loss or damage arising therefrom or in any way related thereto. Persons relying on such estimates or opinions do so at their own risk.

Except (1) as agreed to in writing by AECOM and Client; (2) as required by-law; or (3) to the extent used by governmental reviewing agencies for the purpose of obtaining permits or approvals, the Report and the Information may be used and relied upon only by Client.



AECOM accepts no responsibility, and denies any liability whatsoever, to parties other than Client who may obtain access to the Report or the Information for any injury, loss or damage suffered by such parties arising from their use of, reliance upon, or decisions or actions based on the Report or any of the Information ("improper use of the Report"), except to the extent those parties have obtained the prior written consent of AECOM to use and rely upon the Report and the Information. Any injury, loss or damages arising from improper use of the Report shall be borne by the party making such use.

This Statement of Qualifications and Limitations is attached to and forms part of the Report and any use of the Report is subject to the terms hereof.

AECOM: 2015-04-13
© 2009-2015 AECOM Canada Ltd. All Rights Reserved.

Figures






- Legend**
- Municipal Multi-Level Monitoring Well
 - Private Well
 - Municipal Production Well
 - Watercourse

Data Sources:
Contains Information licensed under the Open Government License Ontario.



Municipal Well F2 and F5 Replacement Program



Feb, 2023	1:7,500	
P:60664299	Rev:00	

Figure 1

Contains Information licensed under the Open Government License Ontario. This drawing has been prepared for the use of AECOM's client and may not be used, reproduced or relied upon by third parties, except as agreed by AECOM and its client, as required by law or for use by governmental reviewing agencies. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that modifies this drawing without AECOM's express written consent.



Legend

- Municipal Multi-Level Monitoring Well
- Private Well
- Municipal Production Well
- Watercourse

(XX m) Drawdown at the conclusion of 24-hour pumping test

Data Sources:
Contains Information licensed under the Open Government License Ontario.

Municipal Well F2 and F5 Replacement Program

F2-R Pumping Test Zone of Influence



NAD 1983 UTM Zone 17N

Feb, 2023	1:5,000
P:60664299	Rev:00



Figure 2



Basemaps provided by: Province of Ontario, Esri Canada, Esri, HERE, Garmin, SafeGraph, GeoTechnologies, Inc, METI/NASA, USGS, EPA, NPS, USDA, NRCan, Parks Canada, Maxar

Contains Information licensed under the Open Government License Ontario. This drawing has been prepared for the use of AECOM's client and may not be used, reproduced or relied upon by third parties, except as agreed by AECOM and its client, as required by law or for use by governmental reviewing agencies. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that modifies this drawing without AECOM's express written consent.

Project Location: I:\a\ascomnet.com\LTFS\MER\Hamilton-CANAM\TDCS\GIS\Projects\60664299-CentreWellington.aprx Layout: Figure 2 - F2-R Pumping Test Zone of Influence
Data Saved: 2/2/2023 3:54 PM User: toby




Legend

- Municipal Multi-Level Monitoring Well
 - Private Well
 - Municipal Production Well
 - Watercourse
- (XX m) Drawdown at the conclusion of 24-hour pumping test

Data Sources:
Contains Information licensed under the Open Government License Ontario.

Municipal Well F2 and F5 Replacement Program

F5-R Pumping Test Zone of Influence



Feb, 2023	1:7,000	
P:60664299	Rev:00	

Figure 3

Contains Information licensed under the Open Government License Ontario. This drawing has been prepared for the use of AECOM's client and may not be used, reproduced or relied upon by third parties, except as agreed by AECOM and its client, as required by law or for use by governmental reviewing agencies. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that modifies this drawing without AECOM's express written consent.

Appendix **A**

**Project Borehole Logs
& MECP Water Well Records**

Project Borehole Logs



PROJECT: F2 and F5 Well Replacement Project
LOCATION: 449 St. Andrew St. E, Fergus
COORDINATES: N 4839939.4; E 550597.2
DATUM: Geodetic NAD83
AECOM PROJECT #: 60664299
CLIENT: Township of Centre Wellington

RECORD OF DRILLHOLE: F2-T

SHEET 1 OF 12

START DATE: July 29, 2021
END DATE: Sept. 7, 2021
DRILLING METHOD: 152 mm O.D. SQ Rock Core
CONTRACTOR: Aardvark Drilling

INCLINATION: -90°

AZIMUTH: —

DEPTH SCALE METRES	DRILLING RECORD	DESCRIPTION	SYMBOLIC LOG	ELEV. DEPTH (m)	RUN No.	PENETRATION RATE (mm/min)	FLUSH % RETURN	FR/FX-FRACTURE F-FAULT CL-CLEAVAGE J-JOINT SH-SHEAR P-POLISHED VN-VEIN S-SLICKENSIDED PL-PLANAR										SM-SMOOTH R-ROUGH ST-STEPPED C-CURVED			FL-FLEXURED UE-UNEVEN W-WAVY C-CURVED			BC-BROKEN CORE MB-MECH. BREAK B-BEDDING			DIAMETRAL POINT LOAD INDEX (MPa)	WELL INSTALLATION AND WATER LEVELS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
								RECOVERY		R.Q.D. %	FRACT. INDEX PER 0.3	DISCONTINUITY DATA		HYDRAULIC CONDUCTIVITY																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
								TOTAL CORE %	SOLID CORE %			DIP w.r.t CORE AXIS	TYPE AND SURFACE DESCRIPTION	10 ⁻⁶ K _{fs} cm ³ /sec	10 ⁻¹⁰ K _{fs} cm ³ /sec	10 ⁻¹² K _{fs} cm ³ /sec																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
								80 60 40 20	80 60 40 20			80 60 40 20	5 10 15 20	0 5 10 15	0 5 10 15																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
0		GROUND SURFACE		402.30																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														

10-7/8" steel casing from -0.40 to 2.46 m

6-5/8" steel casing from -0.60 to 70.41 m

Bentonite pellets from 0.00 to 2.46 m

Base of 10-7/8" steel casing at 2.46 m

Grout from 2.46 to 66.90 m

RK LOG 60664299 - CW WELL REPLACEMENT 2023-01-13.GPJ GAL-MISS.GDT 5/17/23

DEPTH SCALE

1 : 50



LOGGED: PM

CHECKED: MA

DEPTH SCALE METRES	DRILLING RECORD	DESCRIPTION	SYMBOLIC LOG	ELEV. DEPTH (m)	RUN No.	PENETRATION RATE (mm/min)	FLUSH % RETURN	CORRECTION CODES	CORRECTION CODES												DISCONTINUITY DATA	HYDRAULIC CONDUCTIVITY				DIAMETRICAL POINT LOAD INDEX (MPa)	WELL INSTALLATION AND WATER LEVELS								
									FR/FX-FRACTURE F-FAULT				F-JOINT				SM-SMOOTH					FL-FLEXURED						BC-BROKEN CORE							
									CL-CLEAVAGE				SH-SHEAR				P-POLISHED					R-ROUGH						UE-UNEVEN				MB-MECH. BREAK			
									VN-VEIN				S-SLICKENSIDED				PL-PLANAR					ST-STEPPED						W-WAVY				B-BEDDING			
TOTAL CORE %		SOLID CORE %		R.Q.D. %		FRACT. INDEX PER 0.3		DIP w.r.t. CORE AXIS		TYPE AND SURFACE DESCRIPTION		K _i cm/sec																							
80	90	95	100	80	90	95	100	80	90	95	100	0	30	60	90	10 ⁻⁶	10 ⁻⁵	10 ⁻⁴	10 ⁻³	2	4	6													
CONTINUED FROM PREVIOUS PAGE																																			
Light creamy grey to light brownish grey, fine grained, crystalline, faintly porous, slightly to highly weathered, slightly to moderately pitted, vuggy, occasional stylolites, gastropods and crinoids, medium to thickly bedded DOLOSTONE (GUELPH FORMATION, 2.39 to 68.94 m)																																			
130 mm void at 10.67 m																																			
Large vugs (diameter between 10 and 30 mm)																																			
Potential water-bearing zone from 15.33 to 15.44 m. Fracture is oxidized and water loss was observed by drilling contractor.																																			
Rock density increasing inferred by drill bit resistance																																			
CONTINUED NEXT PAGE																																			

PROJECT: F2 and F5 Well Replacement Project
LOCATION: 449 St. Andrew St. E, Fergus
COORDINATES: N 4839939.4; E 550597.2
DATUM: Geodetic NAD83
AECOM PROJECT #: 60664299
CLIENT: Township of Centre Wellington

RECORD OF DRILLHOLE: F2-T

SHEET 3 OF 12

START DATE: July 29, 2021
END DATE: Sept. 7, 2021
DRILLING METHOD: 152 mm O.D. SQ Rock Core
CONTRACTOR: Aardvark Drilling

INCLINATION: -90°

AZIMUTH: —

DEPTH SCALE METRES	DRILLING RECORD	DESCRIPTION	SYMBOLIC LOG	ELEV. DEPTH (m)	RUN No.	PENETRATION RATE (mm/min)	FLUSH COLOUR % RETURN	FR/FX-FRACTURE F-FAULT												SM-SMOOTH				FL-FLEXURED				BC-BROKEN CORE				DIAMETRAL POINT LOAD INDEX (MPa)	WELL INSTALLATION AND WATER LEVELS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
								CL-CLEAVAGE				J-JOINT				R-ROUGH				UE-UNEVEN				MB-MECH. BREAK																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
								SH-SHEAR				P-POLISHED				ST-STEPPED				W-WAVY				B-BEDDING																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
								VN-VEIN				S-SLICKENSIDED				PL-PLANAR				C-CURVED																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
								RECOVERY				R.Q.D. %				FRACT. INDEX PER 0.3				DISCONTINUITY DATA				HYDRAULIC CONDUCTIVITY																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
TOTAL CORE %	SOLID CORE %	R.Q.D. %	FRACT. INDEX PER 0.3	DIP wr.t. CORE AXIS	TYPE AND SURFACE DESCRIPTION	10 ⁻⁶	10 ⁻⁵	10 ⁻⁴	10 ⁻³	2	4	6																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
20		CONTINUED FROM PREVIOUS PAGE		386.69																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												

Grout from
2.46 to
66.90 m

DK LOG 60664299 - CW WELL REPLACEMENT 2023-01-13.GPJ GAL-MISS.GDT 5/17/23

DEPTH SCALE

1 : 50



AECOM

LOGGED: PM

CHECKED: MA

PROJECT: F2 and F5 Well Replacement Project
LOCATION: 449 St. Andrew St. E, Fergus
COORDINATES: N 4839939.4; E 550597.2
DATUM: Geodetic NAD83
AECOM PROJECT #: 60664299
CLIENT: Township of Centre Wellington

RECORD OF DRILLHOLE: F2-T

SHEET 4 OF 12

START DATE: July 29, 2021
END DATE: Sept. 7, 2021
DRILLING METHOD: 152 mm O.D. SQ Rock Core
CONTRACTOR: Aardvark Drilling

INCLINATION: -90°

AZIMUTH: —

DEPTH SCALE METRES	DRILLING RECORD	DESCRIPTION	SYMBOLIC LOG	ELEV. DEPTH (m)	RUN No.	PENETRATION RATE (mm/min)	FLUSH COLOUR % RETURN	CORRELATION										DISCONTINUITY DATA	HYDRAULIC CONDUCTIVITY				DIAMETRAL POINT LOAD INDEX (MPa)	WELL INSTALLATION AND WATER LEVELS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
								FR/FX-FRACTURE		F-FAULT		SM-SMOOTH		FL-FLEXURED		BC-BROKEN CORE			RECOVERY		R.Q.D. %	FRACT. INDEX PER 0.3			DIP w.r.t CORE AXIS	TYPE AND SURFACE DESCRIPTION	10 ⁻⁶ K _f cm/sec	10 ⁻⁵ K _f cm/sec	10 ⁻⁴ K _f cm/sec	10 ⁻³ K _f cm/sec																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
								CL-CLEAVAGE		J-JOINT		R-ROUGH		UE-UNEVEN		MB-MECH. BREAK																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
								SH-SHEAR		P-POLISHED		ST-STEPPED		W-WAVY		B-BEDDING																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
								VN-VEIN		S-SLICKENSIDED		PL-PLANAR		C-CURVED																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
30		CONTINUED FROM PREVIOUS PAGE																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							

DEPTH SCALE

1 : 50



LOGGED: PM

CHECKED: MA

RK LOG 60664299 - CW WELL REPLACEMENT 2023-01-13.GPJ GAL-MISS.GDT 5/17/23

PROJECT: F2 and F5 Well Replacement Project
LOCATION: 449 St. Andrew St. E, Fergus
COORDINATES: N 4839939.4; E 550597.2
DATUM: Geodetic NAD83
AECOM PROJECT #: 60664299
CLIENT: Township of Centre Wellington

RECORD OF DRILLHOLE: F2-T

SHEET 5 OF 12

START DATE: July 29, 2021
END DATE: Sept. 7, 2021
DRILLING METHOD: 152 mm O.D. SQ Rock Core
CONTRACTOR: Aardvark Drilling

INCLINATION: -90°

AZIMUTH: —

DEPTH SCALE METRES	DRILLING RECORD	DESCRIPTION	SYMBOLIC LOG	ELEV. DEPTH (m)	RUN No.	PENETRATION RATE (mm/min)	FLUSH COLOUR % RETURN	FR/FX-FRACTURE F-FAULT												SM-SMOOTH				FL-FLEXURED				BC-BROKEN CORE				DIAMETRAL POINT LOAD INDEX (MPa)	WELL INSTALLATION AND WATER LEVELS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
								CL-CLEAVAGE				J-JOINT				R-ROUGH				UE-UNEVEN				MB-MECH. BREAK																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
								SH-SHEAR				P-POLISHED				ST-STEPPED				W-WAVY				B-BEDDING																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
								VN-VEIN				S-SLICKENSIDED				PL-PLANAR				C-CURVED																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
								RECOVERY				R.Q.D. %				FRACT. INDEX PER 0.3				DISCONTINUITY DATA				HYDRAULIC CONDUCTIVITY K ₁₀ cm ² /sec																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
								TOTAL CORE %				SOLID CORE %												DIP w.r.t CORE AXIS				TYPE AND SURFACE DESCRIPTION				10 ⁻⁶ 10 ⁻⁵ 10 ⁻⁴ 10 ⁻³																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
								80 60 40 20				80 60 40 20				80 60 40 20				5 10 15 20				0 30 60 90								2 4 6																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
40		CONTINUED FROM PREVIOUS PAGE																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	

Grout from
2.46 to 1
66.90 m

RK LOG 60664299 - CW WELL REPLACEMENT 2023-01-13.GPJ GAL-MISS.GDT 5/17/23

DEPTH SCALE

1 : 50



AECOM

LOGGED: PM

CHECKED: MA

PROJECT: F2 and F5 Well Replacement Project
LOCATION: 449 St. Andrew St. E, Fergus
COORDINATES: N 4839939.4; E 550597.2
DATUM: Geodetic NAD83
AECOM PROJECT #: 60664299
CLIENT: Township of Centre Wellington

RECORD OF DRILLHOLE: F2-T

SHEET 6 OF 12

START DATE: July 29, 2021
END DATE: Sept. 7, 2021
DRILLING METHOD: 152 mm O.D. SQ Rock Core
CONTRACTOR: Aardvark Drilling

INCLINATION: -90°

AZIMUTH: —

DEPTH SCALE METRES	DRILLING RECORD	DESCRIPTION	SYMBOLIC LOG	ELEV. DEPTH (m)	RUN No.	PENETRATION RATE (mm/min)	FLUSH % RETURN	COLOUR	FR/FX-FRACTURE F-FAULT												SM-SMOOTH				FL-FLEXURED				BC-BROKEN CORE				DIAMETRAL POINT LOAD INDEX (MPa)	WELL INSTALLATION AND WATER LEVELS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
									CL-CLEAVAGE				J-JOINT				R-ROUGH				UE-UNEVEN				MB-MECH. BREAK																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
									SH-SHEAR				P-POLISHED				ST-STEPPED				W-WAVY				B-BEDDING																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
									VN-VEIN				S-SLICKENSIDED				PL-PLANAR				C-CURVED																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
									RECOVERY		R.Q.D. %		FRACT. INDEX PER 0.3		DISCONTINUITY DATA		HYDRAULIC CONDUCTIVITY		TYPE AND SURFACE DESCRIPTION																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
TOTAL CORE %	SOLID CORE %																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		

Grout from
2.46 to 1
66.90 m

RK LOG 60664299 - CW WELL REPLACEMENT 2023-01-13.GPJ GAL-MISS.GDT 5/17/23

DEPTH SCALE

1 : 50



AECOM

LOGGED: PM

CHECKED: MA

START DATE: July 29, 2021

END DATE: Sept. 7, 2021

DRILLING METHOD: 152 mm O.D. SQ Rock Core

CONTRACTOR: Aardvark Drilling

INCLINATION: -90°

AZIMUTH: —

[illegible]

DEPTH SCALE

1 : 50



AECOM

LOGGED: PM

CHECKED: MA

SHEET 8 OF 12

INCLINATION: -90°

AZIMUTH: —

1 : 50

**AECOM**

LOGGED: PM

CHECKED: MA

WORK LOG 60664299 - CW WELL REPLACEMENT 2023-01-13.GPJ GAL-MISS.GDT 5/17/23

PROJECT: F2 and F5 Well Replacement Project
LOCATION: 449 St. Andrew St. E, Fergus
COORDINATES: N 4839939.4; E 550597.2
DATUM: Geodetic NAD83
AECOM PROJECT #: 60664299
CLIENT: Township of Centre Wellington

RECORD OF DRILLHOLE: F2-T

SHEET 9 OF 12

START DATE: July 29, 2021
END DATE: Sept. 7, 2021
DRILLING METHOD: 152 mm O.D. SQ Rock Core
CONTRACTOR: Aardvark Drilling

INCLINATION: -90°

AZIMUTH: —

DEPTH SCALE METRES	DRILLING RECORD	DESCRIPTION	SYMBOLIC LOG	ELEV. DEPTH (m)	RUN No.	PENETRATION RATE (mm/min)	FLUSH COLOUR % RETURN	FR-FX-FRACTURE F-FAULT												SM-SMOOTH				FL-FLEXURED				BC-BROKEN CORE				DIAMETRAL POINT LOAD INDEX (MPa)	WELL INSTALLATION AND WATER LEVELS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
								CL-CLEAVAGE				J-JOINT				R-ROUGH				UE-UNEVEN				MB-MECH. BREAK																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
								SH-SHEAR				P-POLISHED				ST-STEPPED				W-WAVY				B-BEDDING																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
								VN-VEIN				S-SLICKENSIDED				PL-PLANAR				C-CURVED																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
								RECOVERY				R.Q.D. %				FRACT. INDEX PER 0.3				DISCONTINUITY DATA				HYDRAULIC CONDUCTIVITY																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
								TOTAL CORE %				SOLID CORE %												DIP wr.t. CORE AXIS				TYPE AND SURFACE DESCRIPTION				10 ⁻⁶ K _f cm/sec																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
								80 60 40 20				80 60 40 20				80 60 40 20				5 15 20				5 15 20				0 0 0 0								2 4 6																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
80		CONTINUED FROM PREVIOUS PAGE																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														</

6" open
corehole
from 70.41
to 116.26 m

RK LOG 60664299 - CW WELL REPLACEMENT 2023-01-13.GPJ GAL-MISS.GDT 5/17/23

DEPTH SCALE

1 : 50



AECOM

LOGGED: PM

CHECKED: MA

[illegible]

PROJECT: F2 and F5 Well Replacement Project
LOCATION: 449 St. Andrew St. E, Fergus
COORDINATES: N 4839939.4; E 550597.2
DATUM: Geodetic NAD83
AECOM PROJECT #: 60664299
CLIENT: Township of Centre Wellington

RECORD OF DRILLHOLE: F2-T

SHEET 11 OF 12

START DATE: July 29, 2021
END DATE: Sept. 7, 2021
DRILLING METHOD: 152 mm O.D. SQ Rock Core
CONTRACTOR: Aardvark Drilling

INCLINATION: -90°

AZIMUTH: —

DEPTH SCALE METRES	DRILLING RECORD	DESCRIPTION	SYMBOLIC LOG	ELEV. DEPTH (m)	RUN No.	PENETRATION RATE (mm/min)	FLUSH % RETURN	COLOUR	FR/FX-FRACTURE F-FAULT												SM-SMOOTH				FL-FLEXURED				BC-BROKEN CORE				DIAMETRAL POINT LOAD INDEX (MPa)	WELL INSTALLATION AND WATER LEVELS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
									CL-CLEAVAGE				J-JOINT				R-ROUGH				UE-UNEVEN				MB-MECH. BREAK																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
									SH-SHEAR				P-POLISHED				ST-STEPPED				W-WAVY				B-BEDDING																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
									VN-VEIN				S-SLICKENSIDED				PL-PLANAR				C-CURVED																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
								RECOVERY				R.Q.D. %		FRACT. INDEX PER 0.3		DISCONTINUITY DATA				HYDRAULIC CONDUCTIVITY K _f cm/sec																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
								TOTAL CORE %				SOLID CORE %								DIP w.r.t CORE AXIS				TYPE AND SURFACE DESCRIPTION																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
								80 60 40 20				80 60 40 20				80 60 40 20		5 1 0 0		0 30 60 90				10 ⁻⁶ 10 ⁻⁵ 10 ⁻⁴ 10 ⁻³				2 4 6																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
100		CONTINUED FROM PREVIOUS PAGE																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																

6" open
corehole
from 70.41
to 116.26 m

RK LOG 60664299 - CW WELL REPLACEMENT 2023-01-13.GPJ GAL-MISS.GDT 5/17/23

DEPTH SCALE

1 : 50



AECOM

LOGGED: PM

CHECKED: MA

PROJECT: F2 and F5 Well Replacement Project
LOCATION: 449 St. Andrew St. E, Fergus
COORDINATES: N 4839939.4; E 550597.2
DATUM: Geodetic NAD83
AECOM PROJECT #: 60664299
CLIENT: Township of Centre Wellington

RECORD OF DRILLHOLE: F2-T

SHEET 12 OF 12

START DATE: July 29, 2021
END DATE: Sept. 7, 2021
DRILLING METHOD: 152 mm O.D. SQ Rock Core
CONTRACTOR: Aardvark Drilling

INCLINATION: -90°

AZIMUTH: —

DEPTH SCALE METRES	DRILLING RECORD	DESCRIPTION	SYMBOLIC LOG	ELEV. DEPTH (m)	RUN No.	PENETRATION RATE (mm/min)	FLUSH % RETURN	FR/FX-FRACTURE CL-CLEAVAGE SH-SHEAR VN-VEIN	F-FAULT J-JOINT P-POLISHED S-SLICKENSIDED	SM-SMOOTH R-ROUGH ST-STEPPED PL-PLANAR	FL-FLEXURED UE-UNEVEN W-WAVY C-CURVED	BC-BROKEN CORE MB-MECH. BREAK B-BEDDING	WELL INSTALLATION AND WATER LEVELS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
													RECOVERY		R.Q.D. %	FRACT. INDEX PER 0.3	DISCONTINUITY DATA		HYDRAULIC CONDUCTIVITY		DIAMETRAL POINT LOAD INDEX (MPa)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
													TOTAL CORE %	SOLID CORE %			DIP W.r.t CORE AXIS	TYPE AND SURFACE DESCRIPTION	10 ⁻⁶ K _f cm/sec	10 ⁻⁵ K _f cm/sec																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
													80 60 40 20	80 60 40 20								0 30 60 90																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
110		CONTINUED FROM PREVIOUS PAGE		292.14 110.16	71	0.1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			

DEPTH SCALE

1 : 50



AECOM

LOGGED: PM

CHECKED: MA

RK LOG 60664299 - CW WELL REPLACEMENT 2023-01-13.GPJ GAL-MISS.GDT 5/17/23

PROJECT: F2 and F5 Well Replacement Project
LOCATION: 449 St. Andrew St. E, Fergus
COORDINATES: N 4839939.4; E 550597.2
DATUM: Geodetic NAD83
AECOM PROJECT #: 60664299
CLIENT: Township of Centre Wellington

RECORD OF DRILLHOLE: F2-R

SHEET 2 OF 12

START DATE: July 5, 2022
END DATE: August 15, 2022
DRILLING METHOD: 18" O.D.
CONTRACTOR: Aardvark Drilling

INCLINATION: -90°

AZIMUTH: —

DEPTH SCALE METRES	DRILLING RECORD	DESCRIPTION	SYMBOLIC LOG	ELEV. DEPTH (m)	RUN No.	PENETRATION RATE (mm/min)	FLUSH	COLOUR % RETURN	FR/FX-FRACTURE F-FAULT												DIAMETRAL POINT LOAD INDEX (MPa)	WELL INSTALLATION AND WATER LEVELS
									CL-CLEAVAGE				J-JOINT		R-ROUGH		FL-FLEXURED		BC-BROKEN CORE			
									SH-SHEAR				P-POLISHED		ST-STEPPED		UE-UNEVEN		MB-MECH. BREAK			
									VN-VEIN				S-SLICKENSIDED		PL-PLANAR		W-WAVY		B-BEDDING			
									C-CURVED													
RECOVERY				R.Q.D. %		FRACT. INDEX PER 0.3		DISCONTINUITY DATA				HYDRAULIC CONDUCTIVITY										
TOTAL CORE %				SOLID CORE %				DIP w.r.t CORE AXIS				K _s cm/sec										
10				20		30		0				10 ⁻⁶										
20				40		60		10				10 ⁻⁵										
30				80		100		20				10 ⁻⁴										
40				100		100		30				10 ⁻³										
50				100		100		40														
60				100		100		50														
70				100		100		60														
80				100		100		70														
90				100		100		80														
100				100		100		90														
110				100		100		100														
120				100		100		100														
130				100		100		100														
140				100		100		100														
150				100		100		100														
160				100		100		100														
170				100		100		100														
180				100		100		100														
190				100		100		100														
200				100		100		100														

10

11

12

13

14

15

16

17

18

19

20

CONTINUED FROM PREVIOUS PAGE

Light creamy grey to light brownish grey, fine grained, crystalline, faintly porous, slightly to highly weathered, slightly to moderately pitted, vuggy, occasional stylolites, gastropods and crinoids, medium to thickly bedded **DOLOSTONE (GUELPH FORMATION, 2.39 to 68.94 m)**

130 mm void at 10.67 m

Large vugs (diameter between 10 and 30 mm)

Potential water-bearing zone from 15.33 to 15.44 m. Fracture is oxidized and water loss was observed by drilling contractor

Rock density increasing inferred by drill bit resistance

CONTINUED NEXT PAGE

10

11

12

13

14

15

16

17

18

19

20

Air Hammer

18" O.D.

Grout from 0.60 to 43.43 m

September 1, 2022

September
1, 2022

Grout from
0.60 to 1
43.43 m

RK LOG 60664299 - CW WELL REPLACEMENT 2023-01-13.GPJ GAL-MISS.GDT 5/17/23

DEPTH SCALE

1 : 50



AECOM

LOGGED: PM

CHECKED: MA

PROJECT: F2 and F5 Well Replacement Project
LOCATION: 449 St. Andrew St. E, Fergus
COORDINATES: N 4839939.4; E 550597.2
DATUM: Geodetic NAD83
AECOM PROJECT #: 60664299
CLIENT: Township of Centre Wellington

RECORD OF DRILLHOLE: F2-R

SHEET 3 OF 12

START DATE: July 5, 2022
END DATE: August 15, 2022
DRILLING METHOD: 18" O.D.
CONTRACTOR: Aardvark Drilling

INCLINATION: -90°

AZIMUTH: —

DEPTH SCALE METRES	DRILLING RECORD	DESCRIPTION	SYMBOLIC LOG	ELEV. DEPTH (m)	RUN No.	PENETRATION RATE (mm/min)	FLUSH	COLOUR % RETURN	FR/FX-FRACTURE F-FAULT												BC-BROKEN CORE	DIAMETRAL POINT LOAD INDEX (MPa)	WELL INSTALLATION AND WATER LEVELS						
									CL-CLEAVAGE				J-JOINT				R-ROUGH							UE-UNEVEN				MB-MECH. BREAK	B-BEDDING
									SH-SHEAR				P-POLISHED				ST-STEPPED							W-WAVY					
									VN-VEIN				S-SLICKENSIDED				PL-PLANAR							C-CURVED					
									RECOVERY		R.Q.D. %		FRACT. INDEX PER 0.3		DISCONTINUITY DATA		HYDRAULIC CONDUCTIVITY K _f cm/sec												
TOTAL CORE %	SOLID CORE %	TOTAL CORE %	SOLID CORE %	TOTAL CORE %	SOLID CORE %	TOTAL CORE %	SOLID CORE %	DIP wrt CORE AXIS	TYPE AND SURFACE DESCRIPTION	10 ⁻⁶	10 ⁻⁵	10 ⁻⁴	10 ⁻³	2	4	6													
20		CONTINUED FROM PREVIOUS PAGE																											
21		Light creamy grey to light brownish grey, fine grained, crystalline, faintly porous, slightly to highly weathered, slightly to moderately pitted, vuggy, occasional stylolites, gastropods and crinoids, medium to thickly bedded DOLOSTONE (GUELPH FORMATION, 2.39 to 68.94 m)																											
22																													
23																													
24																													
25	Air Hammer 18" O.D.		Drilling contractor noted decrease in water circulation return beginning at 23.17 m																										
26																													
27																													
28																													
29			Potential water-bearing zone at 28.32 m. Fracture is open to approximately 15 mm and water loss was observed by drilling contractor																										
30			CONTINUED NEXT PAGE																										

DEPTH SCALE

1 : 50



AECOM

LOGGED: PM

CHECKED: MA

RK LOG 60664299 - CW WELL REPLACEMENT 2023-01-13.GPJ GAL-MISS.GDT 5/17/23

[illegible]

PROJECT: F2 and F5 Well Replacement Project
LOCATION: 449 St. Andrew St. E, Fergus
COORDINATES: N 4839939.4; E 550597.2
DATUM: Geodetic NAD83
AECOM PROJECT #: 60664299
CLIENT: Township of Centre Wellington

RECORD OF DRILLHOLE: F2-R

SHEET 5 OF 12

START DATE: July 5, 2022
END DATE: August 15, 2022
DRILLING METHOD: 18" O.D.
CONTRACTOR: Aardvark Drilling

INCLINATION: -90°

AZIMUTH: —

DEPTH SCALE METRES	DRILLING RECORD	DESCRIPTION	SYMBOLIC LOG	ELEV. DEPTH (m)	RUN No.	PENETRATION RATE (mm/min)	FLUSH	COLOUR % RETURN	FR/FX-FRACTURE F-FAULT CL-CLEAVAGE J-JOINT R-ROUGH UE-UNEVEN MB-MECH. BREAK SH-SHEAR P-POLISHED ST-STEPPED W-WAVY B-BEDDING VN-VEIN S-SLICKENSIDED PL-PLANAR C-CURVED												BC-BROKEN CORE MB-MECH. BREAK B-BEDDING	DIAMETRAL POINT LOAD INDEX (MPa)	WELL INSTALLATION AND WATER LEVELS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
									RECOVERY				R.Q.D. %	FRACT. INDEX PER 0.3	DISCONTINUITY DATA				HYDRAULIC CONDUCTIVITY																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
									TOTAL CORE %		SOLID CORE %				DIP w.r.t. CORE AXIS	TYPE AND SURFACE DESCRIPTION	K _f cm/sec																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
									80	60	40	20					80	60	40	20				10 ⁻⁶	10 ⁻⁵	10 ⁻⁴	10 ⁻³																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
									80	60	40	20					80	60	40	20				5	2	1	0.5	0.3	0.2	0.1	0.05	0.02	0.01	0.005																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
40	Air Hammer 18" O.D.	CONTINUED FROM PREVIOUS PAGE																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							</

Grout from
0.60 to
43.43 m

Coated
bentonite
pellets from
43.43 to
44.04 m
Base of 12"
steel casing
at 44.04 m

12" open
corehole
from 44.04
to 116.26 m

RK LOG 60664299 - CW WELL REPLACEMENT 2023-01-13.GPJ GAL-MISS.GDT 5/17/23

DEPTH SCALE

1 : 50



AECOM

LOGGED: PM

CHECKED: MA

PROJECT: F2 and F5 Well Replacement Project
LOCATION: 449 St. Andrew St. E, Fergus
COORDINATES: N 4839939.4; E 550597.2
DATUM: Geodetic NAD83
AECOM PROJECT #: 60664299
CLIENT: Township of Centre Wellington

RECORD OF DRILLHOLE: F2-R

SHEET 6 OF 12

START DATE: July 5, 2022
END DATE: August 15, 2022
DRILLING METHOD: 18" O.D.
CONTRACTOR: Aardvark Drilling

INCLINATION: -90°

AZIMUTH: —

DEPTH SCALE METRES	DRILLING RECORD	DESCRIPTION	SYMBOLIC LOG	ELEV. DEPTH (m)	RUN No.	PENETRATION RATE (mm/min)	FLUSH	COLOUR % RETURN	FR/FX-FRACTURE F-FAULT												SM-SMOOTH				FL-FLEXURED				BC-BROKEN CORE				DIAMETRAL POINT LOAD INDEX (MPa)	WELL INSTALLATION AND WATER LEVELS
									CL-CLEAVAGE				J-JOINT				R-ROUGH				UE-UNEVEN				MB-MECH. BREAK									
									SH-SHEAR				P-POLISHED				ST-STEPPED				W-WAVY				B-BEDDING									
									VN-VEIN				S-SLICKENSIDED				PL-PLANAR				C-CURVED													
									RECOVERY		R.Q.D. %		FRACT. INDEX PER 0.3		DISCONTINUITY DATA				HYDRAULIC CONDUCTIVITY															
TOTAL CORE %	SOLID CORE %					DIP w.r.t CORE AXIS	TYPE AND SURFACE DESCRIPTION			K _f cm/sec																								
80	60	40	20	80	60	40	20	5	10	15	20	0	30	60	90	10 ⁻⁶	10 ⁻⁵	10 ⁻⁴	10 ⁻³	2	4	6												
50		CONTINUED FROM PREVIOUS PAGE																																
51		Light creamy grey to light brownish grey, fine grained, crystalline, faintly porous, slightly to highly weathered, slightly to moderately pitted, vuggy, occasional stylolites, gastropods and crinoids, medium to thickly bedded DOLOSTONE (GUELPH FORMATION, 2.39 to 68.94 m)																																
52																																		
53																																		
54																																		
55																																		
56																																		
57																																		
58																																		
59																																		
60																																		
		CONTINUED NEXT PAGE																																

12" open
corehole
from 44.04
to 116.26 m

RK LOG 60664299 - CW WELL REPLACEMENT 2023-01-13.GPJ GAL-MISS.GDT 5/17/23

DEPTH SCALE

1 : 50



AECOM

LOGGED: PM

CHECKED: MA

PROJECT: F2 and F5 Well Replacement Project
LOCATION: 449 St. Andrew St. E, Fergus
COORDINATES: N 4839939.4; E 550597.2
DATUM: Geodetic NAD83
AECOM PROJECT #: 60664299
CLIENT: Township of Centre Wellington

RECORD OF DRILLHOLE: F2-R

SHEET 7 OF 12

START DATE: July 5, 2022

END DATE: August 15, 2022

DRILLING METHOD: 18" O.D.

CONTRACTOR: Aardvark Drilling

INCLINATION: -90°

AZIMUTH: —

DEPTH SCALE METRES	DRILLING RECORD	DESCRIPTION	SYMBOLIC LOG	ELEV. DEPTH (m)	RUN No.	PENETRATION RATE (mm/min)	FLUSH	COLOUR % RETURN	FR/FX-FRACTURE F-FAULT CL-CLEAVAGE J-JOINT SH-SHEAR P-POLISHED VN-VEIN S-SLICKENSIDED PL-PLANAR												SM-SMOOTH R-ROUGH ST-STEPPED C-CURVED				FL-FLEXURED UE-UNEVEN W-WAVY C-CURVED				BC-BROKEN CORE MB-MECH. BREAK B-BEDDING				DIAMETRAL POINT LOAD INDEX (MPa)	WELL INSTALLATION AND WATER LEVELS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
									RECOVERY		R.O.D. %	FRACT. INDEX PER 0.3	DISCONTINUITY DATA				HYDRAULIC CONDUCTIVITY																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
									TOTAL CORE %	SOLID CORE %			DIP w.r.t. CORE AXIS		TYPE AND SURFACE DESCRIPTION	K _s cm ³ /sec																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
									80 60 40 20	80 60 40 20			5 10 15 20	5 10 15 20		10 ⁻⁶ 10 ⁻⁵ 10 ⁻⁴ 10 ⁻³	10 ⁻⁶ 10 ⁻⁵ 10 ⁻⁴ 10 ⁻³																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
									80 60 40 20	80 60 40 20			5 10 15 20	5 10 15 20		5 10 15 20	5 10 15 20	10 ⁻⁶ 10 ⁻⁵ 10 ⁻⁴ 10 ⁻³	10 ⁻⁶ 10 ⁻⁵ 10 ⁻⁴ 10 ⁻³																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
60		CONTINUED FROM PREVIOUS PAGE																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			

12" open
corehole
from 44.04
to 116.26 m

RK LOG 60664299 - CW WELL REPLACEMENT 2023-01-13.GPJ GAL-MISS.GDT 5/17/23

DEPTH SCALE

1 : 50



AECOM

LOGGED: PM

CHECKED: MA

PROJECT: F2 and F5 Well Replacement Project
LOCATION: 449 St. Andrew St. E, Fergus
COORDINATES: N 4839939.4; E 550597.2
DATUM: Geodetic NAD83
AECOM PROJECT #: 60664299
CLIENT: Township of Centre Wellington

RECORD OF DRILLHOLE: F2-R

SHEET 8 OF 12

START DATE: July 5, 2022
END DATE: August 15, 2022
DRILLING METHOD: 18" O.D.
CONTRACTOR: Aardvark Drilling

INCLINATION: -90°

AZIMUTH: —

DEPTH SCALE METRES	DRILLING RECORD	DESCRIPTION	SYMBOLIC LOG	ELEV. DEPTH (m)	RUN No.	PENETRATION RATE (mm/min)	FLUSH % RETURN	COLOUR	FR/FX-FRACTURE F-FAULT CL-CLEAVAGE J-JOINT SH-SHEAR P-POLISHED VN-VEIN S-SLICKENSIDED PL-PLANAR										SM-SMOOTH R-ROUGH ST-STEPPED C-CURVED				FL-FLEXURED UE-UNEVEN W-WAVY C-CURVED				BC-BROKEN CORE MB-MECH. BREAK B-BEDDING				DIAMETRAL POINT LOAD INDEX (MPa)	WELL INSTALLATION AND WATER LEVELS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
									RECOVERY		R.Q.D. %	FRACT. INDEX PER 0.3	DISCONTINUITY DATA		HYDRAULIC CONDUCTIVITY K _f cm/sec	DIP w.r.t CORE AXIS	TYPE AND SURFACE DESCRIPTION	10 ⁻⁶	10 ⁻⁵	10 ⁻⁴	10 ⁻³	2	4	6																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
									TOTAL CORE %	SOLID CORE %																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
									80	60	40	20	80	60	40	20	80	60	40	20	5	10	15	20	0	30	60	90																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									

12" open
corehole
from 44.04
to 116.26 m

RK LOG 60664299 - CW WELL REPLACEMENT 2023-01-13.GPJ GAL-MISS.GDT 5/17/23

DEPTH SCALE

1 : 50



LOGGED: PM

CHECKED: MA

PROJECT: F2 and F5 Well Replacement Project
LOCATION: 449 St. Andrew St. E, Fergus
COORDINATES: N 4839939.4; E 550597.2
DATUM: Geodetic NAD83
AECOM PROJECT #: 60664299
CLIENT: Township of Centre Wellington

RECORD OF DRILLHOLE: F2-R

SHEET 9 OF 12

START DATE: July 5, 2022
END DATE: August 15, 2022
DRILLING METHOD: 18" O.D.
CONTRACTOR: Aardvark Drilling

INCLINATION: -90°

AZIMUTH: —

DEPTH SCALE METRES	DRILLING RECORD	DESCRIPTION	SYMBOLIC LOG	ELEV. DEPTH (m)	RUN No.	PENETRATION RATE (mm/min)	FLUSH	COLOUR % RETURN	FR/FX-FRACTURE F-FAULT												SM-SMOOTH		FL-FLEXURED		BC-BROKEN CORE		DIAMETRAL POINT LOAD INDEX (MPa)	WELL INSTALLATION AND WATER LEVELS
									CL-CLEAVAGE				J-JOINT				R-ROUGH				UE-UNEVEN				MB-MECH. BREAK			
									SH-SHEAR				P-POLISHED				ST-STEPPED				W-WAVY				B-BEDDING			
									VN-VEIN				S-SLICKENSIDED				PL-PLANAR				C-CURVED							
RECOVERY		R.Q.D. %		FRACT. INDEX PER 0.3		DISCONTINUITY DATA		HYDRAULIC CONDUCTIVITY																				
TOTAL CORE %	SOLID CORE %					DIP w.r.t CORE AXIS	TYPE AND SURFACE DESCRIPTION	10 ⁻⁶	K _f cm/sec	10 ⁻⁵	10 ⁻⁴	10 ⁻³	10 ⁻²															
80	80	80	80	80	80	0																						
81	81	81	81	81	81	0																						
82	82	82	82	82	82	0																						
83	83	83	83	83	83	0																						
84	84	84	84	84	84	0																						
85	85	85	85	85	85	0																						
86	86	86	86	86	86	0																						
87	87	87	87	87	87	0																						
88	88	88	88	88	88	0																						
89	89	89	89	89	89	0																						
90	90	90	90	90	90	0																						

CONTINUED FROM PREVIOUS PAGE

Light greyish brown to medium greyish brown, fine grained, crystalline, faintly porous, stylolitic, occasional crinoids and gastropods, thinly bedded, cross bedding throughout; transition from overlying Guelph Formation is gradational

DOLOSTONE (GOAT ISLAND FORMATION, 68.94 to 89.41 m)

Potential water-bearing zone within large fracture (30 mm) at 81.58 m. Fracture has significant calcite mineralization and is proximal to pitting and vugs.

Potential water-bearing zone within large fracture/vug (100 mm) at 85.20 m.

CONTINUED NEXT PAGE

Air Hammer

12" O.D.

312.89

89.41

12" open corehole from 44.04 to 116.26 m

12" open
corehole
from 44.04
to 116.26 m

RK LOG 60664299 - CW WELL REPLACEMENT 2023-01-13.GPJ GAL-MISS.GDT 5/17/23

DEPTH SCALE

1 : 50



AECOM

LOGGED: PM

CHECKED: MA

START DATE: July 5, 2022

END DATE: August 15, 2022

DRILLING METHOD: 18" O.D.

CONTRACTOR: Aardvark Drilling

INCLINATION: -90°

AZIMUTH: --

DEPTH SCALE METRES	DRILLING RECORD	DESCRIPTION	SYMBOLIC LOG	ELEV. DEPTH (m)	RUN No.	PENETRATION RATE (n/min)	COLOUR % RETURN	FACIES												DISCONTINUITY DATA	HYDRAULIC CONDUCTIVITY K _f cm/sec	DIAMETRAL POINT LOAD INDEX (MPa)	WELL INSTALLATION AND WATER LEVELS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
								FR/FX-FRACTURE F-FAULT				J-JOINT				SM-SMOOTH								FL-FLEXURED				BC-BROKEN CORE																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
								CL-CLEAVAGE				SH-SHEAR				P-POLISHED								ST-STEPPED				UE-UNEVEN				MB-MECH. BREAK																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
								VN-VEIN				S-SLICKENSIDED				PL-PLANAR								W-WAVY				C-CURVED																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
								RECOVERY		R.Q.D.		FRACT. INDEX PER 0.3		DIP w.r.t. CORE AXIS		TYPE AND SURFACE DESCRIPTION		10 ⁻⁶						10 ⁻⁵		10 ⁻⁴		10 ⁻³																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
TOTAL CORE %	SOLID CORE %	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%

12" open
corehole
from 44.04
to 116.26 m

DEPTH SCALE

1 : 50

**AECOM**

LOGGED: PM

CHECKED: MA

PROJECT: F2 and F5 Well Replacement Project
LOCATION: 449 St. Andrew St. E, Fergus
COORDINATES: N 4839939.4; E 550597.2
DATUM: Geodetic NAD83
AECOM PROJECT #: 60664299
CLIENT: Township of Centre Wellington

RECORD OF DRILLHOLE: F2-R

SHEET 11 OF 12

START DATE: July 5, 2022
END DATE: August 15, 2022
DRILLING METHOD: 18" O.D.
CONTRACTOR: Aardvark Drilling

INCLINATION: -90°

AZIMUTH: —

DEPTH SCALE METRES	DRILLING RECORD	DESCRIPTION	SYMBOLIC LOG	ELEV. DEPTH (m)	RUN No.	PENETRATION RATE (mm/min)	FLUSH	COLOUR % RETURN	FR/FX-FRACTURE F-FAULT SM-SMOOTH FL-FLEXURED BC-BROKEN CORE												DIAMETRAL POINT LOAD INDEX (MPa)	WELL INSTALLATION AND WATER LEVELS
									CL-CLEAVAGE		J-JOINT		R-ROUGH		UE-UNEVEN		MB-MECH. BREAK					
									SH-SHEAR		P-POLISHED		ST-STEPPED		W-WAVY		B-BEDDING					
									VN-VEIN		S-SLICKENSIDED		PL-PLANAR		C-CURVED							
									RECOVERY		R.Q.D. %	FRACT. INDEX PER 0.3	DISCONTINUITY DATA		HYDRAULIC CONDUCTIVITY							
								TOTAL CORE %	SOLID CORE %	DIP w.r.t. CORE AXIS			TYPE AND SURFACE DESCRIPTION	10 ⁻⁶	K _f cm/sec							
100		CONTINUED FROM PREVIOUS PAGE							80	80	80	5	0	0	0	0	0					
	Air Hammer 12" O.D.	Very light grey to dark blue-grey, fine grained, crystalline, faintly porous, moderately pitted, stylolitic, crinoids throughout, occasional gastropods, thickly to massively bedded DOLOSTONE (GASPORT FORMATION, 89.41 to 112.27 m)							60	60	60	5	0	0	0	0	0					
101									40	40	40	5	0	0	0	0	0					
102									20	20	20	5	0	0	0	0	0					
103									80	80	80	5	0	0	0	0	0					
104									60	60	60	5	0	0	0	0	0					
105									40	40	40	5	0	0	0	0	0					
106									20	20	20	5	0	0	0	0	0					
107									80	80	80	5	0	0	0	0	0					
108									60	60	60	5	0	0	0	0	0					
109									40	40	40	5	0	0	0	0	0					
110									20	20	20	5	0	0	0	0	0					
		CONTINUED NEXT PAGE							80	80	80	5	0	0	0	0	0					
									60	60	60	5	0	0	0	0	0					
									40	40	40	5	0	0	0	0	0					
									20	20	20	5	0	0	0	0	0					
									80	80	80	5	0	0	0	0	0					
									60	60	60	5	0	0	0	0	0					
									40	40	40	5	0	0	0	0	0					
									20	20	20	5	0	0	0	0	0					
									80	80	80	5	0	0	0	0	0					
									60	60	60	5	0	0	0	0	0					
									40	40	40	5	0	0	0	0	0					
									20	20	20	5	0	0	0	0	0					
									80	80	80	5	0	0	0	0	0					
									60	60	60	5	0	0	0	0	0					
									40	40	40	5	0	0	0	0	0					
									20	20	20	5	0	0	0	0	0					
									80	80	80	5	0	0	0	0	0					
									60	60	60	5	0	0	0	0	0					
									40	40	40	5	0	0	0	0	0					
									20	20	20	5	0	0	0	0	0					
									80	80	80	5	0	0	0	0	0					
									60	60	60	5	0	0	0	0	0					
									40	40	40	5	0	0	0	0	0					
									20	20	20	5	0	0	0	0	0					
									80	80	80	5	0	0	0	0	0					
									60	60	60	5	0	0	0	0	0					
									40	40	40	5	0	0	0	0	0					
									20	20	20	5	0	0	0	0	0					
									80	80	80	5	0	0	0	0	0					
									60	60	60	5	0	0	0	0	0					
									40	40	40	5	0	0	0	0	0					
									20	20	20	5	0	0	0	0	0					
									80	80	80	5	0	0	0	0	0					
									60	60	60	5	0	0	0	0	0					
									40	40	40	5	0	0	0	0	0					
									20	20	20	5	0	0	0	0	0					
									80	80	80	5	0	0	0	0	0					
									60	60	60	5	0	0	0	0	0					
									40	40	40	5	0	0	0	0	0					
									20	20	20	5	0	0	0	0	0					
									80	80	80	5	0	0	0	0	0					
									60	60	60	5	0	0	0	0	0					
									40	40	40	5	0	0	0	0	0					
									20	20	20	5	0	0	0	0	0					
									80	80	80	5	0	0	0	0	0					
									60	60	60	5	0	0	0	0	0					
									40	40	40	5	0	0	0	0	0					
									20	20	20	5	0	0	0	0	0					
									80	80	80	5	0	0	0	0	0					
									60	60	60	5	0	0	0	0	0					
									40	40	40	5	0	0	0	0	0					
									20	20	20	5	0	0	0	0	0					
									80	80	80	5	0	0	0	0	0					
									60	60	60	5	0	0	0	0	0					
									40	40	40	5	0	0	0	0	0					
									20	20	20	5	0	0	0	0	0					
									80	80	80	5	0	0	0	0	0					
									60	60	60	5	0	0	0	0	0					
									40	40	40	5	0	0	0	0	0					
									20	20	20	5	0	0	0	0	0					
									80	80	80	5	0	0	0	0	0					
									60	60	60	5	0	0	0	0	0					
									40	40	40	5	0	0	0	0	0					
									20	20	20	5	0	0	0	0	0					
									80	80	80	5	0	0	0	0	0					
									60	60	60	5	0	0	0	0	0					
									40	40	40	5	0	0	0	0	0					
									20	20	20	5	0	0	0	0	0					
									80	80	80	5	0	0	0	0	0					
									60	60	60	5	0	0	0	0	0					
									40	40	40	5	0	0	0	0	0					
									20	20	20	5	0	0	0	0	0					
									80	80	80	5	0	0	0	0	0					
									60	60	60	5	0	0	0	0	0					
									40	40	40	5	0	0	0	0	0					
									20	20	20	5	0	0	0	0	0					
									80	80	80	5	0	0	0	0	0					
									60	60	60	5	0	0	0	0	0					
									40	40	40	5	0	0	0	0	0					
									20	20	20	5	0	0	0	0	0					
									80	80	80	5	0	0	0	0	0					
									60	60	60	5	0	0	0	0	0					
									40	40	40	5	0	0	0	0	0					
									20	20	20	5	0	0	0	0	0					
									80	80	80	5	0	0	0	0	0					

PROJECT: F2 and F5 Well Replacement Project
LOCATION: 449 St. Andrew St. E, Fergus
COORDINATES: N 4839939.4; E 550597.2
DATUM: Geodetic NAD83
AECOM PROJECT #: 60664299
CLIENT: Township of Centre Wellington

RECORD OF DRILLHOLE: F2-R

SHEET 12 OF 12

START DATE: July 5, 2022
END DATE: August 15, 2022
DRILLING METHOD: 18" O.D.
CONTRACTOR: Aardvark Drilling

INCLINATION: -90°

AZIMUTH: —

DEPTH SCALE METRES	DRILLING RECORD	DESCRIPTION	SYMBOLIC LOG	ELEV. DEPTH (m)	RUN No.	PENETRATION RATE (mm/min)	FLUSH % RETURN	COLOUR	FR/FX-FRACTURE F-FAULT	SM-SMOOTH	FL-FLEXURED	BC-BROKEN CORE	DIAMETRAL POINT LOAD INDEX (MPa)	WELL INSTALLATION AND WATER LEVELS		
									CL-CLEAVAGE	J-JOINT	R-ROUGH	UE-UNEVEN			MB-MECH. BREAK	B-BEDDING
									SH-SHEAR	P-POLISHED	ST-STEPPED	W-WAVY				
									VN-VEIN	S-SLICKENSIDED	PL-PLANAR	C-CURVED				
RECOVERY		R.Q.D. %	FRACT. INDEX PER 0.3	DISCONTINUITY DATA		HYDRAULIC CONDUCTIVITY										
TOTAL CORE %	SOLID CORE %			DIP w.r.t CORE AXIS	TYPE AND SURFACE DESCRIPTION	10 ⁻⁶	K _f cm/sec									
110		CONTINUED FROM PREVIOUS PAGE														
111	Air Hammer 12" O.D.	Very light grey to dark blue-grey, fine grained, crystalline, faintly porous, moderately pitted, stylolitic, crinoids throughout, occasional gastropods, thickly to massively bedded DOLOSTONE (GASPORT FORMATION, 89.41 to 112.27 m)														
112																
113		Light to medium grey (mottled appearance), fine to medium grained, crystalline, non-porous, medium to thickly bedded DOLOSTONE (IRONDEQUOIT, ROCKWAY & MERRITTON FORMATION, 112.27 to 116.26 m)	290.03 112.27											12" open corehole from 44.04 to 116.26 m		
114																
115																
116																
117																
118	END OF BOREHOLE Notes: 1. Interpretation assistance by AECOM is required for projects excluding the above mentioned project. 2. No abnormal odour or staining was observed unless otherwise indicated. 3. Corehole diameter: 20" from 0.00 to 3.05 mBGS 18" from 3.05 mBGS to 44.04 mBGS 12" from 44.04 mBGS to 116.26 mBGS 4. Well installation details include: 12" Steel Casing: -0.73 to 44.04 mBGS 12" Open Corehole: 44.04 to 116.26 mBGS 5. Static water level of 12.70 mbgs was observed on September 1, 2022.															
119																
120																
121																

12" open
corehole
from 44.04
to 116.26 m

RK LOG 60664299 - CW WELL REPLACEMENT 2023-01-13.GPJ GAL-MISS.GDT 5/17/23

DEPTH SCALE

1 : 50



LOGGED: PM

CHECKED: MA

PROJECT: F2 and F5 Well Replacement Project
LOCATION: 900 Scotland St., Fergus
COORDINATES: N 4839071.7; E 551838.9
DATUM: Geodetic NAD83
AECOM PROJECT #: 60664299
CLIENT: Township of Centre Wellington

RECORD OF DRILLHOLE: F5-T

SHEET 1 OF 15

START DATE: Oct. 6, 2021
END DATE: Nov. 10, 2021
DRILLING METHOD: 270 mm O.D. Casing Advancement
CONTRACTOR: Aardvark Drilling

INCLINATION: -90°

AZIMUTH: —

DEPTH SCALE METRES	DRILLING RECORD	DESCRIPTION	SYMBOLIC LOG	ELEV. DEPTH (m)	RUN No.	PENETRATION RATE (mm/min)	FLUSH % RETURN	COLOUR	FR/FX-FRACTURE F-FAULT												SM-SMOOTH				FL-FLEXURED				BC-BROKEN CORE				DIAMETRAL POINT LOAD INDEX (MPa)	WELL INSTALLATION AND WATER LEVELS		
									CL-CLEAVAGE				J-JOINT				R-ROUGH				UE-UNEVEN				MB-MECH. BREAK											
									SH-SHEAR				P-POLISHED				ST-STEPPED				W-WAVY				B-BEDDING											
									VN-VEIN				S-SLICKENSIDED				PL-PLANAR				C-CURVED															
									RECOVERY				R.Q.D. %				FRACT. INDEX PER 0.3				DISCONTINUITY DATA				HYDRAULIC CONDUCTIVITY											
TOTAL CORE %				SOLID CORE %								DIP wrt CORE AXIS				TYPE AND SURFACE DESCRIPTION				K _f cm/sec																
									80	60	40	20	80	60	40	20	80	60	40	20	80	60	40	20	80	60	40	20	10 ⁻⁶	10 ⁻⁶	10 ⁻⁶	10 ⁻⁶	2	4	6	
0		GROUND SURFACE		420.87																																
		Coring began at 35.38 m. Top of bedrock inferred by driller at 19.8 m.		0.00																																
1																																				
2																																				
3																																				
4																																				
5																																				
6																																				
7																																				
8																																				
9																																				
10																																				
																																			</	

10-7/8" steel casing
from -0.367
to 21.95 m
6-5/8" steel casing from
-0.41 to
53.04 m
6" steel casing from
-0.46 to
56.13 m

DEPTH SCALE

1 : 50



AECOM

LOGGED: PM

CHECKED: MA

PROJECT: F2 and F5 Well Replacement Project
LOCATION: 900 Scotland St., Fergus
COORDINATES: N 4839071.7; E 551838.9
DATUM: Geodetic NAD83
AECOM PROJECT #: 60664299
CLIENT: Township of Centre Wellington

RECORD OF DRILLHOLE: F5-T

SHEET 2 OF 15

START DATE: Oct. 6, 2021
END DATE: Nov. 10, 2021
DRILLING METHOD: 270 mm O.D. Casing Advancement
CONTRACTOR: Aardvark Drilling

INCLINATION: -90°

AZIMUTH: —

DEPTH SCALE METRES	DRILLING RECORD	DESCRIPTION	SYMBOLIC LOG	ELEV. DEPTH (m)	RUN No.	PENETRATION RATE (mm/min)	FLUSH	COLOUR % RETURN	FR/FX-FRACTURE F-FAULT		SM-SMOOTH		FL-FLEXURED		BC-BROKEN CORE		WELL INSTALLATION AND WATER LEVELS		
									CL-CLEAVAGE		J-JOINT		R-ROUGH		UE-UNEVEN			MB-MECH. BREAK	
									SH-SHEAR		P-POLISHED		ST-STEPPED		W-WAVY			B-BEDDING	
									VN-VEIN		S-SLICKENSIDED		PL-PLANAR		C-CURVED				
RECOVERY		R.Q.D.		FRACT. INDEX PER 0.3		DISCONTINUITY DATA		HYDRAULIC CONDUCTIVITY		DIAMETRAL POINT LOAD INDEX (MPa)									
TOTAL CORE %		SOLID CORE %				DIP wr.t. CORE AXIS		TYPE AND SURFACE DESCRIPTION		10 ⁻⁶ K _f cm/sec		2 4 6							
80 60 40 20		80 60 40 20		80 60 40 20		5 10 15 20		0 30 60 90		10° 10° 10° 10°									
10		CONTINUED FROM PREVIOUS PAGE Coring began at 35.38 m. Top of bedrock inferred by driller at 19.8 m.																	
11																			
12																			
13																			
14																			
15																			
16																			
17																			
18																			
19																			
20																			
		CONTINUED NEXT PAGE																	

November
30, 2021

DEPTH SCALE

1 : 50



LOGGED: PM

CHECKED: MA

RK LOG 60664299 - CW WELL REPLACEMENT 2023-01-13.GPJ GAL-MISS.GDT 5/17/23

PROJECT: F2 and F5 Well Replacement Project
LOCATION: 900 Scotland St., Fergus
COORDINATES: N 4839071.7; E 551838.9
DATUM: Geodetic NAD83
AECOM PROJECT #: 60664299
CLIENT: Township of Centre Wellington

RECORD OF DRILLHOLE: F5-T

SHEET 3 OF 15

START DATE: Oct. 6, 2021
END DATE: Nov. 10, 2021
DRILLING METHOD: 270 mm O.D. Casing Advancement
CONTRACTOR: Aardvark Drilling

INCLINATION: -90°

AZIMUTH: —

DEPTH SCALE METRES	DRILLING RECORD	DESCRIPTION	SYMBOLIC LOG	ELEV. DEPTH (m)	RUN No.	PENETRATION RATE (mm/min)	FLUSH	COLOUR % RETURN	FR/FX-FRACTURE F-FAULT												SM-SMOOTH				FL-FLEXURED		BC-BROKEN CORE		DIAMETRAL POINT LOAD INDEX (MPa)	WELL INSTALLATION AND WATER LEVELS
									CL-CLEAVAGE				J-JOINT				R-ROUGH				UE-UNEVEN				MB-MECH. BREAK					
									SH-SHEAR				P-POLISHED				ST-STEPPED				W-WAVY				B-BEDDING					
									VN-VEIN				S-SLICKENSIDED				PL-PLANAR				C-CURVED									
RECOVERY		R.Q.D. %		FRACT. INDEX PER 0.3		DISCONTINUITY DATA		HYDRAULIC CONDUCTIVITY		DIP w.r.t CORE AXIS		TYPE AND SURFACE DESCRIPTION		10 ⁻⁶		10 ⁻⁵		10 ⁻⁴		10 ⁻³										
TOTAL CORE %	SOLID CORE %																													
80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80									
60	60	60	60	60	60	60	60	60	60	60	60	60	60	60	60	60	60	60	60	60	60									
40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40									
20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20									
CONTINUED FROM PREVIOUS PAGE																														
Coring began at 35.38 m. Top of bedrock inferred by driller at 19.8 m.																														

Base of
10-7/8"
steel casing
at 21.95 m

RK LOG 60664299 - CW WELL REPLACEMENT 2023-01-13.GPJ GAL-MISS.GDT 5/17/23

DEPTH SCALE

1 : 50



AECOM

LOGGED: PM

CHECKED: MA

PROJECT: F2 and F5 Well Replacement Project
LOCATION: 900 Scotland St., Fergus
COORDINATES: N 4839071.7; E 551838.9
DATUM: Geodetic NAD83
AECOM PROJECT #: 60664299
CLIENT: Township of Centre Wellington

RECORD OF DRILLHOLE: F5-T

SHEET 4 OF 15

START DATE: Oct. 6, 2021
END DATE: Nov. 10, 2021
DRILLING METHOD: 270 mm O.D. Casing Advancement
CONTRACTOR: Aardvark Drilling

INCLINATION: -90°

AZIMUTH: —

DEPTH SCALE METRES	DRILLING RECORD	DESCRIPTION	SYMBOLIC LOG	ELEV. DEPTH (m)	RUN No.	PENETRATION RATE (mm/min)	FLUSH % RETURN	COLOUR % RETURN	FR/FX-FRACTURE F-FAULT												SM-SMOOTH				FL-FLEXURED				BC-BROKEN CORE				DIAMETRAL POINT LOAD INDEX (MPa)	WELL INSTALLATION AND WATER LEVELS
									CL-CLEAVAGE				J-JOINT				R-ROUGH				UE-UNEVEN				MB-MECH. BREAK									
									SH-SHEAR				P-POLISHED				ST-STEPPED				W-WAVY				B-BEDDING									
									VN-VEIN				S-SLICKENSIDED				PL-PLANAR				C-CURVED													
		RECOVERY		R.Q.D. %		FRACT. INDEX PER 0.3		DISCONTINUITY DATA		HYDRAULIC CONDUCTIVITY		DIP w.r.t. CORE AXIS		TYPE AND SURFACE DESCRIPTION		10 ⁻⁶ K _f cm/sec		10 ⁻⁵		10 ⁻⁴		10 ⁻³												
		TOTAL CORE %		SOLID CORE %																														
		80 60 40 20		80 60 40 20		80 60 40 20		80 60 40 20		80 60 40 20		80 60 40 20		80 60 40 20		80 60 40 20		80 60 40 20		80 60 40 20		80 60 40 20												
30		CONTINUED FROM PREVIOUS PAGE																																
		Coring began at 35.38 m. Top of bedrock inferred by driller at 19.8 m.																																
31																																		
32																																		
33																																		
34																																		
35																																		
		Diamond Core Drilling 152 mm O.D. SQ Rock Core																																
		Light creamy grey to light brownish grey, fine grained, crystalline, faintly porous, slightly to highly weathered, slightly to moderately pitted, vuggy, occasional stylolites, gastropods and crinoids, medium to thickly bedded DOLOSTONE (GUELPH FORMATION, 35.38 to 60.48 m)																																
		Potential water-bearing zone at 35.51 m. Fracture is oxidized and open to approximately 20 mm. Drilling contractor lost water circulation during Run 1																																
		Potential water-bearing zone at 37.49 m. Vertical fracture (290 mm length) is highly oxidized																																
		Increase in gastropods																																
40		CONTINUED NEXT PAGE																																

DEPTH SCALE

1 : 50



AECOM

LOGGED: PM

CHECKED: MA

RK LOG 60664299 - CW WELL REPLACEMENT 2023-01-13.GPJ GAL-MISS.GDT 5/17/23

PROJECT: F2 and F5 Well Replacement Project
LOCATION: 900 Scotland St., Fergus
COORDINATES: N 4839071.7; E 551838.9
DATUM: Geodetic NAD83
AECOM PROJECT #: 60664299
CLIENT: Township of Centre Wellington

RECORD OF DRILLHOLE: F5-T

SHEET 5 OF 15

START DATE: Oct. 6, 2021
END DATE: Nov. 10, 2021
DRILLING METHOD: 270 mm O.D. Casing Advancement
CONTRACTOR: Aardvark Drilling

INCLINATION: -90°

AZIMUTH: —

DEPTH SCALE METRES	DRILLING RECORD	DESCRIPTION	SYMBOLIC LOG	ELEV. DEPTH (m)	RUN No. PENETRATION RATE (mm/min)	FLUSH COLOUR % RETURN	FR/FX-FRACTURE F-FAULT			SM-SMOOTH			FL-FLEXURED			BC-BROKEN CORE			DIAMETRAL POINT LOAD INDEX (MPa)	WELL INSTALLATION AND WATER LEVELS			
							CL-CLEAVAGE			R-ROUGH			UE-UNEVEN			MB-MECH. BREAK							
							SH-SHEAR			ST-STEPPED			W-WAVY			B-BEDDING							
							VN-VEIN			S-SLICKENSIDED PL-PLANAR			C-CURVED										
		RECOVERY	R.Q.D. %	FRACT. INDEX PER 0.3	DISCONTINUITY DATA		HYDRAULIC CONDUCTIVITY		DIP w.r.t. CORE AXIS	TYPE AND SURFACE DESCRIPTION													
											10 ⁻⁶ K _f cm/sec		10 ⁻⁵ K _f cm/sec		10 ⁻⁴ K _f cm/sec								
		TOTAL CORE %	SOLID CORE %								10 ⁻⁶	10 ⁻⁵	10 ⁻⁴	10 ⁻³	10 ⁻²	10 ⁻¹	10 ⁰	10 ¹	10 ²				
CONTINUED FROM PREVIOUS PAGE																							
40		Light creamy grey to light brownish grey, fine grained, crystalline, faintly porous, slightly to highly weathered, slightly to moderately pitted, vuggy, occasional stylolites, gastropods and crinoids, medium to thickly bedded DOLOSTONE (GUELPH FORMATION, 35.38 to 60.48 m)			4	0.1																	
41				379.51 41.35																			
42		Fracture at 40.61 m is highly oxidized and coated with fine sand			5	0.1																	
43				377.96 42.90																			
44		Increase in vugs			6	0.1																	
45				376.42 44.45																			
46				374.89 45.97																			
47					8	0.1																	
48				373.39 47.47																			
49				371.84 49.02																			
50		Fracture at 49.44 m is highly oxidized and coated with fine sand			10	0.1																	
CONTINUED NEXT PAGE																							

DEPTH SCALE

1 : 50



LOGGED: PM

CHECKED: MA

RK LOG 60664299 - CW WELL REPLACEMENT 2023-01-13.GPJ GAL-MISS.GDT 5/17/23

PROJECT: F2 and F5 Well Replacement Project
LOCATION: 900 Scotland St., Fergus
COORDINATES: N 4839071.7; E 551838.9
DATUM: Geodetic NAD83
AECOM PROJECT #: 60664299
CLIENT: Township of Centre Wellington

RECORD OF DRILLHOLE: F5-T

SHEET 6 OF 15

START DATE: Oct. 6, 2021
END DATE: Nov. 10, 2021
DRILLING METHOD: 270 mm O.D. Casing Advancement
CONTRACTOR: Aardvark Drilling

INCLINATION: -90°

AZIMUTH: —

DEPTH SCALE METRES	DRILLING RECORD	DESCRIPTION	SYMBOLIC LOG	ELEV. DEPTH (m)	RUN No.	PENETRATION RATE (mm/min)	FLUSH COLOUR % RETURN	FR/FX-FRACTURE F-FAULT										SM-SMOOTH				FL-FLEXURED				BC-BROKEN CORE				DIAMETRAL POINT LOAD INDEX (MPa)	WELL INSTALLATION AND WATER LEVELS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
								CL-CLEAVAGE				J-JOINT				R-ROUGH				UE-UNEVEN				MB-MECH. BREAK																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
								SH-SHEAR				P-POLISHED				ST-STEPPED				W-WAVY				B-BEDDING																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
								VN-VEIN				S-SLICKENSIDED				PL-PLANAR				C-CURVED																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
				RECOVERY				R.Q.D. %				FRACT. INDEX PER 0.3				DISCONTINUITY DATA				HYDRAULIC CONDUCTIVITY K _f cm/sec																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
				TOTAL CORE %				SOLID CORE %												TYPE AND SURFACE DESCRIPTION				10 ⁻⁶ 10 ⁻⁵ 10 ⁻⁴ 10 ⁻³																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
50	Diamond Core Drilling 152 mm O.D. SQ Rock Core	Light creamy grey to light brownish grey, fine grained, crystalline, faintly porous, slightly to highly weathered, slightly to moderately pitted, vuggy, occasional stylolites, gastropods and crinoids, medium to thickly bedded DOLOSTONE (GUELPH FORMATION, 35.38 to 60.48 m)		370.37 50.50	10	0.1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														

Base of 6-5/8" steel casing at 53.04 m
Coated bentonite pellets from 50.04 to 56.13 m (between 6-5/8" and 6" casings)

Base of 6" steel casing at 56.13 m

6" open corehole from 56.13 to 143.54 m

RK LOG 60664299 - CW WELL REPLACEMENT 2023-01-13.GPJ GAL-MISS.GDT 5/17/23

DEPTH SCALE

1 : 50



LOGGED: PM
CHECKED: MA

PROJECT: F2 and F5 Well Replacement Project
LOCATION: 900 Scotland St., Fergus
COORDINATES: N 4839071.7; E 551838.9
DATUM: Geodetic NAD83
AECOM PROJECT #: 60664299
CLIENT: Township of Centre Wellington


RECORD OF DRILLHOLE: F5-T

SHEET 7 OF 15

START DATE: Oct. 6, 2021
END DATE: Nov. 10, 2021
DRILLING METHOD: 270 mm O.D. Casing Advancement
CONTRACTOR: Aardvark Drilling

INCLINATION: -90°

AZIMUTH: —

DEPTH SCALE METRES	DRILLING RECORD	DESCRIPTION	SYMBOLIC LOG	ELEV. DEPTH (m)	RUN No.	PENETRATION RATE (mm/min)	FLUSH COLOUR % RETURN	FR/FX-FRACTURE F-FAULT												SM-SMOOTH		FL-FLEXURED		BC-BROKEN CORE		HYDRAULIC CONDUCTIVITY K _f cm/sec	DIP W.r.t CORE AXIS	TYPE AND SURFACE DESCRIPTION	DIAMETRAL POINT LOAD INDEX (MPa)	WELL INSTALLATION AND WATER LEVELS
								CL-CLEAVAGE				J-JOINT				R-ROUGH				UE-UNEVEN				MB-MECH. BREAK						
								SH-SHEAR				P-POLISHED				ST-STEPPED				W-WAVY				B-BEDDING						
								VN-VEIN				S-SLICKENSIDED				PL-PLANAR				C-CURVED										
								RECOVERY		R.Q.D. %		FRACT. INDEX PER 0.3		DISCONTINUITY DATA																
TOTAL CORE %	SOLID CORE %																													
80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80								
60	60	60	60	60	60	60	60	60	60	60	60	60	60	60	60	60	60	60	60	60	60	60								
40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40								
20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20								
CONTINUED FROM PREVIOUS PAGE																														
60	Diamond Core Drilling 123 mm O.D. PQ Rock Core	Light greyish brown to medium greyish brown, fine grained, crystalline, faintly porous, stylolitic, occasional crinoids and gastropods, thinly bedded, cross bedding throughout; transition from overlying Guelph Formation is gradational DOLOSTONE (GOAT ISLAND FORMATION, 60.48 to 96.90 m)		360.39 60.48	17	0.2																								
359.65 61.21																														
358.13 62.74				18	0.1																									
356.58 64.29																														
355.10 65.76				20	0.1																									
353.53 67.34																														
352.06 68.81				22	0.1																									
				23	0.2																									
CONTINUED NEXT PAGE																														

6" open
corehole
from 56.13
to 143.54 m

RK LOG 60664299 - CW WELL REPLACEMENT 2023-01-13.GPJ GAL-MISS.GDT 5/17/23

DEPTH SCALE

1 : 50



LOGGED: PM

CHECKED: MA

PROJECT: F2 and F5 Well Replacement Project
LOCATION: 900 Scotland St., Fergus
COORDINATES: N 4839071.7; E 551838.9
DATUM: Geodetic NAD83
AECOM PROJECT #: 60664299
CLIENT: Township of Centre Wellington

RECORD OF DRILLHOLE: F5-T

SHEET 8 OF 15

START DATE: Oct. 6, 2021
END DATE: Nov. 10, 2021
DRILLING METHOD: 270 mm O.D. Casing Advancement
CONTRACTOR: Aardvark Drilling

INCLINATION: -90°

AZIMUTH: —

DEPTH SCALE METRES	DRILLING RECORD	DESCRIPTION	SYMBOLIC LOG	ELEV. DEPTH (m)	RUN No.	PENETRATION RATE (mm/min)	FLUSH COLOUR % RETURN	FR/FX-FRACTURE F-FAULT										SM-SMOOTH			FL-FLEXURED			BC-BROKEN CORE			DIAMETRAL POINT LOAD INDEX (MPa)	WELL INSTALLATION AND WATER LEVELS
								CL-CLEAVAGE			J-JOINT			R-ROUGH			UE-UNEVEN			MB-MECH. BREAK								
								SH-SHEAR			P-POLISHED			ST-STEPPED			W-WAVY			B-BEDDING								
								VN-VEIN			S-SLICKENSIDED			PL-PLANAR			C-CURVED											
								RECOVERY			R.Q.D. %	FRACT. INDEX PER 0.3	DISCONTINUITY DATA			HYDRAULIC CONDUCTIVITY												
								TOTAL CORE %	SOLID CORE %				DIP w.r.t. CORE AXIS	TYPE AND SURFACE DESCRIPTION		10 ⁻⁶	10 ⁻⁵	10 ⁻⁴	10 ⁻³									
70		CONTINUED FROM PREVIOUS PAGE																										
	Diamond Core Drilling 123 mm O.D. PQ Rock Core	Light greyish brown to medium greyish brown, fine grained, crystalline, faintly porous, stylolitic, occasional crinoids and gastropods, thinly bedded, cross bedding throughout; transition from overlying Guelph Formation is gradational DOLOSTONE (GOAT ISLAND FORMATION, 60.48 to 96.90 m)		350.53	23	0.2																						
				70.33																								
71					24	0.2																						
				349.01																								
				71.86																								
72					25	0.2																						
				347.46																								
				73.41																								
73																												
74																												
		Potential water-bearing zone at 74.22 m. Fracture is highly crystallized and oxidized, and proximal to large vugs																										
75																												
		Crinoid bed from 74.93 to 75.11 m																										
		Potential water-bearing zone between 75.11 and 75.64 m. Fractures within this zone are highly crystallized and oxidized, and proximal to large vugs																										
76																												
77																												
		Potential water-bearing zone between 76.43 and 77.98 m. Fractures within this zone are highly crystallized and oxidized, and proximal to large vugs																										
78																												
79																												
		Potential water-bearing zone at 79.10 m. Large void (250 mm) is oxidized and coated in coarse sand																										
80																												
		Potential water-bearing zone at 79.76 m. Large void (230 mm) is oxidized																										
		CONTINUED NEXT PAGE																										

6" open
corehole
from 56.13
to 143.54 m

DEPTH SCALE

1 : 50



LOGGED: PM

CHECKED: MA

RK LOG 60664299 - CW WELL REPLACEMENT 2023-01-13.GPJ GAL-MISS.GDT 5/17/23

PROJECT: F2 and F5 Well Replacement Project
LOCATION: 900 Scotland St., Fergus
COORDINATES: N 4839071.7; E 551838.9
DATUM: Geodetic NAD83
AECOM PROJECT #: 60664299
CLIENT: Township of Centre Wellington

RECORD OF DRILLHOLE: F5-T

SHEET 9 OF 15

START DATE: Oct. 6, 2021
END DATE: Nov. 10, 2021
DRILLING METHOD: 270 mm O.D. Casing Advancement
CONTRACTOR: Aardvark Drilling

INCLINATION: -90°

AZIMUTH: —

DEPTH SCALE METRES	DRILLING RECORD	DESCRIPTION	SYMBOLIC LOG	ELEV. DEPTH (m)	RUN No.	PENETRATION RATE (mm/min)	FLUSH COLOUR % RETURN	FR/FX-FRACTURE F-FAULT												SM-SMOOTH		FL-FLEXURED		BC-BROKEN CORE		DIAMETRAL POINT LOAD INDEX (MPa)	WELL INSTALLATION AND WATER LEVELS
								CL-CLEAVAGE		J-JOINT		R-ROUGH		UE-UNEVEN		MB-MECH. BREAK											
								SH-SHEAR		P-POLISHED		ST-STEPPED		W-WAVY		B-BEDDING											
								VN-VEIN		S-SLICKENSIDED		PL-PLANAR		C-CURVED													
								RECOVERY		R.Q.D. %		FRACT. INDEX PER 0.3		DISCONTINUITY DATA		HYDRAULIC CONDUCTIVITY											
TOTAL CORE %	SOLID CORE %			DIP wr.t. CORE AXIS	TYPE AND SURFACE DESCRIPTION	10 ⁻⁶	K _f cm/sec	10 ⁻⁴	10 ⁻³	10 ⁻²	10 ⁻¹	2	4	6													
80		CONTINUED FROM PREVIOUS PAGE																									
		Light greyish brown to medium greyish brown, fine grained, crystalline, faintly porous, stylolitic, occasional crinoids and gastropods, thinly bedded, cross bedding throughout; transition from overlying Guelph Formation is gradational DOLOSTONE (GOAT ISLAND FORMATION, 60.48 to 96.90 m)																									
81		Potential water-bearing zone at 80.39 m. Large void (710 mm) is oxidized		339.84 81.03																							
82					31	0.3																					
				338.32 82.55																							
83					32	0.3																					
		Potential water-bearing zone at 83.62 m. Large void (300 mm) is oxidized		336.79 84.07																							
84					33	0.3																					
		Potential water-bearing zone at 85.29 m. Large void (300 mm) is oxidized		335.27 85.60																							
85																											
86					34	0.3																					
87				333.74 87.12																							
88					35	0.3																					
				332.22 88.65																							
89																											
90					36	0.3																					
		CONTINUED NEXT PAGE																									

6" open
corehole
from 56.13
to 143.54 m

DEPTH SCALE

1 : 50



AECOM

LOGGED: PM

CHECKED: MA

RK LOG 60664299 - CW WELL REPLACEMENT 2023-01-13.GPJ GAL-MISS.GDT 5/17/23

PROJECT: F2 and F5 Well Replacement Project
LOCATION: 900 Scotland St., Fergus
COORDINATES: N 4839071.7; E 551838.9
DATUM: Geodetic NAD83
AECOM PROJECT #: 60664299
CLIENT: Township of Centre Wellington

RECORD OF DRILLHOLE: F5-T

SHEET 10 OF 15

START DATE: Oct. 6, 2021
END DATE: Nov. 10, 2021
DRILLING METHOD: 270 mm O.D. Casing Advancement
CONTRACTOR: Aardvark Drilling

INCLINATION: -90°

AZIMUTH: —

DEPTH SCALE METRES	DRILLING RECORD	DESCRIPTION	SYMBOLIC LOG	ELEV. DEPTH (m)	RUN No.	PENETRATION RATE (mm/min)	CORE LOSS % RETURN	FR/FX-FRACTURE F-FAULT CL-CLEAVAGE J-JOINT R-ROUGH FL-FLEXURED BC-BROKEN CORE SH-SHEAR P-POLISHED ST-STEPPED UE-UNEVEN MB-MECH. BREAK VN-VEIN S-SLICKENSIDED PL-PLANAR W-WAVY B-BEDDING C-CURVED												DIAMETRAL POINT LOAD INDEX (MPa)	WELL INSTALLATION AND WATER LEVELS	
								RECOVERY				FRACT. INDEX PER 0.3	DISCONTINUITY DATA				HYDRAULIC CONDUCTIVITY					
								TOTAL CORE %	SOLID CORE %	R.Q.D. %	DIP w.r.t. CORE AXIS		TYPE AND SURFACE DESCRIPTION		K _f cm/sec							
								80 60 40 20	80 60 40 20	80 60 40 20	5 2 2 2		0 0 0 0	10 ⁻⁶ 10 ⁻⁵ 10 ⁻⁴ 10 ⁻³	10 ⁻⁶ 10 ⁻⁵ 10 ⁻⁴ 10 ⁻³							
								FLUSH	THIN	THICK	THIN		THICK	THIN	THICK	THIN	THICK	THIN	THICK			THIN
90		CONTINUED FROM PREVIOUS PAGE		330.70 90.17	36	0.3																
91		Light greyish brown to medium greyish brown, fine grained, crystalline, faintly porous, stylolitic, occasional crinoids and gastropods, thinly bedded, cross bedding throughout; transition from overlying Guelph Formation is gradational DOLOSTONE (GOAT ISLAND FORMATION, 60.48 to 96.90 m)			37	0.2																
		Potential water-bearing zone at 91.21 m. Large void (130 mm) is oxidized		329.17 91.69																		
92					38	0.2																
93				327.67 93.19																		
94					39	0.3																
95				326.12 94.74																		
96					40	0.3																
97				324.57 96.29																		
98				323.97 96.90	41	0.3																
99				323.05 97.82																		
100					42	0.3																
				321.53 99.34																		
					43	0.3																
		CONTINUED NEXT PAGE																				

6" open
corehole
from 56.13
to 143.54 m

DEPTH SCALE

1 : 50



LOGGED: PM

CHECKED: MA

RK LOG 60664299 - CW WELL REPLACEMENT 2023-01-13.GPJ GAL-MISS.GDT 5/17/23

PROJECT: F2 and F5 Well Replacement Project
LOCATION: 900 Scotland St., Fergus
COORDINATES: N 4839071.7; E 551838.9
DATUM: Geodetic NAD83
AECOM PROJECT #: 60664299
CLIENT: Township of Centre Wellington

RECORD OF DRILLHOLE: F5-T

SHEET 11 OF 15

START DATE: Oct. 6, 2021
END DATE: Nov. 10, 2021
DRILLING METHOD: 270 mm O.D. Casing Advancement
CONTRACTOR: Aardvark Drilling

INCLINATION: -90°

AZIMUTH: —

DEPTH SCALE METRES	DRILLING RECORD	DESCRIPTION	SYMBOLIC LOG	ELEV. DEPTH (m)	RUN No. PENETRATION RATE (mm/min) FLUSH COLOUR % RETURN	FR/FX-FRACTURE F-FAULT												SM-SMOOTH				FL-FLEXURED				BC-BROKEN CORE				DIAMETRAL POINT LOAD INDEX (MPa)	WELL INSTALLATION AND WATER LEVELS				
						CL-CLEAVAGE				J-JOINT				SH-SHEAR				P-POLISHED				ST-STEPPED				W-WAVY						B-BEDDING			
						VN-VEIN				S-SLICKENSIDED				PL-PLANAR				C-CURVED																	
						RECOVERY				R.Q.D. %				FRACT. INDEX PER 0.3				DISCONTINUITY DATA				HYDRAULIC CONDUCTIVITY													
						TOTAL CORE %		SOLID CORE %										DIP w.r.t. CORE AXIS		TYPE AND SURFACE DESCRIPTION		K _s cm/sec													
						80	60	40	20	80	60	40	20	80	60	40	20	5	10	15	20	0	30	60	90	10 ⁻⁶	10 ⁻⁵	10 ⁻⁴	10 ⁻³	2	4	6			
100		CONTINUED FROM PREVIOUS PAGE																																	
	Diamond Core Drilling 123 mm O.D. PQ Rock Core	Very light grey to dark blue-grey, fine grained, crystalline, faintly porous, moderately pitted, stylolitic, crinoids throughout, occasional gastropods, thickly to massively bedded DOLOSTONE (GASPORT FORMATION, 96.90 to 138.30 m)																																	
				43	0.3																														
				320.00																															
101				100.86																															
					44	0.2																													
				318.50																															
102				102.36																															
103					45	0.3																													
				316.93																															
104	103.94																																		
		46	0.2																																
	315.46																																		
105	105.41																																		
		47	0.2																																
	313.91																																		
106	106.96																																		
		48	0.2																																
	312.33																																		
107	108.53																																		
		49	0.2																																
108																																			
109																																			
110																																			
	CONTINUED NEXT PAGE																																		

6" open
corehole
from 56.13
to 143.54 m

RK LOG 60664299 - CW WELL REPLACEMENT 2023-01-13.GPJ GAL-MISS.GDT 5/17/23

DEPTH SCALE

1 : 50



LOGGED: PM

CHECKED: MA

START DATE: Oct. 6, 2021

END DATE: Nov. 10, 2021

DRILLING METHOD: 270 mm O.D. Casing Advancement

CONTRACTOR: Aardvark Drilling

INCLINATION: -90°

AZIMUTH: —

[illegible]

DEPTH SCALE

1 : 50

**AECOM**

LOGGED: PM

CHECKED: MA

PROJECT: F2 and F5 Well Replacement Project
LOCATION: 900 Scotland St., Fergus
COORDINATES: N 4839071.7; E 551838.9
DATUM: Geodetic NAD83
AECOM PROJECT #: 60664299
CLIENT: Township of Centre Wellington

RECORD OF DRILLHOLE: F5-T

SHEET 13 OF 15

START DATE: Oct. 6, 2021
END DATE: Nov. 10, 2021
DRILLING METHOD: 270 mm O.D. Casing Advancement
CONTRACTOR: Aardvark Drilling

INCLINATION: -90°

AZIMUTH: —

DEPTH SCALE METRES	DRILLING RECORD	DESCRIPTION	SYMBOLIC LOG	ELEV. DEPTH (m)	RUN No.	PENETRATION RATE (mm/min)	FLUSH COLOUR % RETURN	FR/FX-FRACTURE F-FAULT												SM-SMOOTH			FL-FLEXURED			BC-BROKEN CORE			DIAMETRAL POINT LOAD INDEX (MPa)	WELL INSTALLATION AND WATER LEVELS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
								CL-CLEAVAGE				J-JOINT				R-ROUGH				UE-UNEVEN				MB-MECH. BREAK																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
								SH-SHEAR				P-POLISHED				ST-STEPPED				W-WAVY				B-BEDDING																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
								VN-VEIN				S-SLICKENSIDED				PL-PLANAR				C-CURVED																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
				RECOVERY				R.Q.D. %				FRACT. INDEX PER 0.3				DISCONTINUITY DATA				HYDRAULIC CONDUCTIVITY K ₁₀ cm/sec																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
				TOTAL CORE %				SOLID CORE %								DIP wrt CORE AXIS				TYPE AND SURFACE DESCRIPTION																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
				80 60 40 20				80 60 40 20				80 60 40 20				5 2 1 0				0 30 60 90				10 ⁻⁶ 10 ⁻⁵ 10 ⁻⁴ 10 ⁻³				2 4 6																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
120		CONTINUED FROM PREVIOUS PAGE																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				

6" open
corehole
from 56.13
to 143.54 m

RK LOG 60664299 - CW WELL REPLACEMENT 2023-01-13.GPJ GAL-MISS.GDT 5/17/23

DEPTH SCALE

1 : 50



AECOM

LOGGED: PM

CHECKED: MA

PROJECT: F2 and F5 Well Replacement Project
LOCATION: 900 Scotland St., Fergus
COORDINATES: N 4839071.7; E 551838.9
DATUM: Geodetic NAD83
AECOM PROJECT #: 60664299
CLIENT: Township of Centre Wellington

RECORD OF DRILLHOLE: F5-T

SHEET 14 OF 15

START DATE: Oct. 6, 2021
END DATE: Nov. 10, 2021
DRILLING METHOD: 270 mm O.D. Casing Advancement
CONTRACTOR: Aardvark Drilling

INCLINATION: -90°

AZIMUTH: —

DEPTH SCALE METRES	DRILLING RECORD	DESCRIPTION	SYMBOLIC LOG	ELEV. DEPTH (m)	RUN No.	PENETRATION RATE (mm/min)	FLUSH % RETURN	COLOUR	FR/FX-FRACTURE F-FAULT SM-SMOOTH FL-FLEXURED BC-BROKEN CORE CL-CLEAVAGE J-JOINT R-ROUGH UE-UNEVEN MB-MECH. BREAK SH-SHEAR P-POLISHED ST-STEPPED W-WAVY B-BEDDING VN-VEIN S-SLICKENSIDED PL-PLANAR C-CURVED												DIAMETRAL POINT LOAD INDEX (MPa)	WELL INSTALLATION AND WATER LEVELS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
									RECOVERY				R.Q.D. %	FRACT. INDEX PER 0.3	DISCONTINUITY DATA				HYDRAULIC CONDUCTIVITY																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
									TOTAL CORE %	SOLID CORE %	DIP w.r.t. CORE AXIS	TYPE AND SURFACE DESCRIPTION			10 ⁻⁶	10 ⁻⁵	10 ⁻⁴	10 ⁻³																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
130	CONTINUED FROM PREVIOUS PAGE																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														</

6" open
corehole
from 56.13
to 143.54 m

RK LOG 60664299 - CW WELL REPLACEMENT 2023-01-13.GPJ GAL-MISS.GDT 5/17/23

DEPTH SCALE

1 : 50



AECOM

LOGGED: PM

CHECKED: MA

SHEET 15 OF 15

AZIMUTH: --

CHECKED: MA

WORK LOG 60664299 - CW WELL REPLACEMENT 2023-01-13.GPJ GAL-MISS.GDT 5/17/23

START DATE: February 22, 2022
END DATE: April 8, 2022
DRILLING METHOD: 18" O.D.
CONTRACTOR: Aardvark Drilling

INCLINATION: -90°

AZIMUTH: —

[illegible]

DEPTH SCALE

1 : 50

**AECOM**

LOGGED: PM

CHECKED: MA

PROJECT: F2 and F5 Well Replacement Project
LOCATION: 900 Scotland St., Fergus
COORDINATES: N 4839071.7; E 551838.9
DATUM: Geodetic NAD83
AECOM PROJECT #: 60664299
CLIENT: Township of Centre Wellington

RECORD OF DRILLHOLE: F5-R

SHEET 2 OF 15

START DATE: February 22, 2022
END DATE: April 8, 2022
DRILLING METHOD: 18" O.D.
CONTRACTOR: Aardvark Drilling

INCLINATION: -90°

AZIMUTH: —

DEPTH SCALE METRES	DRILLING RECORD	DESCRIPTION	SYMBOLIC LOG	ELEV. DEPTH (m)	RUN No.	PENETRATION RATE (mm/min)	FLUSH	COLOUR % RETURN	FR/FX-FRACTURE F-FAULT		SM-SMOOTH		FL-FLEXURED		BC-BROKEN CORE		WELL INSTALLATION AND WATER LEVELS		
									CL-CLEAVAGE	J-JOINT	R-ROUGH	UE-UNEVEN	MB-MECH. BREAK	B-BEDDING					
									SH-SHEAR	P-POLISHED	ST-STEPPED	W-WAVY							
									VN-VEIN	S-SLICKENSIDED	PL-PLANAR	C-CURVED							
									RECOVERY	R.Q.D. %	FRACT. INDEX PER 0.3	DISCONTINUITY DATA		HYDRAULIC CONDUCTIVITY		DIAMETRAL POINT LOAD INDEX (MPa)			
									TOTAL CORE %	SOLID CORE %		DIP w.r.t. CORE AXIS	TYPE AND SURFACE DESCRIPTION	K _f cm/sec					
									80	60	40	20	10	0	10 ⁻⁶		10 ⁻⁵	10 ⁻⁴	10 ⁻³
									80	60	40	20	10	0	10 ⁻⁶		10 ⁻⁵	10 ⁻⁴	10 ⁻³
10		CONTINUED FROM PREVIOUS PAGE																	
		Coring during F5-T drilling began at 35.38 m. Top of bedrock inferred by driller at 19.8 m.																	
11																			
12																			
13																			
14																			
15	Air Hammer 18" O.D.																		
16																			
17																			
18																			
19																			
20																			
		CONTINUED NEXT PAGE																	

Grout from
0.60 to
55.17 m
(between
12" and 16"
casings)

April 27,
2022

RK LOG 60664299 - CW WELL REPLACEMENT 2023-01-13.GPJ GAL-MISS.GDT 5/17/23

DEPTH SCALE

1 : 50



AECOM

LOGGED: PM

CHECKED: MA

PROJECT: F2 and F5 Well Replacement Project
LOCATION: 900 Scotland St., Fergus
COORDINATES: N 4839071.7; E 551838.9
DATUM: Geodetic NAD83
AECOM PROJECT #: 60664299
CLIENT: Township of Centre Wellington

RECORD OF DRILLHOLE: F5-R

SHEET 3 OF 15

START DATE: February 22, 2022
END DATE: April 8, 2022
DRILLING METHOD: 18" O.D.
CONTRACTOR: Aardvark Drilling

INCLINATION: -90°

AZIMUTH: —

DEPTH SCALE METRES	DRILLING RECORD	DESCRIPTION	SYMBOLIC LOG	ELEV. DEPTH (m)	RUN No.	PENETRATION RATE (mm/min)	FLUSH	COLOUR % RETURN	FR/FX-FRACTURE F-FAULT		SM-SMOOTH		FL-FLEXURED		BC-BROKEN CORE		WELL INSTALLATION AND WATER LEVELS
									CL-CLEAVAGE	J-JOINT	R-ROUGH	UE-UNEVEN	MB-MECH. BREAK				
									SH-SHEAR	P-POLISHED	ST-STEPPED	W-WAVY	B-BEDDING				
									VN-VEIN	S-SLICKENSIDED	PL-PLANAR	C-CURVED					
									RECOVERY	R.Q.D. %	FRACT. INDEX PER 0.3	DISCONTINUITY DATA		HYDRAULIC CONDUCTIVITY		DIAMETRAL POINT LOAD INDEX (MPa)	
									TOTAL CORE %	SOLID CORE %		DIP w.r.t. CORE AXIS	TYPE AND SURFACE DESCRIPTION	K _f cm/sec			
									80	80	5	0		10 ⁻⁶	10 ⁻⁵		
									40	40	15	80		10 ⁻⁴	10 ⁻³		
20		CONTINUED FROM PREVIOUS PAGE															
21		Coring during F5-T drilling began at 35.38 m. Top of bedrock inferred by driller at 19.8 m.															
22																	
23																	
24																	
25	Air Hammer 18" O.D.																
26																	
27																	
28																	
29																	
30																	
		CONTINUED NEXT PAGE															

Grout from
0.60 to
55.17 m
(between
12" and 16"
casings)

RK LOG 60664299 - CW WELL REPLACEMENT 2023-01-13.GPJ GAL-MISS.GDT 5/17/23

DEPTH SCALE

1 : 50



LOGGED: PM

CHECKED: MA

PROJECT: F2 and F5 Well Replacement Project
LOCATION: 900 Scotland St., Fergus
COORDINATES: N 4839071.7; E 551838.9
DATUM: Geodetic NAD83
AECOM PROJECT #: 60664299
CLIENT: Township of Centre Wellington

RECORD OF DRILLHOLE: F5-R

SHEET 4 OF 15

START DATE: February 22, 2022
END DATE: April 8, 2022
DRILLING METHOD: 18" O.D.
CONTRACTOR: Aardvark Drilling

INCLINATION: -90°

AZIMUTH: —

DEPTH SCALE METRES	DRILLING RECORD	DESCRIPTION	SYMBOLIC LOG	ELEV. DEPTH (m)	RUN No.	PENETRATION RATE (m/min)	FLUSH	COLOUR % RETURN	FR/FX-FRACTURE F-FAULT CL-CLEAVAGE J-JOINT R-ROUGH SH-SHEAR P-POLISHED ST-STEPPED VN-VEIN S-SLICKENSIDED PL-PLANAR C-CURVED										SM-SMOOTH FL-FLEXURED UE-UNEVEN W-WAVY BC-BROKEN CORE MB-MECH. BREAK B-BEDDING				DIAMETRAL POINT LOAD INDEX (MPa)	WELL INSTALLATION AND WATER LEVELS									
									RECOVERY		R.Q.D. %	FRACT. INDEX PER 0.3	DISCONTINUITY DATA				HYDRAULIC CONDUCTIVITY				DIP w.r.t. CORE AXIS	TYPE AND SURFACE DESCRIPTION											
									TOTAL CORE %	SOLID CORE %																							
									80 60 40 20	80 60 40 20			5 10 15 20	5 10 15 20	5 10 15 20	5 10 15 20	5 10 15 20	5 10 15 20	10 ⁻⁶ 10 ⁻⁵ 10 ⁻⁴ 10 ⁻³	10 ⁻⁶ 10 ⁻⁵ 10 ⁻⁴ 10 ⁻³					10 ⁻⁶ 10 ⁻⁵ 10 ⁻⁴ 10 ⁻³	10 ⁻⁶ 10 ⁻⁵ 10 ⁻⁴ 10 ⁻³							
									80 60 40 20	80 60 40 20																							
30		CONTINUED FROM PREVIOUS PAGE																															
31		Coring during F5-T drilling began at 35.38 m. Top of bedrock inferred by driller at 19.8 m.																															
32																																	
33																																	
34																																	
35	Air Hammer 18" O.D.			385.49 35.38																													
36		Light creamy grey to light brownish grey, fine grained, crystalline, faintly porous, slightly to highly weathered, slightly to moderately pitted, vuggy, occasional stylolites, gastropods and crinoids, medium to thickly bedded DOLOSTONE (GUELPH FORMATION, 35.38 to 60.48 m)																															
37		Potential water-bearing zone at 35.51 m. Fracture is oxidized and open to approximately 20 mm. Drilling contractor lost water circulation during Run 1																															
38		Potential water-bearing zone at 37.49 m. Vertical fracture (290 mm length) is highly oxidized																															
39		Increase in gastropods																															
40																																	
		CONTINUED NEXT PAGE																															

Grout from 0.60 to 55.17 m (between 12" and 16" casings)

Grout from
0.60 to
55.17 m
(between
12" and 16"
casings)

RK LOG 60664299 - CW WELL REPLACEMENT 2023-01-13.GPJ GAL-MISS.GDT 5/17/23

DEPTH SCALE

1 : 50



AECOM

LOGGED: PM

CHECKED: MA

PROJECT: F2 and F5 Well Replacement Project
LOCATION: 900 Scotland St., Fergus
COORDINATES: N 4839071.7; E 551838.9
DATUM: Geodetic NAD83
AECOM PROJECT #: 60664299
CLIENT: Township of Centre Wellington

RECORD OF DRILLHOLE: F5-R

SHEET 6 OF 15

START DATE: February 22, 2022
END DATE: April 8, 2022
DRILLING METHOD: 18" O.D.
CONTRACTOR: Aardvark Drilling

INCLINATION: -90°

AZIMUTH: —

DEPTH SCALE METRES	DRILLING RECORD	DESCRIPTION	SYMBOLIC LOG	ELEV. DEPTH (m)	RUN No.	PENETRATION RATE (mm/min)	FLUSH COLOUR % RETURN	FRACTURE / SURFACE / DISCONTINUITY DATA										HYDRAULIC CONDUCTIVITY K _f cm/sec	DIAMETRAL POINT LOAD INDEX (MPa)	WELL INSTALLATION AND WATER LEVELS
								FR/FX-FRACTURE		F-FAULT		SM-SMOOTH		FL-FLEXURED		BC-BROKEN CORE				
								CL-CLEAVAGE	J-JOINT	R-ROUGH	UE-UNEVEN	MB-MECH. BREAK	B-BEDDING							
								SH-SHEAR	P-POLISHED	ST-STEPPED	W-WAVY									
								VN-VEIN	S-SLICKENSIDED	PL-PLANAR	C-CURVED									
RECOVERY		R.Q.D. %	FRACT. INDEX PER 0.3	DISCONTINUITY DATA		DISCONTINUITY DATA														
TOTAL CORE %	SOLID CORE %			DIP w.r.t. CORE AXIS	TYPE AND SURFACE DESCRIPTION															
50	Air Hammer 18" O.D.	CONTINUED FROM PREVIOUS PAGE																		
51		Light creamy grey to light brownish grey, fine grained, crystalline, faintly porous, slightly to highly weathered, slightly to moderately pitted, vuggy, occasional stylolites, gastropods and crinoids, medium to thickly bedded DOLOSTONE (GUELPH FORMATION, 35.38 to 60.48 m)																		
52																				
53																				
54																				
55																				
56			Potential water-bearing zone between 55.6 and 56.11 m. Fractures in this zone are highly oxidized																	
57																				
58			Air Hammer 12" O.D.																	
59																				
60		CONTINUED NEXT PAGE																		

Grout from 0.60 to 55.17 m (between 12" and 16" casings)

Base of 16" steel casing at 55.46 m
Coated bentonite pellets from 55.17 to 55.78 m (between 12" and 16" casings)
Base of 12" steel casing at 55.78 m

12" open corehole from 55.78 to 144.93 m

Grout from 0.60 to 55.17 m (between 12" and 16" casings)

Base of 16" steel casing at 55.46 m
Coated bentonite pellets from 55.17 to 55.78 m (between 12" and 16" casings)
Base of 12" steel casing at 55.78 m

12" open corehole from 55.78 to 144.93 m

RK LOG 60664299 - CW WELL REPLACEMENT 2023-01-13.GPJ GAL-MISS.GDT 5/17/23

DEPTH SCALE

1 : 50



LOGGED: PM

CHECKED: MA

PROJECT: F2 and F5 Well Replacement Project
LOCATION: 900 Scotland St., Fergus
COORDINATES: N 4839071.7; E 551838.9
DATUM: Geodetic NAD83
AECOM PROJECT #: 60664299
CLIENT: Township of Centre Wellington

RECORD OF DRILLHOLE: F5-R

SHEET 7 OF 15

START DATE: February 22, 2022
END DATE: April 8, 2022
DRILLING METHOD: 18" O.D.
CONTRACTOR: Aardvark Drilling

INCLINATION: -90°

AZIMUTH: —

DEPTH SCALE METRES	DRILLING RECORD	DESCRIPTION	SYMBOLIC LOG	ELEV. DEPTH (m)	RUN No.	PENETRATION RATE (mm/min)	FLUSH COLOUR % RETURN	FR/FX-FRACTURE F-FAULT										SM-SMOOTH			FL-FLEXURED			BC-BROKEN CORE			DIAMETRAL POINT LOAD INDEX (MPa)	WELL INSTALLATION AND WATER LEVELS	
								CL-CLEAVAGE		J-JOINT		R-ROUGH		UE-UNEVEN		MB-MECH. BREAK		SH-SHEAR		P-POLISHED		ST-STEPPED		W-WAVY		B-BEDDING			
								VN-VEIN		S-SLICKENSIDED		PL-PLANAR		C-CURVED															
								RECOVERY		R.Q.D. %		FRACT. INDEX PER 0.3		DISCONTINUITY DATA		HYDRAULIC CONDUCTIVITY K _f cm/sec													
								TOTAL CORE %	SOLID CORE %					DIP w.r.t. CORE AXIS	TYPE AND SURFACE DESCRIPTION	10 ⁻⁶	10 ⁻⁵	10 ⁻⁴	10 ⁻³										
60		CONTINUED FROM PREVIOUS PAGE																											
61		Light greyish brown to medium greyish brown, fine grained, crystalline, faintly porous, stylolitic, occasional crinoids and gastropods, thinly bedded, cross bedding throughout; transition from overlying Guelph Formation is gradational DOLOSTONE (GOAT ISLAND FORMATION, 60.48 to 96.90 m)		360.39 60.48																									
62																													
63																													
64																													
65	Air Hammer 12" O.D.																												
66																													
67																													
68		Vugs have high degree of crystallization (calcite)																											
69																													
70		CONTINUED NEXT PAGE																											

12" open corehole|
from 55.78
to 144.93 m

DEPTH SCALE

1 : 50



LOGGED: PM

CHECKED: MA

RK LOG 60664299 - CW WELL REPLACEMENT 2023-01-13.GPJ GAL-MISS.GDT 5/17/23

PROJECT: F2 and F5 Well Replacement Project
LOCATION: 900 Scotland St., Fergus
COORDINATES: N 4839071.7; E 551838.9
DATUM: Geodetic NAD83
AECOM PROJECT #: 60664299
CLIENT: Township of Centre Wellington

RECORD OF DRILLHOLE: F5-R

SHEET 8 OF 15

START DATE: February 22, 2022
END DATE: April 8, 2022
DRILLING METHOD: 18" O.D.
CONTRACTOR: Aardvark Drilling

INCLINATION: -90°

AZIMUTH: —

DEPTH SCALE METRES	DRILLING RECORD	DESCRIPTION	SYMBOLIC LOG	ELEV. DEPTH (m)	RUN No.	PENETRATION RATE (mm/min)	FLUSH	COLOUR % RETURN	FR/FX-FRACTURE		F-FAULT		SM-SMOOTH		FL-FLEXURED		BC-BROKEN CORE		DIAMETRAL POINT LOAD INDEX (MPa)	WELL INSTALLATION AND WATER LEVELS		
									CL-CLEAVAGE		J-JOINT		R-ROUGH		UE-UNEVEN		MB-MECH. BREAK					
									SH-SHEAR		P-POLISHED		ST-STEPPED		W-WAVY		B-BEDDING					
									VN-VEIN		S-SLICKENSIDED		PL-PLANAR		C-CURVED							
									RECOVERY		R.Q.D. %	FRACT. INDEX PER 0.3	DISCONTINUITY DATA		HYDRAULIC CONDUCTIVITY							
									TOTAL CORE %	SOLID CORE %			DIP wr.t. CORE AXIS	TYPE AND SURFACE DESCRIPTION	10 ⁻⁶	K _f cm/sec	10 ⁻³					
70	Air Hammer 12" O.D.	CONTINUED FROM PREVIOUS PAGE																				
71		Light greyish brown to medium greyish brown, fine grained, crystalline, faintly porous, stylolitic, occasional crinoids and gastropods, thinly bedded, cross bedding throughout; transition from overlying Guelph Formation is gradational DOLOSTONE (GOAT ISLAND FORMATION, 60.48 to 96.90 m)																				
72																						
73																						
74		Potential water-bearing zone at 74.22 m. Fracture is highly crystallized and oxidized, and proximal to large vugs																				
75		Crinoid bed from 74.93 to 75.11 m																				
76		Potential water-bearing zone between 75.11 and 75.64 m. Fractures within this zone are highly crystallized and oxidized, and proximal to large vugs																				
77		Potential water-bearing zone between 76.43 and 77.98 m. Fractures within this zone are highly crystallized and oxidized, and proximal to large vugs																				
78																						
79		Potential water-bearing zone at 79.10 m. Large void (250 mm) is oxidized and coated in coarse sand																				
80		Potential water-bearing zone at 79.76 m. Large void (230 mm) is oxidized																				
		CONTINUED NEXT PAGE																				

12" open
corehole
from 55.78
to 144.93 m

RK LOG 60664299 - CW WELL REPLACEMENT 2023-01-13.GPJ GAL-MISS.GDT 5/17/23

DEPTH SCALE

1 : 50



LOGGED: PM

CHECKED: MA

PROJECT: F2 and F5 Well Replacement Project
LOCATION: 900 Scotland St., Fergus
COORDINATES: N 4839071.7; E 551838.9
DATUM: Geodetic NAD83
AECOM PROJECT #: 60664299
CLIENT: Township of Centre Wellington

RECORD OF DRILLHOLE: F5-R

SHEET 9 OF 15

START DATE: February 22, 2022
END DATE: April 8, 2022
DRILLING METHOD: 18" O.D.
CONTRACTOR: Aardvark Drilling

INCLINATION: -90°

AZIMUTH: —

DEPTH SCALE METRES	DRILLING RECORD	DESCRIPTION	SYMBOLIC LOG	ELEV. DEPTH (m)	RUN No.	PENETRATION RATE (mm/min)	FLUSH	COLOUR % RETURN	FR/FX-FRACTURE F-FAULT												SM-SMOOTH				FL-FLEXURED				BC-BROKEN CORE				DIAMETRAL POINT LOAD INDEX (MPa)	WELL INSTALLATION AND WATER LEVELS
									CL-CLEAVAGE				J-JOINT				R-ROUGH				UE-UNEVEN				MB-MECH. BREAK									
									SH-SHEAR				P-POLISHED				ST-STEPPED				W-WAVY				B-BEDDING									
									VN-VEIN				S-SLICKENSIDED				PL-PLANAR				C-CURVED													
									RECOVERY		R.Q.D. %		FRACT. INDEX PER 0.3		DISCONTINUITY DATA		HYDRAULIC CONDUCTIVITY		DIP w.r.t CORE AXIS		TYPE AND SURFACE DESCRIPTION		K _s cm/sec											
TOTAL CORE %	SOLID CORE %															10 ⁻⁶	10 ⁻⁵	10 ⁻⁴	10 ⁻³	2	4	6												
80		CONTINUED FROM PREVIOUS PAGE																																
81		Light greyish brown to medium greyish brown, fine grained, crystalline, faintly porous, stylolitic, occasional crinoids and gastropods, thinly bedded, cross bedding throughout; transition from overlying Guelph Formation is gradational DOLOSTONE (GOAT ISLAND FORMATION, 60.48 to 96.90 m)																																
82		Potential water-bearing zone at 80.39 m. Large void (710 mm) is oxidized																																
83																																		
84		Potential water-bearing zone at 83.62 m. Large void (300 mm) is oxidized																																
85	Air Hammer 12" O.D.																																	
86		Potential water-bearing zone at 85.29 m. Large void (300 mm) is oxidized																																
87																																		
88																																		
89																																		
90		CONTINUED NEXT PAGE																																

12" open corehole from 55.78 to 144.93 m

12" open
corehole
from 55.78
to 144.93 m

RK LOG 60664299 - CW WELL REPLACEMENT 2023-01-13.GPJ GAL-MISS.GDT 5/17/23

DEPTH SCALE

1 : 50



AECOM

LOGGED: PM

CHECKED: MA

PROJECT: F2 and F5 Well Replacement Project
LOCATION: 900 Scotland St., Fergus
COORDINATES: N 4839071.7; E 551838.9
DATUM: Geodetic NAD83
AECOM PROJECT #: 60664299
CLIENT: Township of Centre Wellington

RECORD OF DRILLHOLE: F5-R

SHEET 10 OF 15

START DATE: February 22, 2022
END DATE: April 8, 2022
DRILLING METHOD: 18" O.D.
CONTRACTOR: Aardvark Drilling

INCLINATION: -90°

AZIMUTH: —

DEPTH SCALE METRES	DRILLING RECORD	DESCRIPTION	SYMBOLIC LOG	ELEV. DEPTH (m)	RUN No.	PENETRATION RATE (mm/min)	FLUSH	COLOUR % RETURN	FR/FX-FRACTURE F-FAULT												SM-SMOOTH				FL-FLEXURED				BC-BROKEN CORE				DIAMETRAL POINT LOAD INDEX (MPa)	WELL INSTALLATION AND WATER LEVELS
									CL-CLEAVAGE				J-JOINT				R-ROUGH				UE-UNEVEN				MB-MECH. BREAK									
									SH-SHEAR				P-POLISHED				ST-STEPPED				W-WAVY				B-BEDDING									
									VN-VEIN				S-SLICKENSIDED				PL-PLANAR				C-CURVED													
									RECOVERY		R.Q.D. %		FRACT. INDEX PER 0.3		DISCONTINUITY DATA		HYDRAULIC CONDUCTIVITY K _f cm/sec																	
TOTAL CORE %	SOLID CORE %					DIP w.r.t CORE AXIS	TYPE AND SURFACE DESCRIPTION	10 ⁻⁶	10 ⁻⁵	10 ⁻⁴	10 ⁻³																							
90		CONTINUED FROM PREVIOUS PAGE																																
91		Light greyish brown to medium greyish brown, fine grained, crystalline, faintly porous, stylolitic, occasional crinoids and gastropods, thinly bedded, cross bedding throughout; transition from overlying Guelph Formation is gradational DOLOSTONE (GOAT ISLAND FORMATION, 60.48 to 96.90 m)																																
92		Potential water-bearing zone at 91.21 m. Large void (130 mm) is oxidized																																
93																																		
94																																		
95	Air Hammer 12" O.D.																										12" open corehole from 55.78 to 144.93 m							
96																																		
97		Very light grey to dark blue-grey, fine grained, crystalline, faintly porous, moderately pitted, stylolitic, crinoids throughout, occasional gastropods, thickly to massively bedded DOLOSTONE (GASPORT FORMATION, 96.90 to 138.30 m)		323.97 96.90																														
98																																		
99																																		
100		CONTINUED NEXT PAGE																																

DEPTH SCALE

1 : 50



LOGGED: PM

CHECKED: MA

RK LOG 60664299 - CW WELL REPLACEMENT 2023-01-13.GPJ GAL-MISS.GDT 5/17/23

PROJECT: F2 and F5 Well Replacement Project
LOCATION: 900 Scotland St., Fergus
COORDINATES: N 4839071.7; E 551838.9
DATUM: Geodetic NAD83
AECOM PROJECT #: 60664299
CLIENT: Township of Centre Wellington

RECORD OF DRILLHOLE: F5-R

SHEET 11 OF 15

START DATE: February 22, 2022
END DATE: April 8, 2022
DRILLING METHOD: 18" O.D.
CONTRACTOR: Aardvark Drilling

INCLINATION: -90°

AZIMUTH: —

DEPTH SCALE METRES	DRILLING RECORD	DESCRIPTION	SYMBOLIC LOG	ELEV. DEPTH (m)	RUN No.	PENETRATION RATE (mm/min)	FLUSH	COLOUR % RETURN	FR/FX-FRACTURE F-FAULT												SM-SMOOTH				FL-FLEXURED				BC-BROKEN CORE				DIAMETRAL POINT LOAD INDEX (MPa)	WELL INSTALLATION AND WATER LEVELS
									CL-CLEAVAGE				J-JOINT				R-ROUGH				UE-UNEVEN				MB-MECH. BREAK				B-BEDDING					
									SH-SHEAR				P-POLISHED				ST-STEPPED				W-WAVY													
									VN-VEIN				S-SLICKENSIDED				PL-PLANAR				C-CURVED													
RECOVERY		R.Q.D. %		FRACT. INDEX PER 0.3		DISCONTINUITY DATA		HYDRAULIC CONDUCTIVITY																										
TOTAL CORE %	SOLID CORE %					DIP w.r.t. CORE AXIS	TYPE AND SURFACE DESCRIPTION	10 ⁻⁶	K _f cm/sec	10 ⁻⁷	10 ⁻⁸	10 ⁻⁹																						
80	80	80	80	80	80	0		0																										
60	60	60	60	60	60	0		0																										
40	40	40	40	40	40	0		0																										
20	20	20	20	20	20	0		0																										
100	CONTINUED FROM PREVIOUS PAGE																																	
101	Air Hammer 12" O.D.	Very light grey to dark blue-grey, fine grained, crystalline, faintly porous, moderately pitted, stylolitic, crinoids throughout, occasional gastropods, thickly to massively bedded DOLOSTONE (GASPORT FORMATION, 96.90 to 138.30 m)																																
102																																		
103																																		
104																																		
105																																		
106																																		
107																																		
108																																		
109																																		
110																																		
CONTINUED NEXT PAGE																																		

12" open
corehole
from 55.78
to 144.93 m

RK LOG 60664299 - CW WELL REPLACEMENT 2023-01-13.GPJ GAL-MISS.GDT 5/17/23

PROJECT: F2 and F5 Well Replacement Project
LOCATION: 900 Scotland St., Fergus
COORDINATES: N 4839071.7; E 551838.9
DATUM: Geodetic NAD83
AECOM PROJECT #: 60664299
CLIENT: Township of Centre Wellington

RECORD OF DRILLHOLE: F5-R

SHEET 12 OF 15

START DATE: February 22, 2022
END DATE: April 8, 2022
DRILLING METHOD: 18" O.D.
CONTRACTOR: Aardvark Drilling

INCLINATION: -90°

AZIMUTH: —

DEPTH SCALE METRES	DRILLING RECORD	DESCRIPTION	SYMBOLIC LOG	ELEV. DEPTH (m)	RUN No.	PENETRATION RATE (mm/min)	FLUSH	COLOUR % RETURN	FRACTURE / SURFACE CHARACTERISTICS												HYDRAULIC CONDUCTIVITY K _f cm/sec	DIP W.r.t CORE AXIS	TYPE AND SURFACE DESCRIPTION	DISCONTINUITY DATA	FRACT. INDEX PER 0.3	R.Q.D. %	SOLID CORE %	TOTAL CORE %																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
									FR/FX-FRACTURE F-FAULT				J-JOINT				SM-SMOOTH												FL-FLEXURED				BC-BROKEN CORE																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
									CL-CLEAVAGE				P-POLISHED				R-ROUGH												UE-UNEVEN				MB-MECH. BREAK																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
									SH-SHEAR				S-SLICKENSIDED				ST-STEPPED												W-WAVY				B-BEDDING																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
									VN-VEIN				PL-PLANAR				C-CURVED																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
110		CONTINUED FROM PREVIOUS PAGE																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	

12" open
corehole
from 55.78
to 144.93 m

RK LOG 60664299 - CW WELL REPLACEMENT 2023-01-13.GPJ GAL-MISS.GDT 5/17/23

DEPTH SCALE
1 : 50



AECOM

LOGGED: PM
CHECKED: MA

PROJECT: F2 and F5 Well Replacement Project
LOCATION: 900 Scotland St., Fergus
COORDINATES: N 4839071.7; E 551838.9
DATUM: Geodetic NAD83
AECOM PROJECT #: 60664299
CLIENT: Township of Centre Wellington

RECORD OF DRILLHOLE: F5-R

SHEET 13 OF 15

START DATE: February 22, 2022
END DATE: April 8, 2022
DRILLING METHOD: 18" O.D.
CONTRACTOR: Aardvark Drilling

INCLINATION: -90°

AZIMUTH: —

DEPTH SCALE METRES	DRILLING RECORD	DESCRIPTION	SYMBOLIC LOG	ELEV. DEPTH (m)	RUN No.	PENETRATION RATE (mm/min)	FLUSH	COLOUR % RETURN	FR/FX-FRACTURE F-FAULT												BC-BROKEN CORE MB-MECH. BREAK B-BEDDING	DIAMETRAL POINT LOAD INDEX (MPa)	WELL INSTALLATION AND WATER LEVELS		
									CL-CLEAVAGE		J-JOINT		R-ROUGH		UE-UNEVEN		ST-STEPPED		W-WAVY					C-CURVED	
									SH-SHEAR		P-POLISHED		S-SLICKENSIDED		PL-PLANAR										
									VN-VEIN																
									TOTAL CORE %		SOLID CORE %		R.Q.D. %		FRACT. INDEX PER 0.3		DIP wrt CORE AXIS		TYPE AND SURFACE DESCRIPTION					HYDRAULIC CONDUCTIVITY K _f cm/sec	
									80	60	40	20	80	60	40	20	5	2	1	0	2	4	6		
120		CONTINUED FROM PREVIOUS PAGE																							
	Air Hammer 12" O.D.	Very light grey to dark blue-grey, fine grained, crystalline, faintly porous, moderately pitted, stylolitic, crinoids throughout, occasional gastropods, thickly to massively bedded DOLOSTONE (GASPORT FORMATION, 96.90 to 138.30 m)																							
121																									
122																									
123																									
124																									
125																									
126																									
127																									
128																									
129																									
130		CONTINUED NEXT PAGE																							

12" open corehole | from 55.78 to 144.93 m

12" open
corehole
from 55.78
to 144.93 m

RK LOG 60664299 - CW WELL REPLACEMENT 2023-01-13.GPJ GAL-MISS.GDT 5/17/23

DEPTH SCALE

1 : 50



AECOM

LOGGED: PM

CHECKED: MA

PROJECT: F2 and F5 Well Replacement Project
LOCATION: 900 Scotland St., Fergus
COORDINATES: N 4839071.7; E 551838.9
DATUM: Geodetic NAD83
AECOM PROJECT #: 60664299
CLIENT: Township of Centre Wellington

RECORD OF DRILLHOLE: F5-R

SHEET 14 OF 15

START DATE: February 22, 2022
END DATE: April 8, 2022
DRILLING METHOD: 18" O.D.
CONTRACTOR: Aardvark Drilling

INCLINATION: -90°

AZIMUTH: —

DEPTH SCALE METRES	DRILLING RECORD	DESCRIPTION	SYMBOLIC LOG	ELEV. DEPTH (m)	RUN No.	PENETRATION RATE (mm/min)	FLUSH	COLOUR % RETURN	FR/FX-FRACTURE F-FAULT												SM-SMOOTH		FL-FLEXURED		BC-BROKEN CORE		DIAMETRAL POINT LOAD INDEX (MPa)	WELL INSTALLATION AND WATER LEVELS		
									CL-CLEAVAGE				J-JOINT				R-ROUGH				UE-UNEVEN				MB-MECH. BREAK				B-BEDDING	
									SH-SHEAR				P-POLISHED				ST-STEPPED				W-WAVY									
									VN-VEIN				S-SLICKENSIDED				PL-PLANAR				C-CURVED									
									RECOVERY		R.Q.D. %		FRACT. INDEX PER 0.3		DISCONTINUITY DATA				HYDRAULIC CONDUCTIVITY K _f cm/sec											
TOTAL CORE %	SOLID CORE %					DIP wrt L CORE AXIS	TYPE AND SURFACE DESCRIPTION			10 ⁻⁶	10 ⁻⁵	10 ⁻⁴	10 ⁻³	2	4	6														
130		CONTINUED FROM PREVIOUS PAGE																												
131	Air Hammer 12" O.D.	Very light grey to dark blue-grey, fine grained, crystalline, faintly porous, moderately pitted, stylolitic, crinoids throughout, occasional gastropods, thickly to massively bedded DOLOSTONE (GASPORT FORMATION, 96.90 to 138.30 m)																												
132																														
133																														
134																														
135																														
136																														
137																														
138																														
139			Light to medium grey (mottled appearance), fine to medium grained, crystalline, non-porous, medium to thickly bedded DOLOSTONE (IRONDEQUOTT, ROCKWAY & MERRITTON FORMATION, 138.30 to 141.81 m)		282.57 138.30																									
140			CONTINUED NEXT PAGE																											

12" open
corehole
from 55.78
to 144.93 m

RK LOG 60664299 - CW WELL REPLACEMENT 2023-01-13.GPJ GAL-MISS.GDT 5/17/23

DEPTH SCALE

1 : 50



LOGGED: PM

CHECKED: MA

PROJECT: F2 and F5 Well Replacement Project
LOCATION: 900 Scotland St., Fergus
COORDINATES: N 4839071.7; E 551838.9
DATUM: Geodetic NAD83
AECOM PROJECT #: 60664299
CLIENT: Township of Centre Wellington

RECORD OF DRILLHOLE: F5-R

SHEET 15 OF 15

START DATE: February 22, 2022
END DATE: April 8, 2022
DRILLING METHOD: 18" O.D.
CONTRACTOR: Aardvark Drilling

INCLINATION: -90°

AZIMUTH: —

DEPTH SCALE METRES	DRILLING RECORD	DESCRIPTION	SYMBOLIC LOG	ELEV. DEPTH (m)	RUN No.	PENETRATION RATE (mm/min)	FLUSH % RETURN	FR/FX-FRACTURE F-FAULT												SM-SMOOTH		FL-FLEXURED		BC-BROKEN CORE		DIAMETRAL POINT LOAD INDEX (MPa)	WELL INSTALLATION AND WATER LEVELS
								CL-CLEAVAGE				J-JOINT				R-ROUGH				UE-UNEVEN		MB-MECH. BREAK					
								SH-SHEAR				P-POLISHED				ST-STEPPED				W-WAVY		B-BEDDING					
								VN-VEIN				S-SLICKENSIDED				PL-PLANAR				C-CURVED							
RECOVERY				R.Q.D. %		FRACT. INDEX PER 0.3		DISCONTINUITY DATA				HYDRAULIC CONDUCTIVITY K _f cm/sec															
TOTAL CORE %				SOLID CORE %				DIP wr.t CORE AXIS				TYPE AND SURFACE DESCRIPTION															
80 80 40 20				80 80 40 20		80 80 40 20		0 0 0 0								10 ⁻⁶ 10 ⁻⁵ 10 ⁻⁴ 10 ⁻³				2 4 6							
140		CONTINUED FROM PREVIOUS PAGE																									
141	Air Hammer 12" O.D.	Light to medium grey (mottled appearance), fine to medium grained, crystalline, non-porous, medium to thickly bedded DOLOSTONE (IRONDEQUOIT, ROCKWAY & MERRITTON FORMATION, 138.30 to 141.81 m)																									
142		Dark green, fine grained, non-porous, thinly bedded SHALE (CABOT HEAD FORMATION, 141.81 to 144.93 m)		279.06 141.81																							
143																											
144																											
145		END OF BOREHOLE Notes: 1. Interpretation assistance by AECOM is required for projects excluding the above mentioned project. 2. No abnormal odour or staining was observed unless otherwise indicated. 3. Corehole diameter: 20" from 0.00 to 20.12 mBGS 18" from 20.12 mBGS to 55.47 mBGS 12" from 55.47 mBGS to 144.93 mBGS 4. Well installation details include: 12" Steel Casing: -0.70 to 55.78 mBGS 16" Steel Casing: -0.10 to 55.46 mBGS 12" Open Corehole: 55.78 to 144.93 mBGS 5. Sealing details between corehole and 16" steel casing: Bentonite pellets: 0.00 to 0.60 mBGS Bentonite grout: 0.60 to 12.50 mBGS Bentonite pellets: 12.50 to 13.11 mBGS Pea gravel: 13.11 to 18.29 mBGS Coated bentonite pellets: 18.29 to 20.12 mBGS Cave-in/gravel ingress: 20.12 to 55.46 mBGS 6. Static water level of 15.77 mbgs was observed on April 27, 2022.		275.94 144.93																							
146																											
147																											
148																											
149																											
150																											

12" open
corehole
from 55.78
to 144.93 m

RK LOG 60664299 - CW WELL REPLACEMENT 2023-01-13.GPJ GAL-MISS.GDT 5/17/23

DEPTH SCALE

1 : 50



AECOM

LOGGED: PM
CHECKED: MA

START DATE: Sept. 15, 2021
END DATE: Oct. 1, 2021
DRILLING METHOD: 123 mm O.D. PQ Rock Core
CONTRACTOR: Aardvark Drilling

INCLINATION: -90°

AZIMUTH: —

DEPTH SCALE METRES	DRILLING RECORD	DESCRIPTION	SYMBOLIC LOG	ELEV. DEPTH (m)	RUN No.	PENETRATION RATE (mm/min)	FLUSH % RETURN	FR/FX-FRACTURE F-FAULT												SM-SMOOTH		FL-FLEXURED		BC-BROKEN CORE		DIAMETRAL POINT LOAD INDEX (MPa)	WELL INSTALLATION AND WATER LEVELS
								CL-CLEAVAGE		SH-SHEAR		VN-VEIN		J-JOINT		P-POLISHED		S-SLICKENSIDED		R-ROUGH		UE-UNEVEN		MB-MECH. BREAK			
								CL-CLEAVAGE		SH-SHEAR		VN-VEIN		J-JOINT		P-POLISHED		S-SLICKENSIDED		R-ROUGH		UE-UNEVEN		MB-MECH. BREAK			
								CL-CLEAVAGE		SH-SHEAR		VN-VEIN		J-JOINT		P-POLISHED		S-SLICKENSIDED		R-ROUGH		UE-UNEVEN		MB-MECH. BREAK			
								CL-CLEAVAGE		SH-SHEAR		VN-VEIN		J-JOINT		P-POLISHED		S-SLICKENSIDED		R-ROUGH		UE-UNEVEN		MB-MECH. BREAK			
TOTAL CORE %		SOLID CORE %		R.Q.D. %		FRACT. INDEX PER 0.3		DIP w.r.t. CORE AXIS		TYPE AND SURFACE DESCRIPTION		HYDRAULIC CONDUCTIVITY K _f cm/sec															
80 60 40 20		80 60 40 20		80 60 40 20		5 10 15 20		0 30 60 90				10 ⁻⁸ 10 ⁻⁷ 10 ⁻⁶ 10 ⁻⁵															
0		GROUND SURFACE		399.25																							
		TOPSOIL		0.00																							
		FILL: silty sand, brown, moist		398.84																							
				0.41																							
1				397.95																							
2		Light creamy grey to light brownish grey, fine grained, crystalline, faintly porous, slightly to highly weathered, slightly to moderately pitted, vuggy, occasional stylolites, gastropods and crinoids, medium to thickly bedded DOLOSTONE (GUELPH FORMATION, 1.30 to 70.41 m)		1.30		1	0.2																				
				396.56																							
3				2.69																							
				394.83																							
				4.42																							
5						3	0.2																				
				393.33																							
				5.92																							
6						4	0.1																				
				391.86																							
				7.39																							
8						5	0.2																				
				390.16																							
				9.09																							
9						6	0.2																				
10																											

Bentonite pellets from 0.00 to 0.30 m
50 mm schedule 80 PVC Riser from 0.0871 to 104.67 m

Grout from 0.30 to 99.97 m

October 18,

CONTINUED NEXT PAGE

DEPTH SCALE

1 : 50

**AECOM**

LOGGED: PM

CHECKED: MA

PROJECT: F2 and F5 Well Replacement Project
 LOCATION: Corner of Cameron St. & St. Andrew St. E, Fergus
 COORDINATES: N 4839659.4; E 550347.6
 DATUM: Geodetic NAD83
 AECOM PROJECT #: 60664299
 CLIENT: Township of Centre Wellington


RECORD OF DRILLHOLE: MW7-21D

SHEET 2 OF 12

START DATE: Sept. 15, 2021
 END DATE: Oct. 1, 2021
 DRILLING METHOD: 123 mm O.D. PQ Rock Core
 CONTRACTOR: Aardvark Drilling

INCLINATION: -90°

AZIMUTH: —

DEPTH SCALE METRES	DRILLING RECORD	DESCRIPTION	SYMBOLIC LOG	ELEV. DEPTH (m)	RUN No.	PENETRATION RATE (mm/min)	FLUSH COLOUR % RETURN	FR/FX-FRACTURE F-FAULT												SM-SMOOTH				FL-FLEXURED				BC-BROKEN CORE				DIAMETRAL POINT LOAD INDEX (MPa)	WELL INSTALLATION AND WATER LEVELS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
								CL-CLEAVAGE				J-JOINT				R-ROUGH				UE-UNEVEN				MB-MECH. BREAK																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
								SH-SHEAR				P-POLISHED				ST-STEPPED				W-WAVY				B-BEDDING																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
								VN-VEIN				S-SLICKENSIDED				PL-PLANAR				C-CURVED																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
RECOVERY		R.Q.D. %		FRACT. INDEX PER 0.3		DISCONTINUITY DATA				HYDRAULIC CONDUCTIVITY																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
TOTAL CORE %	SOLID CORE %					DIP w.r.t CORE AXIS				TYPE AND SURFACE DESCRIPTION				K _s cm/sec																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
80 60 40 20	80 60 40 20	80 60 40 20	80 60 40 20	5 10 15 20	5 10 15 20	0 5 10 15 20	0 5 10 15 20									10 ⁻⁶	10 ⁻⁵	10 ⁻⁴	10 ⁻³	2	4	6																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
CONTINUED FROM PREVIOUS PAGE																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
10	Diamond Core Drilling 123 mm O.D. PQ Rock Core	Light creamy grey to light brownish grey, fine grained, crystalline, faintly porous, slightly to highly weathered, slightly to moderately pitted, vuggy, occasional stylolites, gastropods and crinoids, medium to thickly bedded DOLOSTONE (GUELPH FORMATION, 1.30 to 70.41 m)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					</

Grout from
0.30 to
99.97 m

RK LOG 60664299 - CW WELL REPLACEMENT 2023-01-13.GPJ GAL-MISS.GDT 5/17/23

DEPTH SCALE
1 : 50



LOGGED: PM
CHECKED: MA

PROJECT: F2 and F5 Well Replacement Project
 LOCATION: Corner of Cameron St. & St. Andrew St. E, Fergus
 COORDINATES: N 4839659.4; E 550347.6
 DATUM: Geodetic NAD83
 AECOM PROJECT #: 60664299
 CLIENT: Township of Centre Wellington

RECORD OF DRILLHOLE: MW7-21D

SHEET 3 OF 12

START DATE: Sept. 15, 2021
 END DATE: Oct. 1, 2021
 DRILLING METHOD: 123 mm O.D. PQ Rock Core
 CONTRACTOR: Aardvark Drilling

INCLINATION: -90°

AZIMUTH: —

DEPTH SCALE METRES	DRILLING RECORD	DESCRIPTION	SYMBOLIC LOG	ELEV. DEPTH (m)	RUN No.	PENETRATION RATE (m/min)	COLOUR % RETURN FLUSH	FRACTURE / JOINT / SURFACE										HYDRAULIC			DIAMETRAL POINT LOAD INDEX (MPa)	WELL INSTALLATION AND WATER LEVELS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
								FR/FX-FRACTURE		J-JOINT		R-ROUGH		FL-FLEXURED		BC-BROKEN CORE		K _i cm ³ /sec 10 ⁻⁸ 10 ⁻⁵ 10 ⁻²																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
								CL-CLEAVAGE		P-POLISHED		ST-STEPPED		UE-UNEVEN		MB-MECH. BREAK																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
								SH-SHEAR		S-SLICKENSIDED		PL-PLANAR		W-WAVY		B-BEDDING																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
VN-VEIN		R.Q.D. %		FRACT. INDEX PER 0.3		DISCONTINUITY DATA		TYPE AND SURFACE DESCRIPTION																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
20	Diamond Core Drilling 123 mm O.D. PQ Rock Core	CONTINUED FROM PREVIOUS PAGE		19.91																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											

Grout from
0.30 to
99.97 m

RK LOG 60664299 - CW WELL REPLACEMENT 2023-01-13.GPJ GAL-MISS.GDT 5/17/23

DEPTH SCALE

1 : 50



LOGGED: PM

CHECKED: MA

PROJECT: F2 and F5 Well Replacement Project
 LOCATION: Corner of Cameron St. & St. Andrew St. E, Fergus
 COORDINATES: N 4839659.4; E 550347.6
 DATUM: Geodetic NAD83
 AECOM PROJECT #: 60664299
 CLIENT: Township of Centre Wellington

RECORD OF DRILLHOLE: MW7-21D

SHEET 4 OF 12

START DATE: Sept. 15, 2021
 END DATE: Oct. 1, 2021
 DRILLING METHOD: 123 mm O.D. PQ Rock Core
 CONTRACTOR: Aardvark Drilling

INCLINATION: -90°

AZIMUTH: —

DEPTH SCALE METRES	DRILLING RECORD	DESCRIPTION	SYMBOLIC LOG	ELEV.																WELL INSTALLATION AND WATER LEVELS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
				DEPTH (m)	RUN No.	PENETRATION RATE (mm/min)	FLUSH COLOUR % RETURN	FR/FX-FRACTURE F-FAULT				SM-SMOOTH				FL-FLEXURED																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
								CL-CLEAVAGE		J-JOINT		R-ROUGH		UE-UNEVEN		BC-BROKEN CORE																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
								SH-SHEAR		P-POLISHED		ST-STEPPED		W-WAVY		MB-MECH. BREAK																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
VN-VEIN		S-SLICKENSIDED		PL-PLANAR		C-CURVED		B-BEDDING		DIAMETRAL POINT LOAD INDEX (MPa)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
RECOVERY		R.Q.D. %	FRACT. INDEX PER 0.3	DISCONTINUITY DATA		HYDRAULIC CONDUCTIVITY																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
TOTAL CORE %	SOLID CORE %			DIP w.r.t CORE AXIS	TYPE AND SURFACE DESCRIPTION	K ₁₀ cm ³ /sec	K ₁₀ cm ³ /sec																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				</

Grout from
0.30 to
99.97 m

RK LOG 60664299 - CW WELL REPLACEMENT 2023-01-13.GPJ GAL-MISS.GDT 5/17/23

DEPTH SCALE

1 : 50



LOGGED: PM

CHECKED: MA

PROJECT: F2 and F5 Well Replacement Project
LOCATION: Corner of Cameron St. & St. Andrew St. E, Fergus
COORDINATES: N 4839659.4; E 550347.6
DATUM: Geodetic NAD83
AECOM PROJECT #: 60664299
CLIENT: Township of Centre Wellington

RECORD OF DRILLHOLE: MW7-21D

SHEET 5 OF 12

START DATE: Sept. 15, 2021
END DATE: Oct. 1, 2021
DRILLING METHOD: 123 mm O.D. PQ Rock Core
CONTRACTOR: Aardvark Drilling

INCLINATION: -90°

AZIMUTH: —

DEPTH SCALE METRES	DRILLING RECORD	DESCRIPTION	SYMBOLIC LOG	ELEV. DEPTH (m)	RUN No.	PENETRATION RATE (mm/min)	FLUSH COLOUR % RETURN	FR/FX-FRACTURE F-FAULT												SM-SMOOTH				FL-FLEXURED				BC-BROKEN CORE				DIAMETRAL POINT LOAD INDEX (MPa)	WELL INSTALLATION AND WATER LEVELS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
								CL-CLEAVAGE				J-JOINT				R-ROUGH				UE-UNEVEN				MB-MECH. BREAK																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
								SH-SHEAR				P-POLISHED				ST-STEPPED				W-WAVY				B-BEDDING																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
								VN-VEIN				S-SLICKENSIDED				PL-PLANAR				C-CURVED																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
								RECOVERY				R.Q.D. %				FRACT. INDEX PER 0.3				DISCONTINUITY DATA				HYDRAULIC CONDUCTIVITY																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
								TOTAL CORE %				SOLID CORE %												DIP w.r.t. CORE AXIS				TYPE AND SURFACE DESCRIPTION				10 ⁻⁶ K _s cm/sec																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
								80 60 40 20				80 60 40 20				80 60 40 20				80 60 40 20				80 60 40 20				80 60 40 20				80 60 40 20				2 4 6																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
40		CONTINUED FROM PREVIOUS PAGE																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															</

Grout from
0.30 to 1
99.97 m

DK LOG 60664299 - CW WELL REPLACEMENT 2023-01-13.GPJ GAL-MISS.GDT 5/17/23

DEPTH SCALE

1 : 50



AECOM

LOGGED: PM

CHECKED: MA

PROJECT: F2 and F5 Well Replacement Project
 LOCATION: Corner of Cameron St. & St. Andrew St. E, Fergus
 COORDINATES: N 4839659.4; E 550347.6
 DATUM: Geodetic NAD83
 AECOM PROJECT #: 60664299
 CLIENT: Township of Centre Wellington

RECORD OF DRILLHOLE: MW7-21D

SHEET 6 OF 12

START DATE: Sept. 15, 2021
 END DATE: Oct. 1, 2021
 DRILLING METHOD: 123 mm O.D. PQ Rock Core
 CONTRACTOR: Aardvark Drilling

INCLINATION: -90°

AZIMUTH: —

DEPTH SCALE METRES	DRILLING RECORD	DESCRIPTION	SYMBOLIC LOG	ELEV. DEPTH (m)	RUN No.	PENETRATION RATE (mm/min)	FLUSH % RETURN	COLOUR % RETURN	FR/FX-FRACTURE F-FAULT										SM-SMOOTH			FL-FLEXURED			BC-BROKEN CORE			DIAMETRAL POINT LOAD INDEX (MPa)	WELL INSTALLATION AND WATER LEVELS
									CL-CLEAVAGE			J-JOINT			R-ROUGH			UE-UNEVEN			MB-MECH. BREAK								
									SH-SHEAR			P-POLISHED			ST-STEPPED			W-WAVY			B-BEDDING								
									VN-VEIN			S-SLICKENSIDED			PL-PLANAR			C-CURVED											
		RECOVERY		R.Q.D. %		FRACT. INDEX PER 0.3		DISCONTINUITY DATA		HYDRAULIC CONDUCTIVITY K _f cm/sec																			
		TOTAL CORE %		SOLID CORE %				DIP w.r.t. CORE AXIS		TYPE AND SURFACE DESCRIPTION		10 ⁻⁶		10 ⁻⁵		10 ⁻⁴		10 ⁻³											
50	Diamond Core Drilling 123 mm O.D. PQ Rock Core	CONTINUED FROM PREVIOUS PAGE																											
		Light creamy grey to light brownish grey, fine grained, crystalline, faintly porous, slightly to highly weathered, slightly to moderately pitted, vuggy, occasional stylolites, gastropods and crinoids, medium to thickly bedded DOLOSTONE (GUELPH FORMATION, 1.30 to 70.41 m)		32	0.2																								
				348.83 50.42																									
51				33	0.2																								
52				347.31 51.94																									
53				34	0.2																								
54				345.79 53.47																									
55			344.26 54.99																										
56			36	0.1																									
57			342.76 56.49																										
58			37	0.2																									
59			341.24 58.01																										
60			38	0.2																									
			339.69 59.56																										
			39	0.2																									
		CONTINUED NEXT PAGE																											

Grout from
0.30 to
99.97 m

Grout from
0.30 to
99.97 m

RK LOG 60664299 - CW WELL REPLACEMENT 2023-01-13.GPJ GAL-MISS.GDT 5/17/23

DEPTH SCALE

1 : 50



LOGGED: PM

CHECKED: MA

PROJECT: F2 and F5 Well Replacement Project
LOCATION: Corner of Cameron St. & St. Andrew St. E, Fergus
COORDINATES: N 4839659.4; E 550347.6
DATUM: Geodetic NAD83
AECOM PROJECT #: 60664299
CLIENT: Township of Centre Wellington

RECORD OF DRILLHOLE: MW7-21D

SHEET 7 OF 12

START DATE: Sept. 15, 2021
END DATE: Oct. 1, 2021
DRILLING METHOD: 123 mm O.D. PQ Rock Core
CONTRACTOR: Aardvark Drilling

INCLINATION: -90°

AZIMUTH: —

DEPTH SCALE METRES	DRILLING RECORD	DESCRIPTION	SYMBOLIC LOG	ELEV. DEPTH (m)	RUN No.	PENETRATION RATE (mm/min)	FLUSH % RETURN	COLOUR % RETURN	FR/FX-FRACTURE F-FAULT												SM-SMOOTH				FL-FLEXURED				BC-BROKEN CORE				DIAMETRAL POINT LOAD INDEX (MPa)	WELL INSTALLATION AND WATER LEVELS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
									CL-CLEAVAGE				J-JOINT				R-ROUGH				UE-UNEVEN				MB-MECH. BREAK																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
									SH-SHEAR				P-POLISHED				ST-STEPPED				W-WAVY				B-BEDDING																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
									VN-VEIN				S-SLICKENSIDED				PL-PLANAR				C-CURVED																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
				RECOVERY				R.Q.D. %				FRACT. INDEX PER 0.3				DISCONTINUITY DATA				HYDRAULIC CONDUCTIVITY																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
				TOTAL CORE %				SOLID CORE %								DIP w.r.t. CORE AXIS				TYPE AND SURFACE DESCRIPTION				K _f cm/sec																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
				80 60 40 20				80 60 40 20				80 60 40 20				5 10 15 20				0 30 60 90				10 ⁻⁶ 10 ⁻⁵ 10 ⁻⁴ 10 ⁻³				2 4 6																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
60		CONTINUED FROM PREVIOUS PAGE																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																

Grout from
0.30 to
99.97 m

RK LOG 60664299 - CW WELL REPLACEMENT 2023-01-13.GPJ GAL-MISS.GDT 5/17/23

PROJECT: F2 and F5 Well Replacement Project
 LOCATION: Corner of Cameron St. & St. Andrew St. E, Fergus
 COORDINATES: N 4839659.4; E 550347.6
 DATUM: Geodetic NAD83
 AECOM PROJECT #: 60664299
 CLIENT: Township of Centre Wellington

RECORD OF DRILLHOLE: MW7-21D

SHEET 8 OF 12

START DATE: Sept. 15, 2021
 END DATE: Oct. 1, 2021
 DRILLING METHOD: 123 mm O.D. PQ Rock Core
 CONTRACTOR: Aardvark Drilling

INCLINATION: -90°

AZIMUTH: —

DEPTH SCALE METRES	DRILLING RECORD	DESCRIPTION	SYMBOLIC LOG	ELEV. DEPTH (m)	RUN No.	PENETRATION RATE (mm/min)	FLUSH % RETURN	FR/FX-FRACTURE CL-CLEAVAGE SH-SHEAR VN-VEIN	F-FAULT J-JOINT P-POLISHED S-SLICKENSIDED	SM-SMOOTH R-ROUGH ST-STEPPED PL-PLANAR	FL-FLEXURED UE-UNEVEN W-WAVY C-CURVED	BC-BROKEN CORE MB-MECH. BREAK B-BEDDING	DIAMETRAL POINT LOAD INDEX (MPa)	WELL INSTALLATION AND WATER LEVELS
		CONTINUED FROM PREVIOUS PAGE												
70				329.00 328.88 328.64 70.41	45	0.2								
71		Light greyish brown to medium greyish brown, fine grained, crystalline, faintly porous, stylolitic, occasional crinoids and gastropods, thinly bedded, cross bedding throughout; transition from overlying Guelph Formation is gradational DOLOSTONE (GOAT ISLAND FORMATION, 70.41 to 92.68 m) Increasing vugs beginning at 70.89 m			46	0.2								
72				327.47 71.78										
73					47	0.2								
74		Driller noted poor return starting at 73.3 m until end of hole		325.95 73.30										
75				324.48 74.78	49	0.2								
76		Decreasing vugs beginning at 75.87 m		322.90 76.35	50	0.2								
77					51	0.2								
78				321.38 77.88										
79					52	0.2								
80				319.88 79.38										
		CONTINUED NEXT PAGE												

Grout from
0.30 to
99.97 m

RK LOG 60664299 - CW WELL REPLACEMENT 2023-01-13.GPJ GAL-MISS.GDT 5/17/23

DEPTH SCALE

1 : 50



LOGGED: PM

CHECKED: MA

START DATE: Sept. 15, 2021
END DATE: Oct. 1, 2021
DRILLING METHOD: 123 mm O.D. PQ Rock Core
CONTRACTOR: Aardvark Drilling

INCLINATION: -90°

AZIMUTH: —

[illegible]

DEPTH SCALE

1 : 50

**AECOM**

LOGGED: PM

CHECKED: MA

PROJECT: F2 and F5 Well Replacement Project
 LOCATION: Corner of Cameron St. & St. Andrew St. E, Fergus
 COORDINATES: N 4839659.4; E 550347.6
 DATUM: Geodetic NAD83
 AECOM PROJECT #: 60664299
 CLIENT: Township of Centre Wellington

RECORD OF DRILLHOLE: MW7-21D

SHEET 10 OF 12

START DATE: Sept. 15, 2021
 END DATE: Oct. 1, 2021
 DRILLING METHOD: 123 mm O.D. PQ Rock Core
 CONTRACTOR: Aardvark Drilling

INCLINATION: -90°

AZIMUTH: —

DEPTH SCALE METRES	DRILLING RECORD	DESCRIPTION	SYMBOLIC LOG	CORING LOG																WELL INSTALLATION AND WATER LEVELS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
				ELEV. DEPTH (m)	RUN No.	PENETRATION RATE (mm/min)	FLUSH % RETURN	COLOUR	FR/FX-FRACTURE F-FAULT				SM-SMOOTH				FL-FLEXURED				BC-BROKEN CORE				DIAMETRAL POINT LOAD INDEX (MPa)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
									CL-CLEAVAGE				J-JOINT				R-ROUGH				UE-UNEVEN					MB-MECH. BREAK																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
									SH-SHEAR				P-POLISHED				ST-STEPPED				W-WAVY					B-BEDDING																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
									VN-VEIN				S-SLICKENSIDED				PL-PLANAR				C-CURVED																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
RECOVERY		R.Q.D. %	FRACT. INDEX PER 0.3	DISCONTINUITY DATA		HYDRAULIC CONDUCTIVITY K _f cm/sec																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
TOTAL CORE %	SOLID CORE %			DIP w.r.t. CORE AXIS	TYPE AND SURFACE DESCRIPTION	10 ⁻⁶	10 ⁻⁵	10 ⁻⁴	10 ⁻³																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
90		CONTINUED FROM PREVIOUS PAGE		309.18 90.07																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								</

Grout from
0.30 to
99.97 m

RK LOG 60664299 - CW WELL REPLACEMENT 2023-01-13.GPJ GAL-MISS.GDT 5/17/23

DEPTH SCALE

1 : 50



LOGGED: PM

CHECKED: MA

PROJECT: F2 and F5 Well Replacement Project
 LOCATION: Corner of Cameron St. & St. Andrew St. E, Fergus
 COORDINATES: N 4839659.4; E 550347.6
 DATUM: Geodetic NAD83
 AECOM PROJECT #: 60664299
 CLIENT: Township of Centre Wellington

RECORD OF DRILLHOLE: MW7-21D

SHEET 11 OF 12

START DATE: Sept. 15, 2021
 END DATE: Oct. 1, 2021
 DRILLING METHOD: 123 mm O.D. PQ Rock Core
 CONTRACTOR: Aardvark Drilling

INCLINATION: -90°

AZIMUTH: —

DEPTH SCALE METRES	DRILLING RECORD	DESCRIPTION	SYMBOLIC LOG	CORING LOG																WELL INSTALLATION AND WATER LEVELS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
				ELEV. DEPTH (m)	RUN No.	PENETRATION RATE (mm/min)	FLUSH % RETURN	FR/FX-FRACTURE F-FAULT				SM-SMOOTH				FL-FLEXURED				BC-BROKEN CORE																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
								CL-CLEAVAGE				J-JOINT				UE-UNEVEN				MB-MECH. BREAK																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
								SH-SHEAR				P-POLISHED				W-WAVY				B-BEDDING																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
								VN-VEIN				S-SLICKENSIDED				C-CURVED																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
RECOVERY				R.Q.D. %				FRACT. INDEX PER 0.3				DISCONTINUITY DATA				HYDRAULIC CONDUCTIVITY K _f cm ² /sec				DIAMETRAL POINT LOAD INDEX (MPa)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
TOTAL CORE %				SOLID CORE %								DIP w.r.t. CORE AXIS				TYPE AND SURFACE DESCRIPTION				10 ⁻⁶				10 ⁻⁵				10 ⁻⁴				10 ⁻³				2				4				6																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
100		CONTINUED FROM PREVIOUS PAGE																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	</

RK LOG 60664299 - CW WELL REPLACEMENT 2023-01-13.GPJ GAL-MISS.GDT 5/17/23
 1 : 50

DEPTH SCALE

1 : 50



LOGGED: PM

CHECKED: MA

PROJECT: F2 and F5 Well Replacement Project
LOCATION: Corner of Cameron St. & St. Andrew St. E, Fergus
COORDINATES: N 4839659.4; E 550347.6
DATUM: Geodetic NAD83
AECOM PROJECT #: 60664299
CLIENT: Township of Centre Wellington

RECORD OF DRILLHOLE: MW7-21D

SHEET 12 OF 12

START DATE: Sept. 15, 2021
END DATE: Oct. 1, 2021
DRILLING METHOD: 123 mm O.D. PQ Rock Core
CONTRACTOR: Aardvark Drilling

INCLINATION: -90°

AZIMUTH: —

DEPTH SCALE METRES	DRILLING RECORD	DESCRIPTION	SYMBOLIC LOG	ELEV. DEPTH (m)	RUN No.	PENETRATION RATE (mm/min)	FLUSH COLOUR % RETURN	FR/FX-FRACTURE F-FAULT												SM-SMOOTH				FL-FLEXURED				BC-BROKEN CORE				DIAMETRAL POINT LOAD INDEX (MPa)	WELL INSTALLATION AND WATER LEVELS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
								CL-CLEAVAGE				J-JOINT				R-ROUGH				UE-UNEVEN				MB-MECH. BREAK																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
								SH-SHEAR				P-POLISHED				ST-STEPPED				W-WAVY				B-BEDDING																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
								VN-VEIN				S-SLICKENSIDED				PL-PLANAR				C-CURVED																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
								RECOVERY				R.Q.D. %		FRACT. INDEX PER 0.3		DISCONTINUITY DATA				HYDRAULIC CONDUCTIVITY																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
								TOTAL CORE %		SOLID CORE %						DIP w.r.t CORE AXIS				TYPE AND SURFACE DESCRIPTION				10 ⁻⁶ K _f cm/sec																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
								80 60 40 20		80 60 40 20		80 60 40 20		80 60 40 20		0 30 60 90								10 ⁻⁵ 10 ⁻⁴ 10 ⁻³				2 4 6																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
110		CONTINUED FROM PREVIOUS PAGE																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			

Coated bentonite pellets from 108.33 to 115.98 m

RK LOG 60664299 - CW WELL REPLACEMENT 2023-01-13.GPJ GAL-MISS.GDT 5/17/23

DEPTH SCALE

1 : 50



AECOM

LOGGED: PM

CHECKED: MA

START DATE: Oct. 4, 2021

END DATE: Oct. 14, 2021

DRILLING METHOD:

CONTRACTOR: Aardvark Drilling

INCLINATION: -90°

AZIMUTH: —

DEPTH SCALE METRES	DRILLING RECORD	DESCRIPTION	SYMBOLIC LOG	ELEV. DEPTH (m)	RUN No.	PENETRATION RATE (m/min)	COLOUR % RETURN	FACILITY										DISCONTINUITY DATA	HYDRAULIC CONDUCTIVITY K ₁₀ cm/sec	DIAMETRAL POINT LOAD INDEX (MPa)	WELL INSTALLATION AND WATER LEVELS
								FR-FRACTURE		J-FAULT		SM-SMOOTH		FL-FLEXURED		BC-BROKEN CORE					
								CL-CLEAVAGE		J-JOINT		R-ROUGH		UE-UNEVEN		MB-MECH. BREAK					
								SH-SHEAR		P-POLISHED		ST-STEPPED		W-WAVY		B-BEDDING					
								VN-VEIN		S-SLICKENSIDED		PL-PLANAR		C-CURVED							
RECOVERY		R.Q.D.		FRACT. INDEX PER 0.3		DIP w.r.t. CORE AXIS		TYPE AND SURFACE DESCRIPTION													
TOTAL CORE %		SOLID CORE %		%		%		%		%		%									
80 60 40 20		80 60 40 20		80 60 40 20		80 60 40 20		80 60 40 20		80 60 40 20		80 60 40 20									
10		CONTINUED FROM PREVIOUS PAGE																			
11		Light creamy grey to light brownish grey, fine grained, crystalline, faintly porous, slightly to highly weathered, slightly to moderately pitted, vuggy, occasional stylolites, gastropods and crinoids, medium to thickly bedded DOLOSTONE (GUELPH FORMATION, 1.30 to 70.41 m)																			
		Increase in vugs at 10.8 m																			
12																					
13																					
14																					
15	Pneumatic Hammer 254 mm O.D. Air Hammer																				
16																					
17																					
18																					
19																					
20																					
		CONTINUED NEXT PAGE																			

Grout from 0.30 to 19.51 m

Coated bentonite pellets from 19.51 to 20.78 m

DEPTH SCALE

1 : 50

**AECOM**

LOGGED: PM

CHECKED: MA

PROJECT: F2 and F5 Well Replacement Project
LOCATION: Corner of Cameron St. & St. Andrew St. E, Fergus
COORDINATES: N 4839661.3; E 550345.0
DATUM: Geodetic NAD83
AECOM PROJECT #: 60664299
CLIENT: Township of Centre Wellington

RECORD OF DRILLHOLE: MW7-21S/I

SHEET 3 OF 9

START DATE: Oct. 4, 2021

END DATE: Oct. 14, 2021

DRILLING METHOD:

CONTRACTOR: Aardvark Drilling

INCLINATION: -90°

AZIMUTH: —

DEPTH SCALE METRES	DRILLING RECORD	DESCRIPTION	SYMBOLIC LOG	ELEV. DEPTH (m)	RUN No.	PENETRATION RATE (mm/min)	FLUSH % RETURN	FR/FX-FRACTURE CL-CLEAVAGE SH-SHEAR VN-VEIN	F-JOINT P-POLISHED S-SLICKENSIDED	SM-SMOOTH R-ROUGH ST-STEPPED PL-PLANAR	FL-FLEXURED UE-UNEVEN W-WAVY C-CURVED	BC-BROKEN CORE MB-MECH. BREAK B-BEDDING	DIAMETRAL POINT LOAD INDEX (MPa)	WELL INSTALLATION AND WATER LEVELS								
															RECOVERY		R.Q.D. %	FRACT. INDEX PER 0.3	DISCONTINUITY DATA		HYDRAULIC CONDUCTIVITY	
															TOTAL CORE %	SOLID CORE %			DIP w.r.t CORE AXIS	TYPE AND SURFACE DESCRIPTION	10 ⁻⁶ K _f cm/sec	10 ⁻⁴ 10 ⁻³
															80 60 40 20	80 60 40 20			5 2.5 1.5 1	0 30 60 90	10 ⁻⁶ 10 ⁻⁴ 10 ⁻³ 10 ⁻²	2 4 6
20		CONTINUED FROM PREVIOUS PAGE																				
21		Increase in stylolites at 19.9 m Light creamy grey to light brownish grey, fine grained, crystalline, faintly porous, slightly to highly weathered, slightly to moderately pitted, vuggy, occasional stylolites, gastropods and crinoids, medium to thickly bedded DOLOSTONE (GUELPH FORMATION, 1.30 to 70.41 m)												Coated bentonite pellets from 19.51 to 20.78 m								
22		Potential water-bearing zone at 22.0 m. Highly vuggy rubble zone for 0.46 m; drop in drilling pressure was observed by drilling contractor												Sand from 20.78 to 25.25 m 25.25 to 44 m								
23														Shallow Well: 38 mm schedule 40 PVC Screen (Size 10 Slot) from 21.44 to 24.49 m								
24														October 18, 2021 (Shallow Well)								
25														October 18, 2021 (Intermediate Well)								
26																						
27																						
28														Coated bentonite pellets from 25.25 to 82.4 m								
29		Increase in fossils at 29.1 m																				
30		CONTINUED NEXT PAGE																				

Coated
bentonite
pellets from
19.51 to
20.78 m

Sand from
20.78 to
25.25 to
25.44 m

Shallow
Well:
38 mm
schedule 40
PVC
Screen
(Size 10
Slot) from
21.44 to
24.49 m

October 18,
2021
(Shallow
Well)

October 18,
2021
(Intermediate
Well)

Coated
bentonite
pellets from
25.25 to
82.4 m

DEPTH SCALE

1 : 50



LOGGED: PM

CHECKED: MA

PROJECT: F2 and F5 Well Replacement Project
LOCATION: Corner of Cameron St. & St. Andrew St. E, Fergus
COORDINATES: N 4839661.3; E 550345.0
DATUM: Geodetic NAD83
AECOM PROJECT #: 60664299
CLIENT: Township of Centre Wellington

RECORD OF DRILLHOLE: MW7-21S/I

SHEET 4 OF 9

START DATE: Oct. 4, 2021

END DATE: Oct. 14, 2021

DRILLING METHOD:

CONTRACTOR: Aardvark Drilling

INCLINATION: -90°

AZIMUTH: —

DEPTH SCALE METRES	DRILLING RECORD	DESCRIPTION	SYMBOLIC LOG	ELEV. DEPTH (m)	RUN No.	PENETRATION RATE (mm/min)	FLUSH	COLOUR % RETURN	FR/FX-FRACTURE F-FAULT CL-CLEAVAGE J-JOINT SH-SHEAR P-POLISHED VN-VEIN S-SLICKENSIDED PL-PLANAR												SM-SMOOTH R-ROUGH ST-STEPPED C-CURVED				FL-FLEXURED UE-UNEVEN W-WAVY				BC-BROKEN CORE MB-MECH. BREAK B-BEDDING				DIAMETRAL POINT LOAD INDEX (MPa)	WELL INSTALLATION AND WATER LEVELS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
									RECOVERY		R.Q.D. %	FRACT. INDEX PER 0.3	DISCONTINUITY DATA				HYDRAULIC CONDUCTIVITY																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
									TOTAL CORE %	SOLID CORE %			DIP w.r.t. CORE AXIS				TYPE AND SURFACE DESCRIPTION				K _f cm/sec																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
									80 60 40 20	80 60 40 20			5 15 20	5 15 20	5 15 20	5 15 20	5 15 20	5 15 20	10 ⁻⁶ 10 ⁻⁵ 10 ⁻⁴ 10 ⁻³	10 ⁻⁶ 10 ⁻⁵ 10 ⁻⁴ 10 ⁻³	2 4 6																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
									30				CONTINUED FROM PREVIOUS PAGE																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															

Coated bentonite pellets from 25.25 to 82.4 m

RK LOG 60664299 - CW WELL REPLACEMENT 2023-01-13.GPJ GAL-MISS.GDT 5/17/23

DEPTH SCALE

1 : 50



LOGGED: PM

CHECKED: MA

PROJECT: F2 and F5 Well Replacement Project
LOCATION: Corner of Cameron St. & St. Andrew St. E, Fergus
COORDINATES: N 4839661.3; E 550345.0
DATUM: Geodetic NAD83
AECOM PROJECT #: 60664299
CLIENT: Township of Centre Wellington

RECORD OF DRILLHOLE: MW7-21S/I

SHEET 5 OF 9

START DATE: Oct. 4, 2021

END DATE: Oct. 14, 2021

DRILLING METHOD:

CONTRACTOR: Aardvark Drilling

INCLINATION: -90°

AZIMUTH: —

DEPTH SCALE METRES	DRILLING RECORD	DESCRIPTION	SYMBOLIC LOG	ELEV. DEPTH (m)	RUN No.	PENETRATION RATE (mm/min)	FLUSH	COLOUR % RETURN	FR/FX-FRACTURE F-FAULT CL-CLEAVAGE J-JOINT SH-SHEAR P-POLISHED VN-VEIN S-SLICKENSIDED PL-PLANAR										SM-SMOOTH R-ROUGH ST-STEPPED C-CURVED				FL-FLEXURED UE-UNEVEN W-WAVY C-CURVED				BC-BROKEN CORE MB-MECH. BREAK B-BEDDING				DIAMETRAL POINT LOAD INDEX (MPa)	WELL INSTALLATION AND WATER LEVELS
									RECOVERY		R.Q.D. %	FRACT. INDEX PER 0.3	DISCONTINUITY DATA		HYDRAULIC CONDUCTIVITY		DIP w.r.t. CORE AXIS	TYPE AND SURFACE DESCRIPTION	K _f cm/sec		2	4	6									
									TOTAL CORE %	SOLID CORE %																						
									80 60 40 20	80 60 40 20	80 60 40 20	80 60 40 20	5 15 20	5 15 20	5 15 20	5 15 20	5 15 20	5 15 20	5 15 20	5 15 20	5 15 20	5 15 20	5 15 20	5 15 20	5 15 20	5 15 20	5 15 20	5 15 20	5 15 20	5 15 20		
40		CONTINUED FROM PREVIOUS PAGE																														
		Light creamy grey to light brownish grey, fine grained, crystalline, faintly porous, slightly to highly weathered, slightly to moderately pitted, vuggy, occasional stylolites, gastropods and crinoids, medium to thickly bedded DOLOSTONE (GUELPH FORMATION, 1.30 to 70.41 m)																														
41		Calcite mineralization observed in vugs																														
42																																
43																																
44																																
45	Pneumatic Hammer 254 mm O.D. Air Hammer																															
46																																
47																																
48																																
49																																
50																																
		CONTINUED NEXT PAGE																														

Coated
bentonite
pellets from
25.25 to
82.4 m

Coated
bentonite
pellets from
25.25 to
82.4 m

RK LOG 60664299 - CW WELL REPLACEMENT 2023-01-13.GPJ GAL-MISS.GDT 5/17/23

DEPTH SCALE

1 : 50



LOGGED: PM

CHECKED: MA

PROJECT: F2 and F5 Well Replacement Project
LOCATION: Corner of Cameron St. & St. Andrew St. E, Fergus
COORDINATES: N 4839661.3; E 550345.0
DATUM: Geodetic NAD83
AECOM PROJECT #: 60664299
CLIENT: Township of Centre Wellington

RECORD OF DRILLHOLE: MW7-21S/I

SHEET 6 OF 9

START DATE: Oct. 4, 2021
END DATE: Oct. 14, 2021
DRILLING METHOD:

CONTRACTOR: Aardvark Drilling

INCLINATION: -90°

AZIMUTH: —

DEPTH SCALE METRES	DRILLING RECORD	DESCRIPTION	SYMBOLIC LOG	ELEV. DEPTH (m)	RUN No.	PENETRATION RATE (mm/min)	FLUSH	COLOUR % RETURN	FR/FX-FRACTURE F-FAULT												SM-SMOOTH		FL-FLEXURED		BC-BROKEN CORE		DIAMETRAL POINT LOAD INDEX (MPa)	WELL INSTALLATION AND WATER LEVELS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
									CL-CLEAVAGE				J-JOINT				R-ROUGH				UE-UNEVEN				MB-MECH. BREAK																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
									SH-SHEAR				P-POLISHED				ST-STEPPED				W-WAVY				B-BEDDING																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
									VN-VEIN				S-SLICKENSIDED				PL-PLANAR				C-CURVED																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
				RECOVERY				R.Q.D. %				FRACT. INDEX PER 0.3				DISCONTINUITY DATA				HYDRAULIC CONDUCTIVITY K _f cm/sec																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
				TOTAL CORE %				SOLID CORE %												DIP w.r.t. CORE AXIS				TYPE AND SURFACE DESCRIPTION																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
				80 60 40 20				80 60 40 20				80 60 40 20				5 10 15 20				0 5 10 15 20				10 ⁻⁶ 10 ⁻⁵ 10 ⁻⁴ 10 ⁻³				2 4 6																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
50		CONTINUED FROM PREVIOUS PAGE																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						

Coated
bentonite
pellets from
25.25 to
82.4 m

RK LOG 60664299 - CW WELL REPLACEMENT 2023-01-13.GPJ GAL-MISS.GDT 5/17/23

DEPTH SCALE

1 : 50



LOGGED: PM

CHECKED: MA

PROJECT: F2 and F5 Well Replacement Project
LOCATION: Corner of Cameron St. & St. Andrew St. E, Fergus
COORDINATES: N 4839661.3; E 550345.0
DATUM: Geodetic NAD83
AECOM PROJECT #: 60664299
CLIENT: Township of Centre Wellington

RECORD OF DRILLHOLE: MW7-21S/I

SHEET 7 OF 9

START DATE: Oct. 4, 2021
END DATE: Oct. 14, 2021
DRILLING METHOD:

CONTRACTOR: Aardvark Drilling

INCLINATION: -90°

AZIMUTH: —

DEPTH SCALE METRES	DRILLING RECORD	DESCRIPTION	SYMBOLIC LOG	ELEV. DEPTH (m)	RUN No.	PENETRATION RATE (mm/min)	FLUSH	COLOUR % RETURN	FRACTURE / JOINT / SURFACE												HYDRAULIC CONDUCTIVITY K _f cm/sec	DIAMETRAL POINT LOAD INDEX (MPa)	WELL INSTALLATION AND WATER LEVELS
									FR/FX-FRACTURE F-FAULT		J-JOINT		R-ROUGH		UE-UNEVEN		MB-MECH. BREAK		B-BEDDING				
									CL-CLEAVAGE		P-POLISHED		ST-STEPPED		W-WAVY		C-CURVED						
									VN-VEIN		S-SLICKENSIDED		PL-PLANAR										
RECOVERY		R.Q.D. %		FRACT. INDEX PER 0.3		DISCONTINUITY DATA		TYPE AND SURFACE DESCRIPTION															
TOTAL CORE %		SOLID CORE %				DIP w.r.t. CORE AXIS																	
60		CONTINUED FROM PREVIOUS PAGE																					
61		Light creamy grey to light brownish grey, fine grained, crystalline, faintly porous, slightly to highly weathered, slightly to moderately pitted, vuggy, occasional stylolites, gastropods and crinoids, medium to thickly bedded DOLOSTONE (GUELPH FORMATION, 1.30 to 70.41 m)																					
62																							
63																							
64																							
65	Pneumatic Hammer 254 mm O.D. Air Hammer																						
66																							
67																							
68																							
69																							
70																							
		CONTINUED NEXT PAGE																					

Coated bentonite pellets from 25.25 to 82.4 m

RK LOG 60664299 - CW WELL REPLACEMENT 2023-01-13.GPJ GAL-MISS.GDT 5/17/23

DEPTH SCALE
1 : 50



LOGGED: PM
CHECKED: MA

SHEET 8 OF 9

CONTRACTOR: Aardvark Drilling

AZIMUTH: —

1 : 50



CHECKED: MA

ARK LOG 60664299 - CW WELL REPLACEMENT 2023-01-13.GPJ GAL-MISS.GDT 5/17/23

SHEET 9 OF 9

CONTRACTOR: Aardvark Drilling

AZIMUTH: --

1 : 50



CHECKED: MA

WORK LOG 60664299 - CW WELL REPLACEMENT 2023-01-13.GPJ GAL-MISS.GDT 5/17/23

START DATE: Nov. 30, 2021

END DATE: Dec. 23, 2023

DRILLING METHOD:

CONTRACTOR: Aardvark Drilling

INCLINATION: -90°

AZIMUTH: —

[illegible]

Bentonite pellets from 0.00 to 13.11 m

DEPTH SCALE

1 : 50

**AECOM**

LOGGED: PM

CHECKED: MA

ARK_LOG 60664299 - CW WELL REPLACEMENT 2023-01-13.GPJ GAL-MISS.GDT 5/17/23

PROJECT: F2 and F5 Well Replacement Project
LOCATION: 295 Queen St. E., Fergus
COORDINATES: N 4839661.3; E 550345.0
DATUM: Geodetic NAD83
AECOM PROJECT #: 60664299
CLIENT: Township of Centre Wellington

RECORD OF DRILLHOLE: MW8-21

SHEET 2 OF 9

START DATE: Nov. 30, 2021

END DATE: Dec. 23, 2023

DRILLING METHOD:

CONTRACTOR: Aardvark Drilling

INCLINATION: -90°

AZIMUTH: —

DEPTH SCALE METRES	DRILLING RECORD	DESCRIPTION	SYMBOLIC LOG	ELEV. DEPTH (m)	RUN No.	PENETRATION RATE (mm/min)	FLUSH COLOUR % RETURN	FR/FX-FRACTURE F-FAULT										SM-SMOOTH				FL-FLEXURED				BC-BROKEN CORE				DIAMETRAL POINT LOAD INDEX (MPa)	WELL INSTALLATION AND WATER LEVELS
								CL-CLEAVAGE				J-JOINT				R-ROUGH				UE-UNEVEN				MB-MECH. BREAK							
								SH-SHEAR				P-POLISHED				ST-STEPPED				W-WAVY				B-BEDDING							
								VN-VEIN				S-SLICKENSIDED				PL-PLANAR				C-CURVED											
								RECOVERY		R.Q.D. %		FRACT. INDEX PER 0.3		DISCONTINUITY DATA		HYDRAULIC CONDUCTIVITY K _f cm/sec															
								TOTAL CORE %	SOLID CORE %					DIP wr.t. CORE AXIS		TYPE AND SURFACE DESCRIPTION		10 ⁻⁶													
								80 60 40 20	80 60 40 20	80 60 40 20	80 60 40 20	80 60 40 20	5 2.5 1.5 1.0	0 30 60 90			10 ⁻⁶	10 ⁻⁵	10 ⁻⁴	10 ⁻³	2 4 6										
10	Diamond Core Drilling 123 mm O.D. PQ Rock Core	CONTINUED FROM PREVIOUS PAGE																													
		Light creamy grey to light brownish grey, fine grained, crystalline, faintly porous, slightly to highly weathered, slightly to moderately pitted, vuggy, occasional stylolites, gastropods and crinoids, medium to thickly bedded DOLOSTONE (GUELPH FORMATION, 0.61 to 66.80 m)		388.79 10.49	7	0.2																									
11			Oxidation staining in vertical fracture at 10.8 m Increase in vugs at 11.1 m			8	0.2																								
12					387.24 12.04		9	0.2																							
13																															
14					385.74 13.54																										
15			Cross bedding at 14.35, 14.83 and 15.04 m		384.22 15.06		10	0.2																							
16							11	0.1																							
17					382.69 16.59																										
18							12	0.2																							
19					381.12 18.16																										
20							13	0.2																							
				379.60 19.69																											
						14	0.1																								
		CONTINUED NEXT PAGE																													

Bentonite pellets from 0.00 to 13.11 m

Sand from 13.11 to 14.99 m
Port 5: stainless steel screen from 13.84 to 14.00 m

Bentonite pellets from 14.99 to 26.37 m

Bentonite pellets from 0.00 to 13.11 m

Sand from 13.11 to 14.99 m
Port 5: stainless steel screen from 13.84 to 14.00 m

Bentonite pellets from 14.99 to 26.37 m

RK LOG 60664299 - CW WELL REPLACEMENT 2023-01-13.GPJ GAL-MISS.GDT 5/17/23

DEPTH SCALE

1 : 50



AECOM

LOGGED: PM

CHECKED: MA

SHEET 3 OF 9

AZIMUTH: —

1 : 50



CHECKED: MA

ARK LOG 60664299 - CW WELL REPLACEMENT 2023-01-13.GPJ GAL-MISS.GDT 5/17/23

PROJECT: F2 and F5 Well Replacement Project
LOCATION: 295 Queen St. E., Fergus
COORDINATES: N 4839661.3; E 550345.0
DATUM: Geodetic NAD83
AECOM PROJECT #: 60664299
CLIENT: Township of Centre Wellington

RECORD OF DRILLHOLE: MW8-21

SHEET 4 OF 9

START DATE: Nov. 30, 2021

END DATE: Dec. 23, 2023

DRILLING METHOD:

CONTRACTOR: Aardvark Drilling

INCLINATION: -90°

AZIMUTH: —

DEPTH SCALE METRES	DRILLING RECORD	DESCRIPTION	SYMBOLIC LOG	ELEV. DEPTH (m)	RUN No.	PENETRATION RATE (mm/min)	FLUSH COLOUR % RETURN	FR/FX-FRACTURE F-FAULT				SM-SMOOTH		FL-FLEXURED		BC-BROKEN CORE		DIAMETRAL POINT LOAD INDEX (MPa)	WELL INSTALLATION AND WATER LEVELS
								CL-CLEAVAGE		J-JOINT		R-ROUGH		UE-UNEVEN		MB-MECH. BREAK			
								SH-SHEAR		P-POLISHED		ST-STEPPED		W-WAVY		B-BEDDING			
								VN-VEIN		S-SLICKENSIDED		PL-PLANAR		C-CURVED					
		RECOVERY		R.Q.D. %		FRACT. INDEX PER 0.3		DISCONTINUITY DATA		HYDRAULIC CONDUCTIVITY K _f cm/sec									
		TOTAL CORE %		SOLID CORE %						DIP wr.t. CORE AXIS		TYPE AND SURFACE DESCRIPTION		10 ⁻⁶ 10 ⁻⁵ 10 ⁻⁴ 10 ⁻³					
		80 60 40 20		80 60 40 20		80 60 40 20		5 10 15 20		0 30 60 90				2 4 6					
30		CONTINUED FROM PREVIOUS PAGE																	
	Diamond Core Drilling 123 mm O.D. PQ Rock Core	Light creamy grey to light brownish grey, fine grained, crystalline, faintly porous, slightly to highly weathered, slightly to moderately pitted, vuggy, occasional stylolites, gastropods and crinoids, medium to thickly bedded DOLOSTONE (GUELPH FORMATION, 0.61 to 66.80 m)		368.93 30.35	20	0.1													
31					21	0.2													
32				367.43 31.85															
33					22	0.2													
34				365.93 33.35															
35				364.38 34.90															
36					24	0.2													
37				362.88 36.40															
38					25	0.1													
39																			
40				359.58 39.70															
					27	0.1													
		CONTINUED NEXT PAGE																	

Bentonite pellets from 27.91 to 33.40 m

Sand from 33.40 to 36.27 m

Port 3: stainless steel screen from 35.18 to 35.33 m

Bentonite pellets from 36.27 to 52.04 m

DEPTH SCALE

1 : 50



AECOM

LOGGED: PM

CHECKED: MA

RK LOG 60664299 - CW WELL REPLACEMENT 2023-01-13.GPJ GAL-MISS.GDT 5/17/23

SHEET 5 OF 9

CONTRACTOR: Aardvark Drilling

AZIMUTH: —

Bentonite pellets from 36.27 to 52.04 m

CHECKED: MA

WORK LOG 60664299 - CW WELL REPLACEMENT 2023-01-13.GPJ GAL-MISS.GDT 5/17/23

PROJECT: F2 and F5 Well Replacement Project
LOCATION: 295 Queen St. E., Fergus
COORDINATES: N 4839661.3; E 550345.0
DATUM: Geodetic NAD83
AECOM PROJECT #: 60664299
CLIENT: Township of Centre Wellington

RECORD OF DRILLHOLE: MW8-21

SHEET 6 OF 9

START DATE: Nov. 30, 2021

END DATE: Dec. 23, 2023

DRILLING METHOD:

CONTRACTOR: Aardvark Drilling

INCLINATION: -90°

AZIMUTH: —

DEPTH SCALE METRES	DRILLING RECORD	DESCRIPTION	SYMBOLIC LOG	ELEV. DEPTH (m)	RUN No.	PENETRATION RATE (mm/min)	FLUSH % RETURN	COLOUR % RETURN	FRACTURE / SURFACE / DISCONTINUITY												HYDRAULIC CONDUCTIVITY K _f cm/sec	DIAMETRAL POINT LOAD INDEX (MPa)	WELL INSTALLATION AND WATER LEVELS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
									FR/FX-FRACTURE F-FAULT				J-JOINT				R-ROUGH							UE-UNEVEN				BC-BROKEN CORE																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
									CL-CLEAVAGE				SH-SHEAR				P-POLISHED							ST-STEPPED				W-WAVY				MB-MECH. BREAK																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
									VN-VEIN				S-SLICKENSIDED				PL-PLANAR							C-CURVED																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
									RECOVERY		R.Q.D. %		FRACT. INDEX PER 0.3		DISCONTINUITY DATA		TYPE AND SURFACE DESCRIPTION																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
TOTAL CORE %	SOLID CORE %	TOTAL CORE %	SOLID CORE %	INDEX PER 0.3	DIP w.r.t. CORE AXIS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
50		CONTINUED FROM PREVIOUS PAGE		50.01																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															

Bentonite pellets from 36.27 to 52.04 m

Pea stones from 52.04 to 54.74 m

Port 2: stainless steel screen from 53.62 to 53.77 m

Bentonite pellets from 54.74 to 67.72 m

DEPTH SCALE

1 : 50



AECOM

LOGGED: PM

CHECKED: MA

105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
841
842
843
844
845
846
847
848
849
850
851
852
853
854
855
856
857
858
859
860
861
862
863
864
865
866
867
868
869
870
871
872
873
874
875
876
877
878
879
880
881
882
883
884
885
886
887
888
889
890
891
892
893
894
895
896
897
898
899
900
901
902
903
904
905
906
907
908
909
910
911
912
913
914
915
916
917
918
919
920
921
922
923
924
925
926
927
928
929
930
931
932
933
934
935
936
937
938
939
940
941
942
943
944
945
946
947
948
949
950
951
952
953
954
955
956
957
958
959
960
961
962
963
964
965
966
967
968
969
970
971
972
973
974
975
976
977
978
979
980
981
982
983
984
985
986
987
988
989
990
991
992
993
994
995
996
997
998
999
1000

PROJECT: F2 and F5 Well Replacement Project
LOCATION: 295 Queen St. E., Fergus
COORDINATES: N 4839661.3; E 550345.0
DATUM: Geodetic NAD83
AECOM PROJECT #: 60664299
CLIENT: Township of Centre Wellington

RECORD OF DRILLHOLE: MW8-21

SHEET 7 OF 9

START DATE: Nov. 30, 2021

END DATE: Dec. 23, 2023

DRILLING METHOD:

CONTRACTOR: Aardvark Drilling

INCLINATION: -90°

AZIMUTH: —

DEPTH SCALE METRES	DRILLING RECORD	DESCRIPTION	SYMBOLIC LOG	ELEV. DEPTH (m)	RUN No.	PENETRATION RATE (mm/min)	FLUSH COLOUR % RETURN	FR/FX-FRACTURE F-FAULT										SM-SMOOTH		FL-FLEXURED		BC-BROKEN CORE		DIAMETRAL POINT LOAD INDEX (MPa)	WELL INSTALLATION AND WATER LEVELS
								CL-CLEAVAGE		J-JOINT		R-ROUGH		UE-UNEVEN		MB-MECH. BREAK									
								SH-SHEAR		P-POLISHED		ST-STEPPED		W-WAVY		B-BEDDING									
								VN-VEIN		S-SLICKENSIDED		PL-PLANAR		C-CURVED											
								RECOVERY		R.Q.D. %		FRACT. INDEX PER 0.3		DISCONTINUITY DATA		HYDRAULIC CONDUCTIVITY									
TOTAL CORE %		SOLID CORE %				DIP wr.t. CORE AXIS		TYPE AND SURFACE DESCRIPTION		K _f cm/sec															
80 60 40 20		80 60 40 20		80 60 40 20		5 10 15 20		0 30 60 90		10 ⁻⁶ 10 ⁻⁵ 10 ⁻⁴ 10 ⁻³															
60	Diamond Core Drilling 123 mm O.D. PQ Rock Core	CONTINUED FROM PREVIOUS PAGE																							
		Light creamy grey to light brownish grey, fine grained, crystalline, faintly porous, slightly to highly weathered, slightly to moderately pitted, vuggy, occasional stylolites, gastropods and crinoids, medium to thickly bedded DOLOSTONE (GUELPH FORMATION, 0.61 to 66.80 m)		40	0.2																				
			338.52 60.76																						
61				41	0.1																				
			337.13 62.15																						
62				42	0.2																				
			335.70 63.58																						
63				43	0.1																				
			335.27 64.01																						
64				44	0.2																				
		333.77 65.51																							
65			45	0.2																					
		332.48 66.80																							
66			46	0.2																					
		332.25 67.03																							
67		Light greyish brown to medium greyish brown, fine grained, crystalline, faintly porous, stylolitic, occasional crinoids and gastropods, thinly bedded, cross bedding throughout; transition from overlying Guelph Formation is gradational DOLOSTONE (GOAT ISLAND FORMATION, 66.80 to 78.99 m)		46	0.2																				
			330.85 68.43																						
68			47	0.1																					
			329.41 69.88																						
69			48	0.2																					
70		CONTINUED NEXT PAGE																							

Bentonite pellets from 54.74 to 67.72 m

Sand from 67.72 to 69.34 m
Port 1: stainless steel screen from 68.40 to 68.55 m

Bentonite pellets from 69.34 to 79.10 m

Bentonite pellets from 54.74 to 67.72 m

Sand from 67.72 to 69.34 m
Port 1: stainless steel screen from 68.40 to 68.55 m

Bentonite pellets from 69.34 to 79.10 m

RK LOG 60664299 - CW WELL REPLACEMENT 2023-01-13.GPJ GAL-MISS.GDT 5/17/23

DEPTH SCALE

1 : 50



LOGGED: PM

CHECKED: MA

PROJECT: F2 and F5 Well Replacement Project
LOCATION: 295 Queen St. E., Fergus
COORDINATES: N 4839661.3; E 550345.0
DATUM: Geodetic NAD83
AECOM PROJECT #: 60664299
CLIENT: Township of Centre Wellington

RECORD OF DRILLHOLE: MW8-21

SHEET 8 OF 9

START DATE: Nov. 30, 2021

END DATE: Dec. 23, 2023

DRILLING METHOD:

CONTRACTOR: Aardvark Drilling

INCLINATION: -90°

AZIMUTH: —

DEPTH SCALE METRES	DRILLING RECORD	DESCRIPTION	SYMBOLIC LOG	ELEV. DEPTH (m)	RUN No.	PENETRATION RATE (mm/min)	FLUSH COLOUR % RETURN	FR/FX-FRACTURE F-FAULT												SM-SMOOTH		FL-FLEXURED		BC-BROKEN CORE		DIAMETRAL POINT LOAD INDEX (MPa)	WELL INSTALLATION AND WATER LEVELS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
								CL-CLEAVAGE				J-JOINT				R-ROUGH				UE-UNEVEN				MB-MECH. BREAK																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
								SH-SHEAR				P-POLISHED				ST-STEPPED				W-WAVY				B-BEDDING																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
								VN-VEIN				S-SLICKENSIDED				PL-PLANAR				C-CURVED																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
								RECOVERY				R.Q.D. %				FRACT. INDEX PER 0.3				DISCONTINUITY DATA				HYDRAULIC CONDUCTIVITY																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
TOTAL CORE %				SOLID CORE %								DIP wr.t. CORE AXIS				TYPE AND SURFACE DESCRIPTION				K _f cm/sec																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
								80 60 40 20	80 60 40 20	80 60 40 20	80 60 40 20	5 10 15 20	5 10 15 20	0 30 60 90																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													</

RK LOG 60664299 - CW WELL REPLACEMENT 2023-01-13.GPJ GAL-MISS.GDT 5/17/23

DEPTH SCALE

1 : 50



LOGGED: PM

CHECKED: MA

PROJECT: F2 and F5 Well Replacement Project
LOCATION: 295 Queen St. E., Fergus
COORDINATES: N 4839661.3; E 550345.0
DATUM: Geodetic NAD83
AECOM PROJECT #: 60664299
CLIENT: Township of Centre Wellington

RECORD OF DRILLHOLE: MW8-21

SHEET 9 OF 9

START DATE: Nov. 30, 2021

END DATE: Dec. 23, 2023

DRILLING METHOD:

CONTRACTOR: Aardvark Drilling

INCLINATION: -90°

AZIMUTH: —

DEPTH SCALE METRES	DRILLING RECORD	DESCRIPTION	SYMBOLIC LOG	ELEV. DEPTH (m)	RUN No.	PENETRATION RATE (mm/min)	FLUSH	COLOUR % RETURN	FR/FX-FRACTURE F-FAULT												SM-SMOOTH		FL-FLEXURED		BC-BROKEN CORE		DIAMETRAL POINT LOAD INDEX (MPa)	WELL INSTALLATION AND WATER LEVELS					
									CL-CLEAVAGE				J-JOINT				R-ROUGH				UE-UNEVEN				MB-MECH. BREAK								
									SH-SHEAR				P-POLISHED				ST-STEPPED				W-WAVY				B-BEDDING								
									VN-VEIN				S-SLICKENSIDED				PL-PLANAR				C-CURVED												
									RECOVERY				R.Q.D. %	FRACT. INDEX PER 0.3	DISCONTINUITY DATA				HYDRAULIC CONDUCTIVITY														
TOTAL CORE %		SOLID CORE %		TYPE AND SURFACE DESCRIPTION				K _f cm/sec																									
80		CONTINUED FROM PREVIOUS PAGE							80	60	40	20	80	60	40	20	5	10	20	30	0	30	60	90		10 ⁻⁶	10 ⁻⁵	10 ⁻⁴	10 ⁻³	2	4	6	
		123 mm from 0.00 to 78.99 mBGS 4. Well installation details for the 5-port Solinst Waterloo Multilevel Groundwater System include: 50 mm stainless steel port 1: 68.40 to 68.55 mBGS 50 mm stainless steel port 2: 53.62 to 53.77 mBGS 50 mm stainless steel port 3: 35.18 to 35.33 mBGS 50 mm stainless steel port 4: 27.10 to 27.25 mBGS 50 mm stainless steel port 5: 13.84 to 14.00 mBGS 5. Water was cascading downwards in the open borehole (prior to well installation) on December 13, 2022 at a depth of approximately 6.84 mBGS.																															
81																																	
82																																	
83																																	
84																																	
85																																	
86																																	
87																																	
88																																	
89																																	
90																																	

DEPTH SCALE

1 : 50



LOGGED: PM

CHECKED: MA

RK LOG 60664299 - CW WELL REPLACEMENT 2023-01-13.GPJ GAL-MISS.GDT 5/17/23

MECP Water Well Records



General Instructions and Explanations for completing a Well Record

A completed electronic Well Record Form must be delivered to the well purchaser and the owner of the land on which the well is situated within 14 days after the date on which the well's structural stage is complete. The electronic Well Record must also be forwarded within 30 days after the date on which the well's structural stage is complete to the ministry through email to the following email address: WellRecordSubmission@ontario.ca

False and Misleading Information

Subsection 98(2) of the *Ontario Water Resources Act*, R.S.O. 1990 c. O. 40, states that:

"No person shall orally, in writing or electronically, give or submit false or misleading information in any statement, document or data, to any provincial officer, the Minister, the Ministry or the Agency, any employee in or agent of the Ministry or the Agency, or any person involved in carrying out a program of the Ministry or the Agency in respect of any matter related to this Act or the regulations."

Further, subsection 98(3) of the Act states that:

"No person shall include false or misleading information in any document or data required to be created, stored or submitted under this Act."

Measurements

All measurements must be recorded in the specified unit, metric or imperial by checking off the applicable box on the top of the form. You must use the checked unit consistently throughout the well record. Measurements must be reported to 1/10th of a metre if the unit is a metre. All measurements of depth must be referenced to ground surface.

Well Owner's Information

A "well owner" means the owner of land upon which a well is situated and includes a tenant or lessee of the land and a well purchaser. If the "well owner" is an individual, record the owner's last name and first name or if the "well owner" is a business, government or other organization, record the name in the "organization" area.

Well Location

Street Number/Name and City/town/Village must be provided, if available.

Geographic Township, Concession and Lot must be reported if the well is located in an area where such information exists.

UTM Coordinates must be recorded each time a Well Record is completed. Click the button [Test UTM in Map] to use the UTM Coordinates to plot the location to Google map. This allows verification of the UTM Coordinates. This will also automatically populate the County/District.

Municipal Plan and Sublot Number may be provided, if available.

Overburden and Bedrock Materials

For each formation encountered during construction, choose words from the lists that best describe the formation on the basis of general colour, most common material, other materials, and general description of the formation.

General Colours are White, Yellow, Grey, Brown, Blue, Red, Green and Black.

Examples of Materials are: Fill, Silt, Top Soil, Coarse Sand, Slate, Muck, Gravel, Limestone, Dolomite, Quartzite, Peat, Stones, Fine Sand, Shale, Granite, Clay, Boulders, Medium Sand, Sandstone, and Greenstone.

Some definitions are as follows:

- Clay: Composed of very fine particles. Forms dense hard lumps or clods when dry and a very elastic putty-like mass when wet. It can be rolled between fingers to form a long, flexible ribbon.
- Silt: Grain size, midway between sand and clay. It may form clods which, when broken, feel soft and floury. When moist, it will form a cast that can be handled freely without breaking. Rolled between thumb and finger, it will not "ribbon" but will give a broken appearance.

- Sand: Grains are loose and granular and may be seen and felt readily. Squeezed in the hand when dry, it falls apart when the pressure is released. Squeezed when moist, it will form a cast that will crumble when touched. Should be listed as fine sand, medium sand or coarse sand.
- Gravel: Rock fragments greater than 0.3 cm in diameter.

Examples of General Descriptions are Loose, Cemented, Previously Dug or Bored, Porous, Layered, Previously Drilled, Dense, Soft, Wood Fragments, Packed, Hard.

Abandonment

To report abandonment of a well, check off the applicable box in Type on the top of the form. Details of abandonment must be recorded in the Abandonment and Sealing Section. Additional comments may be entered in the comments box under the Information section.

Annular Space

Record all material placed in the annular space around the single casing or around the permanent outer casing. If the well is a telescoped well [i.e., a well with an outer casing and inner casing(s)] or if the well is a multi-level nested test hole, report the depth from, depth to, material and volume placed for the annular space between two different sized casings or between the inner casing(s) and the side of the well in the “Comments” area of this electronic well record form.

Method of Construction

If the equipment used to construct the well is not on the list, check “Other (specify)” and record the type of equipment, check each equipment that applies.

Well Use

If the well’s use is not provided on the list, check “Other (specify)” and record the use of the well. If the well has multiple uses, check each use that applies.

Status of Well

If the well’s status is not provided on the list, check “Other (specify)” and record the use of the well. If the well has multiple statuses, check each use that applies.

Construction Record – Casing and Open Hole

Use negative values to report the top of casing above ground surface. For example, if the top of the casing is 0.4 metres above the ground surface and the bottom of the casing 6.0 metres below the ground surface, record the casing “Depth From” as -0.4.

If the top of casing is located below the ground surface (e.g., if a test hole is constructed and the top of casing is located below the ground surface in a flush mounted well vault), report the top of the casing from below ground surface. For example, if the top of the casing is 0.1 metres below the ground surface and the bottom of the casing is 6 metres below the ground surface, record the casing “Depth From” as 0.1.

Note: If a drive shoe is used, the shoe is considered casing and it must be reported if the shoe has a different inside diameter thickness.

If a portion of the well was created an open hole, record the location of the open hole on a separate row, including the diameter and the depth (top and bottom of open hole) from the ground surface.

Construction Record – Well Screen

A “well screen” means perforated pipe or tubing, unsealed concrete tiles or other material installed in a well to filter out particulate matter and form the water intake zone. Therefore, the length of a well screen includes any slotted or perforated area and unsealed area of pipe or tiles.

Water Details

- if groundwater was located, record the depth from the ground surface to the location of the groundwater resource, and
- record if the groundwater quality is “Untested,” “Fresh” (i.e., not salty), or “Other (specify).” If “Other (specify)” is recorded, use the “Other (specify)” dropdown list to select the type of groundwater (e.g., salty, blackish water, yellowish water, mineralized, etc.).

Check off “Gas” if natural gas was encountered during well construction.

Note: Natural gas encounters need to be immediately reported to the ministry at 1-800-268-6060, well purchaser and the owner of the land.

Results of Well Yield Testing

Check off “Pumping Discontinued” if pumping was discontinued before 1 hour of continuous pumping. Explain the reason why pumping was discontinued or in some cases not performed (e.g., the well went dry, impossible to install pump in small diameter well, static water level from test hole or dewatering well was obtained and is reported instead of completing a yield test etc.).

Note: Equipment breakdown is not an acceptable reason for checking off “Pumping Discontinued” on the well record form. If groundwater in the well is flowing out of the well, provide the rate of flow, and check off “Flowing Well” (i.e., static water level above the ground surface).

In the “Results of Well Yield Testing” section of the well record form, record:

- the depth to the intake of the pump,
- the rate of pumping and duration of pumping period during the yield test,
- the final water level when pumping stops,
- water level measurements made during pumping (drawdown) and recovery. All water level measurements must be referenced from below the ground surface for each time interval specified in the drawdown and recovery boxes.

If the water level measurements remain the same over a period of time, continue to measure and report the same water level measurement for the remaining pumping or recovery time intervals.

If pumping continuously for at least 1 hour, but the design of the well does not allow for water level measurements (e.g., driven point well), the person constructing the well is not required to report drawdown or recovery water level measurements.

Map of Well Location

In the “Map of Well Location” section of the well record form, click the map area to attach a map of the well location. The map must show sufficient information to locate the well, including:

- a mark on the map showing the well,
- a scale on the map, and
- where available, the name of the structure, street or surface water body nearest to the well.

Note: More than one map can be added to the well record form by clicking on “Add Map (+)” to add an additional map.

Information

Record any additional information (e.g., observations, tests, additional licensed well technicians who worked on the well, additional annular space details for a telescoped well or a multi-level nested test hole, reasons for not providing a well owner information package) in the comments area.

Declaration

Check the declaration statement to confirm that the person constructing the well agrees with the following statement: “I hereby confirm that I am the person who constructed the well and I hereby confirm that the information on the form is correct and accurate”.

Validate

Click the validate button. If there is no missing information, you will be asked to enter the well tag again to make sure the well tag is entered correctly (only enter the numeric portion of the tag number). The audit number will then be changed from “**incomplete**” to an assigned audit number. The signature field will then be available. Click on “signature” to enter the well technician’s electronic signature. For instructions on how to create an electronic signature, please visit the Adobe Digital IDs website using the following link: <https://helpx.adobe.com/acrobat/using/digital-ids.html>

Notice of Collection of Personal Information

Personal information contained on this form is collected pursuant to sections 35-50 and 75(2) of the *Ontario Water Resources Act* and section 16.3 of the Wells Regulation. This information will be used for the purpose of maintaining a public record of wells in Ontario. This form and the information contained on the form will be stored in the Ministry's well record database and made publicly available. Questions about this collection should be directed to the Water Well Customer Service Representative at the Wells Help Desk, 125 Resources Road, Toronto Ontario M9P 3V6, at 1-888-396-9355 or wellshelpdesk@ontario.ca.

Fields marked with an asterisk (*) are mandatory.

Well Tag Number *

A324183

Type *
☒ Construction ☐ Abandonment

Measurement recorded in: *
☐ Metric ☒ Imperial

1. Well Owner's Information

Last Name and First Name, or Organization is mandatory. *

Last Name

First Name

Organization

Township of Centre Wellington

Email Address

Current Address

Unit Number

Street Number *

1

Street Name *

MacDonald Square

City/Town/Village

Elora

Country

Canada

Province

Ontario

Postal Code

N0B 1S0

Telephone Number

519-846-9691

2. Well Location

Address of Well Location

Unit Number

Street Number *

449

Street Name *

St. Andrew Street East

Township

Nichol

Lot

Concession

County/District/Municipality

Wellington

City/Town

Fergus

Province

Ontario

Postal Code

UTM Coordinates

Zone *

Easting *

Northing *

NAD 83

17

550587

4839948

[Test UTM in Map](#)

Municipal Plan and Sublot Number

Other

F2R

3. Overburden and Bedrock Material *

Well Depth *

380

(ft)

General Colour

Most Common Material

Other Materials

General Description

Depth From

Depth To

				(ft)	(ft)
	Fill			0	3
	Gravel	Sand		3	4
	Limestone			4	380

4. Annular Space *

Depth From (ft)	Depth To (ft)	Type of Sealant Used (Material and Type)	Volume Placed (cubic feet)
0	144.8	Cement	151.56
144.8	380	Open Hole	

5. Method of Construction *

- ☐ Cable Tool
 ☐ Rotary (Conventional)
 ☐ Rotary (Reverse)
 ☐ Boring
 ☐ Air percussion
 ☐ Diamond
- ☐ Jetting
 ☐ Driving
 ☐ Digging
 ☐ Rotary (Air)
 ☐ Augering
 ☐ Direct Push
- ☒ Other (specify) DR

6. Well Use *

- ☐ Public
 ☐ Industrial
 ☐ Cooling & Air Conditioning
- ☐ Domestic
 ☐ Commercial
 ☐ Not Used
- ☐ Livestock
 ☒ Municipal
 ☐ Monitoring
- ☐ Irrigation
 ☐ Test Hole
 ☐ Dewatering
- ☐ Other (specify) _____

7. Status of Well *

- ☒ Water Supply
 ☒ Replacement Well
 ☐ Test Hole
- ☐ Recharge Well
 ☐ Dewatering Well
 ☐ Observation and/or Monitoring Hole
- ☐ Alteration (Construction)
 ☐ Abandoned, Insufficient Supply
 ☐ Abandoned, Poor Water Quality
- ☐ Abandoned, other (specify) _____
- ☐ Other (specify) _____

8. Construction Record - Casing * (use negative number(s) to indicate depth above ground surface)

Inside Diameter (in)	Open Hole or Material (Galvanized, Fibreglass, Concrete, Plastic, Steel)	Wall Thickness	Depth From (ft)	Depth To (ft)
12.75	Steel	0.375	-3	144.8
12	Open Hole		144.8	380

9. Construction Record - Screen

Outside Diameter (in)	Material (Plastic, Galvanized, Steel)	Slot Number	Depth From (ft)	Depth To (ft)

10. Water Details

Water found at Depth 120 (ft) ☐ Gas Kind of water ☐ Fresh ☒ Untested ☐ Other

11. Hole Diameter

Depth From (ft)	Depth To (ft)	Diameter (in)
0	144.8	19
144.8	380	12

12. Results of Well Yield Testing

☐ Pumping Discontinued
Explain _____

If flowing give rate
☐ Flowing _____ (GPM)


Draw down														
Time (min)	Static Level	1	2	3	4	5	10	15	20	25	30	40	50	60
Water Level (ft)														
Recovery														
Time (min)		1	2	3	4	5	10	15	20	25	30	40	50	60
Water Level (ft)														

After test of well yield, water was
☒ Clear and sand free ☐ Other (specify)

Pump intake set at (ft)	Pumping rate (GPM)	Duration of pumping hrs + min	Final water level end of pumping (ft)	Disinfected? * <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
317.01	8	157		
Recommended pump depth (ft)	Recommended pump rate (GPM)	Well production (GPM)		

13. Map of Well Location *

Map 1. Please Click the map area below to import an image file to use as the map. ☐ Make map area bigger



14. Information

Well owner's information package delivered

☐ Yes ☐ No

Date Package Delivered (yyyy/mm/dd)

2022/08/22

Date Work Completed (yyyy/mm/dd) *

2022/09/01

Comments

Please See pump test info on Excel spread sheet labelled "Aquifer Test - F2-R(313-010)"

15. Well Contractor and Well Technician Information

Business Name of Well Contractor *

Aardvark Drilling Inc.

Well Contractor's License Number *

7675

Business Address

Unit Number

C

Street Number

25

Street Name *

Lewis Road

City/Town/Village *

Guelph

Province

ON

Postal Code *

N1H 1E9

Business Telephone Number

519-826-9340

Business Email Address

info@aardvarkdrillinginc.com

Last Name of Well Technician *

Smith

First Name of Well Technician *

Kyle

Well Technician's License Number *

3591

16. Declaration *

☒ I hereby confirm that I am the person who constructed the well and I hereby confirm that the information on the form is correct and accurate.

Last Name

England

First Name

Matthew

Email Address

mengland@aardvarkdrillinginc.com

Signature

Date Submitted (yyyy/mm/dd)

2022/11/23

17. Ministry Use Only

Audit Number

MQEH DU8G

General Instructions and Explanations for completing a Well Record

A completed electronic Well Record Form must be delivered to the well purchaser and the owner of the land on which the well is situated within 14 days after the date on which the well's structural stage is complete. The electronic Well Record must also be forwarded within 30 days after the date on which the well's structural stage is complete to the ministry through email to the following email address: WellRecordSubmission@ontario.ca

False and Misleading Information

Subsection 98(2) of the *Ontario Water Resources Act*, R.S.O. 1990 c. O. 40, states that:

"No person shall orally, in writing or electronically, give or submit false or misleading information in any statement, document or data, to any provincial officer, the Minister, the Ministry or the Agency, any employee in or agent of the Ministry or the Agency, or any person involved in carrying out a program of the Ministry or the Agency in respect of any matter related to this Act or the regulations."

Further, subsection 98(3) of the Act states that:

"No person shall include false or misleading information in any document or data required to be created, stored or submitted under this Act."

Measurements

All measurements must be recorded in the specified unit, metric or imperial by checking off the applicable box on the top of the form. You must use the checked unit consistently throughout the well record. Measurements must be reported to 1/10th of a metre if the unit is a metre. All measurements of depth must be referenced to ground surface.

Well Owner's Information

A "well owner" means the owner of land upon which a well is situated and includes a tenant or lessee of the land and a well purchaser. If the "well owner" is an individual, record the owner's last name and first name or if the "well owner" is a business, government or other organization, record the name in the "organization" area.

Well Location

Street Number/Name and City/town/Village must be provided, if available.

Geographic Township, Concession and Lot must be reported if the well is located in an area where such information exists.

UTM Coordinates must be recorded each time a Well Record is completed. Click the button [Test UTM in Map] to use the UTM Coordinates to plot the location to Google map. This allows verification of the UTM Coordinates. This will also automatically populate the County/District.

Municipal Plan and Sublot Number may be provided, if available.

Overburden and Bedrock Materials

For each formation encountered during construction, choose words from the lists that best describe the formation on the basis of general colour, most common material, other materials, and general description of the formation.

General Colours are White, Yellow, Grey, Brown, Blue, Red, Green and Black.

Examples of Materials are: Fill, Silt, Top Soil, Coarse Sand, Slate, Muck, Gravel, Limestone, Dolomite, Quartzite, Peat, Stones, Fine Sand, Shale, Granite, Clay, Boulders, Medium Sand, Sandstone, and Greenstone.

Some definitions are as follows:

- Clay: Composed of very fine particles. Forms dense hard lumps or clods when dry and a very elastic putty-like mass when wet. It can be rolled between fingers to form a long, flexible ribbon.
- Silt: Grain size, midway between sand and clay. It may form clods which, when broken, feel soft and floury. When moist, it will form a cast that can be handled freely without breaking. Rolled between thumb and finger, it will not "ribbon" but will give a broken appearance.

- Sand: Grains are loose and granular and may be seen and felt readily. Squeezed in the hand when dry, it falls apart when the pressure is released. Squeezed when moist, it will form a cast that will crumble when touched. Should be listed as fine sand, medium sand or coarse sand.
- Gravel: Rock fragments greater than 0.3 cm in diameter.

Examples of General Descriptions are Loose, Cemented, Previously Dug or Bored, Porous, Layered, Previously Drilled, Dense, Soft, Wood Fragments, Packed, Hard.

Abandonment

To report abandonment of a well, check off the applicable box in Type on the top of the form. Details of abandonment must be recorded in the Abandonment and Sealing Section. Additional comments may be entered in the comments box under the Information section.

Annular Space

Record all material placed in the annular space around the single casing or around the permanent outer casing. If the well is a telescoped well [i.e., a well with an outer casing and inner casing(s)] or if the well is a multi-level nested test hole, report the depth from, depth to, material and volume placed for the annular space between two different sized casings or between the inner casing(s) and the side of the well in the “Comments” area of this electronic well record form.

Method of Construction

If the equipment used to construct the well is not on the list, check “Other (specify)” and record the type of equipment, check each equipment that applies.

Well Use

If the well’s use is not provided on the list, check “Other (specify)” and record the use of the well. If the well has multiple uses, check each use that applies.

Status of Well

If the well’s status is not provided on the list, check “Other (specify)” and record the use of the well. If the well has multiple statuses, check each use that applies.

Construction Record – Casing and Open Hole

Use negative values to report the top of casing above ground surface. For example, if the top of the casing is 0.4 metres above the ground surface and the bottom of the casing 6.0 metres below the ground surface, record the casing “Depth From” as -0.4.

If the top of casing is located below the ground surface (e.g., if a test hole is constructed and the top of casing is located below the ground surface in a flush mounted well vault), report the top of the casing from below ground surface. For example, if the top of the casing is 0.1 metres below the ground surface and the bottom of the casing is 6 metres below the ground surface, record the casing “Depth From” as 0.1.

Note: If a drive shoe is used, the shoe is considered casing and it must be reported if the shoe has a different inside diameter thickness.

If a portion of the well was created an open hole, record the location of the open hole on a separate row, including the diameter and the depth (top and bottom of open hole) from the ground surface.

Construction Record – Well Screen

A “well screen” means perforated pipe or tubing, unsealed concrete tiles or other material installed in a well to filter out particulate matter and form the water intake zone. Therefore, the length of a well screen includes any slotted or perforated area and unsealed area of pipe or tiles.

Water Details

- if groundwater was located, record the depth from the ground surface to the location of the groundwater resource, and
- record if the groundwater quality is “Untested,” “Fresh” (i.e., not salty), or “Other (specify).” If “Other (specify)” is recorded, use the “Other (specify)” dropdown list to select the type of groundwater (e.g., salty, blackish water, yellowish water, mineralized, etc.).

Check off “Gas” if natural gas was encountered during well construction.

Note: Natural gas encounters need to be immediately reported to the ministry at 1-800-268-6060, well purchaser and the owner of the land.

Results of Well Yield Testing

Check off “Pumping Discontinued” if pumping was discontinued before 1 hour of continuous pumping. Explain the reason why pumping was discontinued or in some cases not performed (e.g., the well went dry, impossible to install pump in small diameter well, static water level from test hole or dewatering well was obtained and is reported instead of completing a yield test etc.).

Note: Equipment breakdown is not an acceptable reason for checking off “Pumping Discontinued” on the well record form. If groundwater in the well is flowing out of the well, provide the rate of flow, and check off “Flowing Well” (i.e., static water level above the ground surface).

In the “Results of Well Yield Testing” section of the well record form, record:

- the depth to the intake of the pump,
- the rate of pumping and duration of pumping period during the yield test,
- the final water level when pumping stops,
- water level measurements made during pumping (drawdown) and recovery. All water level measurements must be referenced from below the ground surface for each time interval specified in the drawdown and recovery boxes.

If the water level measurements remain the same over a period of time, continue to measure and report the same water level measurement for the remaining pumping or recovery time intervals.

If pumping continuously for at least 1 hour, but the design of the well does not allow for water level measurements (e.g., driven point well), the person constructing the well is not required to report drawdown or recovery water level measurements.

Map of Well Location

In the “Map of Well Location” section of the well record form, click the map area to attach a map of the well location. The map must show sufficient information to locate the well, including:

- a mark on the map showing the well,
- a scale on the map, and
- where available, the name of the structure, street or surface water body nearest to the well.

Note: More than one map can be added to the well record form by clicking on “Add Map (+)” to add an additional map.

Information

Record any additional information (e.g., observations, tests, additional licensed well technicians who worked on the well, additional annular space details for a telescoped well or a multi-level nested test hole, reasons for not providing a well owner information package) in the comments area.

Declaration

Check the declaration statement to confirm that the person constructing the well agrees with the following statement: “I hereby confirm that I am the person who constructed the well and I hereby confirm that the information on the form is correct and accurate”.

Validate

Click the validate button. If there is no missing information, you will be asked to enter the well tag again to make sure the well tag is entered correctly (only enter the numeric portion of the tag number). The audit number will then be changed from “**incomplete**” to an assigned audit number. The signature field will then be available. Click on “signature” to enter the well technician’s electronic signature. For instructions on how to create an electronic signature, please visit the Adobe Digital IDs website using the following link: <https://helpx.adobe.com/acrobat/using/digital-ids.html>

Notice of Collection of Personal Information

Personal information contained on this form is collected pursuant to sections 35-50 and 75(2) of the *Ontario Water Resources Act* and section 16.3 of the Wells Regulation. This information will be used for the purpose of maintaining a public record of wells in Ontario. This form and the information contained on the form will be stored in the Ministry's well record database and made publicly available. Questions about this collection should be directed to the Water Well Customer Service Representative at the Wells Help Desk, 125 Resources Road, Toronto Ontario M9P 3V6, at 1-888-396-9355 or wellshelpdesk@ontario.ca.

Fields marked with an asterisk (*) are mandatory.

Well Tag Number *
[A324195](#)

Type *

☒ Construction ☐ Abandonment

Measurement recorded in: *

☐ Metric ☒ Imperial

1. Well Owner's Information

Last Name and First Name, or Organization is mandatory. *

Last Name	First Name
Organization Township of Centre Wellington	Email Address

Current Address

Unit Number	Street Number * 1	Street Name * MacDonald Square	City/Town/Village Elora
Country Canada	Province Ontario	Postal Code N0B 1S0	Telephone Number 519-846-9691

2. Well Location

Address of Well Location

Unit Number	Street Number * 900	Street Name * Scotland Street	Township
Lot	Concession	County/District/Municipality Wellington	
City/Town Center Wellington	Province Ontario	Postal Code	
UTM Coordinates NAD 83	Zone * 17	Easting * 551835	Northing * 4839072
			Municipal Plan and Sublot Number Test UTM in Map
Other F5R			

3. Overburden and Bedrock Material *

Well Depth * 475.5	(ft)				
General Colour	Most Common Material	Other Materials	General Description	Depth From	Depth To

				(ft)	(ft)
	Overburden			0	65
Brown	Limestone			65	475.5

4. Annular Space *

Depth From (ft)	Depth To (ft)	Type of Sealant Used (Material and Type)	Volume Placed (cubic feet)
0	183	Cement/Bentonite	11.25
183	475.5	Open Hole	229.92

5. Method of Construction *

- ☐ Cable Tool ☐ Rotary (Conventional) ☐ Rotary (Reverse) ☐ Boring ☐ Air percussion ☐ Diamond
☐ Jetting ☐ Driving ☐ Digging ☐ Rotary (Air) ☐ Augering ☐ Direct Push
☒ Other (specify) DR

6. Well Use *

- ☐ Public ☐ Industrial ☐ Cooling & Air Conditioning
☐ Domestic ☐ Commercial ☐ Not Used
☐ Livestock ☒ Municipal ☐ Monitoring
☐ Irrigation ☐ Test Hole ☐ Dewatering
☐ Other (specify) _____

7. Status of Well *

- ☒ Water Supply ☒ Replacement Well ☐ Test Hole
☐ Recharge Well ☐ Dewatering Well ☐ Observation and/or Monitoring Hole
☐ Alteration (Construction) ☐ Abandoned, Insufficient Supply ☐ Abandoned, Poor Water Quality
☐ Abandoned, other (specify) _____
☐ Other (specify) _____

8. Construction Record - Casing * (use negative number(s) to indicate depth above ground surface)

Inside Diameter (in)	Open Hole or Material (Galvanized, Fibreglass, Concrete, Plastic, Steel)	Wall Thickness	Depth From (ft)	Depth To (ft)
12	Steel	0.375	-2.33	183
16	Steel	0.375	-0.58	182
12	Open Hole		183	475.5

9. Construction Record - Screen

Outside Diameter (in)	Material (Plastic, Galvanized, Steel)	Slot Number	Depth From (ft)	Depth To (ft)

10. Water Details

Water found at Depth (ft) ☐ Gas Kind of water ☐ Fresh ☐ Untested ☐ Other

11. Hole Diameter

Depth From (ft)	Depth To (ft)	Diameter (in)
0	182	20
182	183	16
183	475.5	12

12. Results of Well Yield Testing

☐ Pumping Discontinued

Explain _____

If flowing give rate

☐ Flowing _____ (GPM)

Draw down

Time (min)	Static Level	1	2	3	4	5	10	15	20	25	30	40	50	60
Water Level (ft)														

Recovery

Time (min)	1	2	3	4	5	10	15	20	25	30	40	50	60
Water Level (ft)													


After test of well yield, water was

☒ Clear and sand free ☐ Other (specify)

Pump intake set at (ft)	Pumping rate (GPM)	Duration of pumping hrs + min	Final water level end of pumping (ft)	Disinfected? * <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
	104.61	27	57.05	
Recommended pump depth (ft)	Recommended pump rate (GPM)	Well production (GPM)		

13. Map of Well Location *

Map 1. Please Click the map area below to import an image file to use as the map. ☐ Make map area bigger



14. Information

Well owner's information package delivered <input type="checkbox"/> Yes <input type="checkbox"/> No	Date Package Delivered (yyyy/mm/dd) 2021/12/01	Date Work Completed (yyyy/mm/dd) * 2022/06/28
--	---	--

Comments

Please see Excel spread sheet for the pump test information

15. Well Contractor and Well Technician Information

Business Name of Well Contractor * Aardvark Drilling Inc.	Well Contractor's License Number * 7675
--	--

Business Address

Unit Number C	Street Number 25	Street Name * Lewis Road
City/Town/Village * Guelph	Province ON	Postal Code * N1H 1E9

Business Telephone Number 519-826-9340	Business Email Address info@aardvarkdrillinginc.com
---	--

Last Name of Well Technician * Smith	First Name of Well Technician * Kyle	Well Technician's License Number * 3591
---	---	--

16. Declaration *

☒ I hereby confirm that I am the person who constructed the well and I hereby confirm that the information on the form is correct and accurate.

Last Name England	First Name Matthew	Email Address mengland@aardvarkdrillinginc.com
Signature	Date Submitted (yyyy/mm/dd) 2022/10/05	

17. Ministry Use Only

Audit Number
47RO TSTE

General Instructions and Explanations for completing a Well Record

A completed electronic Well Record Form must be delivered to the well purchaser and the owner of the land on which the well is situated within 14 days after the date on which the well's structural stage is complete. The electronic Well Record must also be forwarded within 30 days after the date on which the well's structural stage is complete to the ministry through email to the following email address: WellRecordSubmission@ontario.ca

False and Misleading Information

Subsection 98(2) of the *Ontario Water Resources Act*, R.S.O. 1990 c. O. 40, states that:

"No person shall orally, in writing or electronically, give or submit false or misleading information in any statement, document or data, to any provincial officer, the Minister, the Ministry or the Agency, any employee in or agent of the Ministry or the Agency, or any person involved in carrying out a program of the Ministry or the Agency in respect of any matter related to this Act or the regulations."

Further, subsection 98(3) of the Act states that:

"No person shall include false or misleading information in any document or data required to be created, stored or submitted under this Act."

Measurements

All measurements must be recorded in the specified unit, metric or imperial by checking off the applicable box on the top of the form. You must use the checked unit consistently throughout the well record. Measurements must be reported to 1/10th of a metre if the unit is a metre. All measurements of depth must be referenced to ground surface.

Well Owner's Information

A "well owner" means the owner of land upon which a well is situated and includes a tenant or lessee of the land and a well purchaser. If the "well owner" is an individual, record the owner's last name and first name or if the "well owner" is a business, government or other organization, record the name in the "organization" area.

Well Location

Street Number/Name and City/town/Village must be provided, if available.

Geographic Township, Concession and Lot must be reported if the well is located in an area where such information exists.

UTM Coordinates must be recorded each time a Well Record is completed. Click the button [Test UTM in Map] to use the UTM Coordinates to plot the location to Google map. This allows verification of the UTM Coordinates. This will also automatically populate the County/District.

Municipal Plan and Sublot Number may be provided, if available.

Overburden and Bedrock Materials

For each formation encountered during construction, choose words from the lists that best describe the formation on the basis of general colour, most common material, other materials, and general description of the formation.

General Colours are White, Yellow, Grey, Brown, Blue, Red, Green and Black.

Examples of Materials are: Fill, Silt, Top Soil, Coarse Sand, Slate, Muck, Gravel, Limestone, Dolomite, Quartzite, Peat, Stones, Fine Sand, Shale, Granite, Clay, Boulders, Medium Sand, Sandstone, and Greenstone.

Some definitions are as follows:

- Clay: Composed of very fine particles. Forms dense hard lumps or clods when dry and a very elastic putty-like mass when wet. It can be rolled between fingers to form a long, flexible ribbon.
- Silt: Grain size, midway between sand and clay. It may form clods which, when broken, feel soft and floury. When moist, it will form a cast that can be handled freely without breaking. Rolled between thumb and finger, it will not "ribbon" but will give a broken appearance.

- Sand: Grains are loose and granular and may be seen and felt readily. Squeezed in the hand when dry, it falls apart when the pressure is released. Squeezed when moist, it will form a cast that will crumble when touched. Should be listed as fine sand, medium sand or coarse sand.
- Gravel: Rock fragments greater than 0.3 cm in diameter.

Examples of General Descriptions are Loose, Cemented, Previously Dug or Bored, Porous, Layered, Previously Drilled, Dense, Soft, Wood Fragments, Packed, Hard.

Abandonment

To report abandonment of a well, check off the applicable box in Type on the top of the form. Details of abandonment must be recorded in the Abandonment and Sealing Section. Additional comments may be entered in the comments box under the Information section.

Annular Space

Record all material placed in the annular space around the single casing or around the permanent outer casing. If the well is a telescoped well [i.e., a well with an outer casing and inner casing(s)] or if the well is a multi-level nested test hole, report the depth from, depth to, material and volume placed for the annular space between two different sized casings or between the inner casing(s) and the side of the well in the “Comments” area of this electronic well record form.

Method of Construction

If the equipment used to construct the well is not on the list, check “Other (specify)” and record the type of equipment, check each equipment that applies.

Well Use

If the well’s use is not provided on the list, check “Other (specify)” and record the use of the well. If the well has multiple uses, check each use that applies.

Status of Well

If the well’s status is not provided on the list, check “Other (specify)” and record the use of the well. If the well has multiple statuses, check each use that applies.

Construction Record – Casing and Open Hole

Use negative values to report the top of casing above ground surface. For example, if the top of the casing is 0.4 metres above the ground surface and the bottom of the casing 6.0 metres below the ground surface, record the casing “Depth From” as -0.4.

If the top of casing is located below the ground surface (e.g., if a test hole is constructed and the top of casing is located below the ground surface in a flush mounted well vault), report the top of the casing from below ground surface. For example, if the top of the casing is 0.1 metres below the ground surface and the bottom of the casing is 6 metres below the ground surface, record the casing “Depth From” as 0.1.

Note: If a drive shoe is used, the shoe is considered casing and it must be reported if the shoe has a different inside diameter thickness.

If a portion of the well was created an open hole, record the location of the open hole on a separate row, including the diameter and the depth (top and bottom of open hole) from the ground surface.

Construction Record – Well Screen

A “well screen” means perforated pipe or tubing, unsealed concrete tiles or other material installed in a well to filter out particulate matter and form the water intake zone. Therefore, the length of a well screen includes any slotted or perforated area and unsealed area of pipe or tiles.

Water Details

- if groundwater was located, record the depth from the ground surface to the location of the groundwater resource, and
- record if the groundwater quality is “Untested,” “Fresh” (i.e., not salty), or “Other (specify).” If “Other (specify)” is recorded, use the “Other (specify)” dropdown list to select the type of groundwater (e.g., salty, blackish water, yellowish water, mineralized, etc.).

Check off “Gas” if natural gas was encountered during well construction.

Note: Natural gas encounters need to be immediately reported to the ministry at 1-800-268-6060, well purchaser and the owner of the land.

Results of Well Yield Testing

Check off “Pumping Discontinued” if pumping was discontinued before 1 hour of continuous pumping. Explain the reason why pumping was discontinued or in some cases not performed (e.g., the well went dry, impossible to install pump in small diameter well, static water level from test hole or dewatering well was obtained and is reported instead of completing a yield test etc.).

Note: Equipment breakdown is not an acceptable reason for checking off “Pumping Discontinued” on the well record form. If groundwater in the well is flowing out of the well, provide the rate of flow, and check off “Flowing Well” (i.e., static water level above the ground surface).

In the “Results of Well Yield Testing” section of the well record form, record:

- the depth to the intake of the pump,
- the rate of pumping and duration of pumping period during the yield test,
- the final water level when pumping stops,
- water level measurements made during pumping (drawdown) and recovery. All water level measurements must be referenced from below the ground surface for each time interval specified in the drawdown and recovery boxes.

If the water level measurements remain the same over a period of time, continue to measure and report the same water level measurement for the remaining pumping or recovery time intervals.

If pumping continuously for at least 1 hour, but the design of the well does not allow for water level measurements (e.g., driven point well), the person constructing the well is not required to report drawdown or recovery water level measurements.

Map of Well Location

In the “Map of Well Location” section of the well record form, click the map area to attach a map of the well location. The map must show sufficient information to locate the well, including:

- a mark on the map showing the well,
- a scale on the map, and
- where available, the name of the structure, street or surface water body nearest to the well.

Note: More than one map can be added to the well record form by clicking on “Add Map (+)” to add an additional map.

Information

Record any additional information (e.g., observations, tests, additional licensed well technicians who worked on the well, additional annular space details for a telescoped well or a multi-level nested test hole, reasons for not providing a well owner information package) in the comments area.

Declaration

Check the declaration statement to confirm that the person constructing the well agrees with the following statement: “I hereby confirm that I am the person who constructed the well and I hereby confirm that the information on the form is correct and accurate”.

Validate

Click the validate button. If there is no missing information, you will be asked to enter the well tag again to make sure the well tag is entered correctly (only enter the numeric portion of the tag number). The audit number will then be changed from “**incomplete**” to an assigned audit number. The signature field will then be available. Click on “signature” to enter the well technician’s electronic signature. For instructions on how to create an electronic signature, please visit the Adobe Digital IDs website using the following link: <https://helpx.adobe.com/acrobat/using/digital-ids.html>

Notice of Collection of Personal Information

Personal information contained on this form is collected pursuant to sections 35-50 and 75(2) of the *Ontario Water Resources Act* and section 16.3 of the Wells Regulation. This information will be used for the purpose of maintaining a public record of wells in Ontario. This form and the information contained on the form will be stored in the Ministry's well record database and made publicly available. Questions about this collection should be directed to the Water Well Customer Service Representative at the Wells Help Desk, 125 Resources Road, Toronto Ontario M9P 3V6, at 1-888-396-9355 or wellshelpdesk@ontario.ca.

Fields marked with an asterisk (*) are mandatory.

Well Tag Number *
A323424

Type *

☒ Construction ☐ Abandonment

Measurement recorded in: *

☐ Metric ☒ Imperial

1. Well Owner's Information

Last Name and First Name, or Organization is mandatory. *

Last Name	First Name
Organization Township of Centre Wellington	Email Address

Current Address

Unit Number	Street Number * 1	Street Name * MacDonald Square	City/Town/Village Elora
Country Canada	Province Ontario	Postal Code N0B 1S0	Telephone Number 519-846-9691

2. Well Location

Address of Well Location

Unit Number	Street Number * 0	Street Name * St Andrew St & Cameron St	Township Nichol
Lot	Concession	County/District/Municipality Wellington	
City/Town Fergus	Province Ontario	Postal Code	
UTM Coordinates NAD 83	Zone * 17	Easting * 550345	Northing * 4839658
		Test UTM in Map	Municipal Plan and Sublot Number

Other

3. Overburden and Bedrock Material *

Well Depth *	283.6	(ft)
General Colour	Most Common Material	Other Materials
General Description	Depth From	Depth To

				(ft)	(ft)
	Fill			0	3
	Gravel	Sand		3	4
	Limestone			4	283.6

4. Annular Space *

Depth From (ft)	Depth To (ft)	Type of Sealant Used (Material and Type)	Volume Placed (cubic feet)
0	64	Grout, Cement	9.82
64	68.2	Pellet Chips	0.74
68.2	82.1	Sand	2.44
82.1	270	Pellet Chips	33
270	283.6	Sand	2.40

5. Method of Construction *

☐ Cable Tool ☐ Rotary (Conventional) ☐ Rotary (Reverse) ☐ Boring ☒ Air percussion ☐ Diamond
☐ Jetting ☐ Driving ☐ Digging ☐ Rotary (Air) ☐ Augering ☐ Direct Push
☐ Other (specify) _____

6. Well Use *

☐ Public ☐ Industrial ☐ Cooling & Air Conditioning
☐ Domestic ☒ Commercial ☐ Not Used
☐ Livestock ☐ Municipal ☐ Monitoring
☐ Irrigation ☐ Test Hole ☐ Dewatering
☐ Other (specify) _____

7. Status of Well *

☒ Water Supply ☐ Replacement Well ☐ Test Hole
☐ Recharge Well ☐ Dewatering Well ☐ Observation and/or Monitoring Hole
☐ Alteration (Construction) ☐ Abandoned, Insufficient Supply ☐ Abandoned, Poor Water Quality
☐ Abandoned, other (specify) _____
☐ Other (specify) _____

8. Construction Record - Casing * (use negative number(s) to indicate depth above ground surface)

Inside Diameter (in)	Open Hole or Material (Galvanized, Fibreglass, Concrete, Plastic, Steel)	Wall Thickness	Depth From (ft)	Depth To (ft)
1.25	Plastic	0.28	0	70.4
1.25	Plastic	0.28	0	272.1

9. Construction Record - Screen

Outside Diameter (in)	Material (Plastic, Galvanized, Steel)	Slot Number	Depth From (ft)	Depth To (ft)
1.5	Plastic	10	70.4	80.4
1.5	Plastic	10	272.1	282.1

10. Water Details

Water found at Depth 30 (ft) ☐ Gas Kind of water ☐ Fresh ☒ Untested ☐ Other

11. Hole Diameter

Depth From (ft)	Depth To (ft)	Diameter (in)
0	4	10
4	283.6	5.87

12. Results of Well Yield Testing

☐ Pumping Discontinued

Explain _____

If flowing give rate

☐ Flowing _____ (GPM)

Draw down

Time (min)	Static Level	1	2	3	4	5	10	15	20	25	30	40	50	60
Water Level (ft)														

Recovery

Time (min)	1	2	3	4	5	10	15	20	25	30	40	50	60
Water Level (ft)													


After test of well yield, water was

☐ Clear and sand free ☐ Other (specify)

Pump intake set at (ft)	Pumping rate (GPM)	Duration of pumping hrs + min	Final water level end of pumping (ft)	Disinfected? * <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Recommended pump depth (ft)	Recommended pump rate (GPM)	Well production (GPM)		

13. Map of Well Location *

Map 1. Please Click the map area below to import an image file to use as the map. ☐ Make map area bigger



14. Information

Well owner's information package delivered <input type="checkbox"/> Yes <input type="checkbox"/> No	Date Package Delivered (yyyy/mm/dd)	Date Work Completed (yyyy/mm/dd) *
		2021/10/14

Comments

15. Well Contractor and Well Technician Information

Business Name of Well Contractor *	Well Contractor's License Number *
Aardvark Drilling Inc.	7675

Business Address

Unit Number	Street Number	Street Name *
C	25	Lewis Road
City/Town/Village *	Province	Postal Code *
Guelph	ON	N1H 1E9

Business Telephone Number	Business Email Address
519-826-9340	info@aardvarkdrillinginc.com

Last Name of Well Technician *	First Name of Well Technician *	Well Technician's License Number *
Richards	Adrian	2554

16. Declaration *

☒ I hereby confirm that I am the person who constructed the well and I hereby confirm that the information on the form is correct and accurate.

Last Name England	First Name Matthew	Email Address mengland@aardvarkdrillinginc.com
Signature		Date Submitted (yyyy/mm/dd) 2021/11/26

17. Ministry Use Only

Audit Number
2AVF SN8L

General Instructions and Explanations for completing a Well Record

A completed electronic Well Record Form must be delivered to the well purchaser and the owner of the land on which the well is situated within 14 days after the date on which the well's structural stage is complete. The electronic Well Record must also be forwarded within 30 days after the date on which the well's structural stage is complete to the ministry through email to the following email address: WellRecordSubmission@ontario.ca

False and Misleading Information

Subsection 98(2) of the *Ontario Water Resources Act*, R.S.O. 1990 c. O. 40, states that:

"No person shall orally, in writing or electronically, give or submit false or misleading information in any statement, document or data, to any provincial officer, the Minister, the Ministry or the Agency, any employee in or agent of the Ministry or the Agency, or any person involved in carrying out a program of the Ministry or the Agency in respect of any matter related to this Act or the regulations."

Further, subsection 98(3) of the Act states that:

"No person shall include false or misleading information in any document or data required to be created, stored or submitted under this Act."

Measurements

All measurements must be recorded in the specified unit, metric or imperial by checking off the applicable box on the top of the form. You must use the checked unit consistently throughout the well record. Measurements must be reported to 1/10th of a metre if the unit is a metre. All measurements of depth must be referenced to ground surface.

Well Owner's Information

A "well owner" means the owner of land upon which a well is situated and includes a tenant or lessee of the land and a well purchaser. If the "well owner" is an individual, record the owner's last name and first name or if the "well owner" is a business, government or other organization, record the name in the "organization" area.

Well Location

Street Number/Name and City/town/Village must be provided, if available.

Geographic Township, Concession and Lot must be reported if the well is located in an area where such information exists.

UTM Coordinates must be recorded each time a Well Record is completed. Click the button [Test UTM in Map] to use the UTM Coordinates to plot the location to Google map. This allows verification of the UTM Coordinates. This will also automatically populate the County/District.

Municipal Plan and Sublot Number may be provided, if available.

Overburden and Bedrock Materials

For each formation encountered during construction, choose words from the lists that best describe the formation on the basis of general colour, most common material, other materials, and general description of the formation.

General Colours are White, Yellow, Grey, Brown, Blue, Red, Green and Black.

Examples of Materials are: Fill, Silt, Top Soil, Coarse Sand, Slate, Muck, Gravel, Limestone, Dolomite, Quartzite, Peat, Stones, Fine Sand, Shale, Granite, Clay, Boulders, Medium Sand, Sandstone, and Greenstone.

Some definitions are as follows:

- Clay: Composed of very fine particles. Forms dense hard lumps or clods when dry and a very elastic putty-like mass when wet. It can be rolled between fingers to form a long, flexible ribbon.
- Silt: Grain size, midway between sand and clay. It may form clods which, when broken, feel soft and floury. When moist, it will form a cast that can be handled freely without breaking. Rolled between thumb and finger, it will not "ribbon" but will give a broken appearance.

- Sand: Grains are loose and granular and may be seen and felt readily. Squeezed in the hand when dry, it falls apart when the pressure is released. Squeezed when moist, it will form a cast that will crumble when touched. Should be listed as fine sand, medium sand or coarse sand.
- Gravel: Rock fragments greater than 0.3 cm in diameter.

Examples of General Descriptions are Loose, Cemented, Previously Dug or Bored, Porous, Layered, Previously Drilled, Dense, Soft, Wood Fragments, Packed, Hard.

Abandonment

To report abandonment of a well, check off the applicable box in Type on the top of the form. Details of abandonment must be recorded in the Abandonment and Sealing Section. Additional comments may be entered in the comments box under the Information section.

Annular Space

Record all material placed in the annular space around the single casing or around the permanent outer casing. If the well is a telescoped well [i.e., a well with an outer casing and inner casing(s)] or if the well is a multi-level nested test hole, report the depth from, depth to, material and volume placed for the annular space between two different sized casings or between the inner casing(s) and the side of the well in the “Comments” area of this electronic well record form.

Method of Construction

If the equipment used to construct the well is not on the list, check “Other (specify)” and record the type of equipment, check each equipment that applies.

Well Use

If the well’s use is not provided on the list, check “Other (specify)” and record the use of the well. If the well has multiple uses, check each use that applies.

Status of Well

If the well’s status is not provided on the list, check “Other (specify)” and record the use of the well. If the well has multiple statuses, check each use that applies.

Construction Record – Casing and Open Hole

Use negative values to report the top of casing above ground surface. For example, if the top of the casing is 0.4 metres above the ground surface and the bottom of the casing 6.0 metres below the ground surface, record the casing “Depth From” as -0.4.

If the top of casing is located below the ground surface (e.g., if a test hole is constructed and the top of casing is located below the ground surface in a flush mounted well vault), report the top of the casing from below ground surface. For example, if the top of the casing is 0.1 metres below the ground surface and the bottom of the casing is 6 metres below the ground surface, record the casing “Depth From” as 0.1.

Note: If a drive shoe is used, the shoe is considered casing and it must be reported if the shoe has a different inside diameter thickness.

If a portion of the well was created an open hole, record the location of the open hole on a separate row, including the diameter and the depth (top and bottom of open hole) from the ground surface.

Construction Record – Well Screen

A “well screen” means perforated pipe or tubing, unsealed concrete tiles or other material installed in a well to filter out particulate matter and form the water intake zone. Therefore, the length of a well screen includes any slotted or perforated area and unsealed area of pipe or tiles.

Water Details

- if groundwater was located, record the depth from the ground surface to the location of the groundwater resource, and
- record if the groundwater quality is “Untested,” “Fresh” (i.e., not salty), or “Other (specify).” If “Other (specify)” is recorded, use the “Other (specify)” dropdown list to select the type of groundwater (e.g., salty, blackish water, yellowish water, mineralized, etc.).

Check off “Gas” if natural gas was encountered during well construction.

Note: Natural gas encounters need to be immediately reported to the ministry at 1-800-268-6060, well purchaser and the owner of the land.

Results of Well Yield Testing

Check off “Pumping Discontinued” if pumping was discontinued before 1 hour of continuous pumping. Explain the reason why pumping was discontinued or in some cases not performed (e.g., the well went dry, impossible to install pump in small diameter well, static water level from test hole or dewatering well was obtained and is reported instead of completing a yield test etc.).

Note: Equipment breakdown is not an acceptable reason for checking off “Pumping Discontinued” on the well record form. If groundwater in the well is flowing out of the well, provide the rate of flow, and check off “Flowing Well” (i.e., static water level above the ground surface).

In the “Results of Well Yield Testing” section of the well record form, record:

- the depth to the intake of the pump,
- the rate of pumping and duration of pumping period during the yield test,
- the final water level when pumping stops,
- water level measurements made during pumping (drawdown) and recovery. All water level measurements must be referenced from below the ground surface for each time interval specified in the drawdown and recovery boxes.

If the water level measurements remain the same over a period of time, continue to measure and report the same water level measurement for the remaining pumping or recovery time intervals.

If pumping continuously for at least 1 hour, but the design of the well does not allow for water level measurements (e.g., driven point well), the person constructing the well is not required to report drawdown or recovery water level measurements.

Map of Well Location

In the “Map of Well Location” section of the well record form, click the map area to attach a map of the well location. The map must show sufficient information to locate the well, including:

- a mark on the map showing the well,
- a scale on the map, and
- where available, the name of the structure, street or surface water body nearest to the well.

Note: More than one map can be added to the well record form by clicking on “Add Map (+)” to add an additional map.

Information

Record any additional information (e.g., observations, tests, additional licensed well technicians who worked on the well, additional annular space details for a telescoped well or a multi-level nested test hole, reasons for not providing a well owner information package) in the comments area.

Declaration

Check the declaration statement to confirm that the person constructing the well agrees with the following statement: “I hereby confirm that I am the person who constructed the well and I hereby confirm that the information on the form is correct and accurate”.

Validate

Click the validate button. If there is no missing information, you will be asked to enter the well tag again to make sure the well tag is entered correctly (only enter the numeric portion of the tag number). The audit number will then be changed from “**incomplete**” to an assigned audit number. The signature field will then be available. Click on “signature” to enter the well technician’s electronic signature. For instructions on how to create an electronic signature, please visit the Adobe Digital IDs website using the following link: <https://helpx.adobe.com/acrobat/using/digital-ids.html>

Notice of Collection of Personal Information

Personal information contained on this form is collected pursuant to sections 35-50 and 75(2) of the *Ontario Water Resources Act* and section 16.3 of the Wells Regulation. This information will be used for the purpose of maintaining a public record of wells in Ontario. This form and the information contained on the form will be stored in the Ministry's well record database and made publicly available. Questions about this collection should be directed to the Water Well Customer Service Representative at the Wells Help Desk, 125 Resources Road, Toronto Ontario M9P 3V6, at 1-888-396-9355 or wellshelpdesk@ontario.ca.

Fields marked with an asterisk (*) are mandatory.

Well Tag Number *
[A323425](#)

Type *

☒ Construction ☐ Abandonment

Measurement recorded in: *

☐ Metric ☒ Imperial

1. Well Owner's Information

Last Name and First Name, or Organization is mandatory. *

Last Name	First Name
Organization Township of Centre Wellington	Email Address

Current Address

Unit Number	Street Number * 1	Street Name * MacDonald Square	City/Town/Village Elora
Country Canada	Province Ontario	Postal Code N0B 1S0	Telephone Number 519-846-9691

2. Well Location

Address of Well Location

Unit Number	Street Number * 0	Street Name * St Andrew St & Cameron St	Township Nichol
Lot	Concession	County/District/Municipality Wellington	
City/Town Fergus	Province Ontario	Postal Code	
UTM Coordinates NAD 83	Zone * 17	Easting * 550349	Northing * 4839658
		Test UTM in Map	Municipal Plan and Sublot Number

Other

3. Overburden and Bedrock Material *

Well Depth * [380.6](#) (ft)

General Colour	Most Common Material	Other Materials	General Description	Depth From	Depth To
----------------	----------------------	-----------------	---------------------	------------	----------

				(ft)	(ft)
	Fill			0	3
	Gravel	Sand		3	4
	Limestone			4	380.6

4. Annular Space *

Depth From (ft)	Depth To (ft)	Type of Sealant Used (Material and Type)	Volume Placed (cubic feet)
0	328	Grout, Cement	41.45
328	330	Pellet Chips	0.26
330	355	Sand	3.19
355	380	Pellet Chips	3.19

5. Method of Construction *

- ☐ Cable Tool
 ☐ Rotary (Conventional)
 ☐ Rotary (Reverse)
 ☐ Boring
 ☐ Air percussion
 ☒ Diamond
- ☐ Jetting
 ☐ Driving
 ☐ Digging
 ☐ Rotary (Air)
 ☐ Augering
 ☐ Direct Push
- ☐ Other (specify) _____

6. Well Use *

- ☐ Public
 ☐ Industrial
 ☐ Cooling & Air Conditioning
- ☐ Domestic
 ☒ Commercial
 ☐ Not Used
- ☐ Livestock
 ☐ Municipal
 ☐ Monitoring
- ☐ Irrigation
 ☐ Test Hole
 ☐ Dewatering
- ☐ Other (specify) _____

7. Status of Well *

- ☐ Water Supply
 ☐ Replacement Well
 ☐ Test Hole
- ☐ Recharge Well
 ☐ Dewatering Well
 ☒ Observation and/or Monitoring Hole
- ☐ Alteration (Construction)
 ☐ Abandoned, Insufficient Supply
 ☐ Abandoned, Poor Water Quality
- ☐ Abandoned, other (specify) _____
- ☐ Other (specify) _____

8. Construction Record - Casing * (use negative number(s) to indicate depth above ground surface)

Inside Diameter (in)	Open Hole or Material (Galvanized, Fibreglass, Concrete, Plastic, Steel)	Wall Thickness	Depth From (ft)	Depth To (ft)
2	Plastic	80	0	353

9. Construction Record - Screen

Outside Diameter (in)	Material (Plastic, Galvanized, Steel)	Slot Number	Depth From (ft)	Depth To (ft)
2	Plastic	80	341	353

10. Water Details

Water found at Depth 30 (ft) ☐ Gas Kind of water ☐ Fresh ☒ Untested ☐ Other

11. Hole Diameter

Depth From (ft)	Depth To (ft)	Diameter (in)
0	4	6
4	380.6	5

12. Results of Well Yield Testing

☐ Pumping Discontinued
Explain _____

If flowing give rate
☐ Flowing _____ (GPM)

Draw down

Time (min)	Static Level	1	2	3	4	5	10	15	20	25	30	40	50	60
Water Level (ft)														

Recovery


Time (min)	1	2	3	4	5	10	15	20	25	30	40	50	60
Water Level (ft)													

After test of well yield, water was
☐ Clear and sand free ☐ Other (specify)

Pump intake set at (ft)	Pumping rate (GPM)	Duration of pumping hrs + min	Final water level end of pumping (ft)	Disinfected? * <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Recommended pump depth (ft)	Recommended pump rate (GPM)	Well production (GPM)		

13. Map of Well Location *

Map 1. Please Click the map area below to import an image file to use as the map. ☐ Make map area bigger



14. Information

Well owner's information package delivered

☐ Yes ☐ No

Date Package Delivered (yyyy/mm/dd)

Date Work Completed (yyyy/mm/dd) *

2021/10/14

Comments

15. Well Contractor and Well Technician Information

Business Name of Well Contractor *

Aardvark Drilling Inc.

Well Contractor's License Number *

7675

Business Address

Unit Number

C

Street Number

25

Street Name *

Lewis Road

City/Town/Village *

Guelph

Province

ON

Postal Code *

N1H 1E9

Business Telephone Number

519-826-9340

Business Email Address

info@aardvarkdrillinginc.com

Last Name of Well Technician *

Richards

First Name of Well Technician *

Adrian

Well Technician's License Number *

2554

16. Declaration *

☒ I hereby confirm that I am the person who constructed the well and I hereby confirm that the information on the form is correct and accurate.

Last Name

England

First Name

Matthew

Email Address

mengland@aardvarkdrillinginc.com

Signature

Date Submitted (yyyy/mm/dd)

2021/11/26

17. Ministry Use Only

Audit Number

IQVW SCOU

General Instructions and Explanations for completing a Well Record

A completed electronic Well Record Form must be delivered to the well purchaser and the owner of the land on which the well is situated within 14 days after the date on which the well's structural stage is complete. The electronic Well Record must also be forwarded within 30 days after the date on which the well's structural stage is complete to the ministry through email to the following email address: WellRecordSubmission@ontario.ca

False and Misleading Information

Subsection 98(2) of the *Ontario Water Resources Act*, R.S.O. 1990 c. O. 40, states that:

"No person shall orally, in writing or electronically, give or submit false or misleading information in any statement, document or data, to any provincial officer, the Minister, the Ministry or the Agency, any employee in or agent of the Ministry or the Agency, or any person involved in carrying out a program of the Ministry or the Agency in respect of any matter related to this Act or the regulations."

Further, subsection 98(3) of the Act states that:

"No person shall include false or misleading information in any document or data required to be created, stored or submitted under this Act."

Measurements

All measurements must be recorded in the specified unit, metric or imperial by checking off the applicable box on the top of the form. You must use the checked unit consistently throughout the well record. Measurements must be reported to 1/10th of a metre if the unit is a metre. All measurements of depth must be referenced to ground surface.

Well Owner's Information

A "well owner" means the owner of land upon which a well is situated and includes a tenant or lessee of the land and a well purchaser. If the "well owner" is an individual, record the owner's last name and first name or if the "well owner" is a business, government or other organization, record the name in the "organization" area.

Well Location

Street Number/Name and City/town/Village must be provided, if available.

Geographic Township, Concession and Lot must be reported if the well is located in an area where such information exists.

UTM Coordinates must be recorded each time a Well Record is completed. Click the button [Test UTM in Map] to use the UTM Coordinates to plot the location to Google map. This allows verification of the UTM Coordinates. This will also automatically populate the County/District.

Municipal Plan and Sublot Number may be provided, if available.

Overburden and Bedrock Materials

For each formation encountered during construction, choose words from the lists that best describe the formation on the basis of general colour, most common material, other materials, and general description of the formation.

General Colours are White, Yellow, Grey, Brown, Blue, Red, Green and Black.

Examples of Materials are: Fill, Silt, Top Soil, Coarse Sand, Slate, Muck, Gravel, Limestone, Dolomite, Quartzite, Peat, Stones, Fine Sand, Shale, Granite, Clay, Boulders, Medium Sand, Sandstone, and Greenstone.

Some definitions are as follows:

- Clay: Composed of very fine particles. Forms dense hard lumps or clods when dry and a very elastic putty-like mass when wet. It can be rolled between fingers to form a long, flexible ribbon.
- Silt: Grain size, midway between sand and clay. It may form clods which, when broken, feel soft and floury. When moist, it will form a cast that can be handled freely without breaking. Rolled between thumb and finger, it will not "ribbon" but will give a broken appearance.

- Sand: Grains are loose and granular and may be seen and felt readily. Squeezed in the hand when dry, it falls apart when the pressure is released. Squeezed when moist, it will form a cast that will crumble when touched. Should be listed as fine sand, medium sand or coarse sand.
- Gravel: Rock fragments greater than 0.3 cm in diameter.

Examples of General Descriptions are Loose, Cemented, Previously Dug or Bored, Porous, Layered, Previously Drilled, Dense, Soft, Wood Fragments, Packed, Hard.

Abandonment

To report abandonment of a well, check off the applicable box in Type on the top of the form. Details of abandonment must be recorded in the Abandonment and Sealing Section. Additional comments may be entered in the comments box under the Information section.

Annular Space

Record all material placed in the annular space around the single casing or around the permanent outer casing. If the well is a telescoped well [i.e., a well with an outer casing and inner casing(s)] or if the well is a multi-level nested test hole, report the depth from, depth to, material and volume placed for the annular space between two different sized casings or between the inner casing(s) and the side of the well in the “Comments” area of this electronic well record form.

Method of Construction

If the equipment used to construct the well is not on the list, check “Other (specify)” and record the type of equipment, check each equipment that applies.

Well Use

If the well’s use is not provided on the list, check “Other (specify)” and record the use of the well. If the well has multiple uses, check each use that applies.

Status of Well

If the well’s status is not provided on the list, check “Other (specify)” and record the use of the well. If the well has multiple statuses, check each use that applies.

Construction Record – Casing and Open Hole

Use negative values to report the top of casing above ground surface. For example, if the top of the casing is 0.4 metres above the ground surface and the bottom of the casing 6.0 metres below the ground surface, record the casing “Depth From” as -0.4.

If the top of casing is located below the ground surface (e.g., if a test hole is constructed and the top of casing is located below the ground surface in a flush mounted well vault), report the top of the casing from below ground surface. For example, if the top of the casing is 0.1 metres below the ground surface and the bottom of the casing is 6 metres below the ground surface, record the casing “Depth From” as 0.1.

Note: If a drive shoe is used, the shoe is considered casing and it must be reported if the shoe has a different inside diameter thickness.

If a portion of the well was created an open hole, record the location of the open hole on a separate row, including the diameter and the depth (top and bottom of open hole) from the ground surface.

Construction Record – Well Screen

A “well screen” means perforated pipe or tubing, unsealed concrete tiles or other material installed in a well to filter out particulate matter and form the water intake zone. Therefore, the length of a well screen includes any slotted or perforated area and unsealed area of pipe or tiles.

Water Details

- if groundwater was located, record the depth from the ground surface to the location of the groundwater resource, and
- record if the groundwater quality is “Untested,” “Fresh” (i.e., not salty), or “Other (specify).” If “Other (specify)” is recorded, use the “Other (specify)” dropdown list to select the type of groundwater (e.g., salty, blackish water, yellowish water, mineralized, etc.).

Check off “Gas” if natural gas was encountered during well construction.

Note: Natural gas encounters need to be immediately reported to the ministry at 1-800-268-6060, well purchaser and the owner of the land.

Results of Well Yield Testing

Check off “Pumping Discontinued” if pumping was discontinued before 1 hour of continuous pumping. Explain the reason why pumping was discontinued or in some cases not performed (e.g., the well went dry, impossible to install pump in small diameter well, static water level from test hole or dewatering well was obtained and is reported instead of completing a yield test etc.).

Note: Equipment breakdown is not an acceptable reason for checking off “Pumping Discontinued” on the well record form. If groundwater in the well is flowing out of the well, provide the rate of flow, and check off “Flowing Well” (i.e., static water level above the ground surface).

In the “Results of Well Yield Testing” section of the well record form, record:

- the depth to the intake of the pump,
- the rate of pumping and duration of pumping period during the yield test,
- the final water level when pumping stops,
- water level measurements made during pumping (drawdown) and recovery. All water level measurements must be referenced from below the ground surface for each time interval specified in the drawdown and recovery boxes.

If the water level measurements remain the same over a period of time, continue to measure and report the same water level measurement for the remaining pumping or recovery time intervals.

If pumping continuously for at least 1 hour, but the design of the well does not allow for water level measurements (e.g., driven point well), the person constructing the well is not required to report drawdown or recovery water level measurements.

Map of Well Location

In the “Map of Well Location” section of the well record form, click the map area to attach a map of the well location. The map must show sufficient information to locate the well, including:

- a mark on the map showing the well,
- a scale on the map, and
- where available, the name of the structure, street or surface water body nearest to the well.

Note: More than one map can be added to the well record form by clicking on “Add Map (+)” to add an additional map.

Information

Record any additional information (e.g., observations, tests, additional licensed well technicians who worked on the well, additional annular space details for a telescoped well or a multi-level nested test hole, reasons for not providing a well owner information package) in the comments area.

Declaration

Check the declaration statement to confirm that the person constructing the well agrees with the following statement: “I hereby confirm that I am the person who constructed the well and I hereby confirm that the information on the form is correct and accurate”.

Validate

Click the validate button. If there is no missing information, you will be asked to enter the well tag again to make sure the well tag is entered correctly (only enter the numeric portion of the tag number). The audit number will then be changed from “**incomplete**” to an assigned audit number. The signature field will then be available. Click on “signature” to enter the well technician’s electronic signature. For instructions on how to create an electronic signature, please visit the Adobe Digital IDs website using the following link: <https://helpx.adobe.com/acrobat/using/digital-ids.html>

Notice of Collection of Personal Information

Personal information contained on this form is collected pursuant to sections 35-50 and 75(2) of the *Ontario Water Resources Act* and section 16.3 of the Wells Regulation. This information will be used for the purpose of maintaining a public record of wells in Ontario. This form and the information contained on the form will be stored in the Ministry's well record database and made publicly available. Questions about this collection should be directed to the Water Well Customer Service Representative at the Wells Help Desk, 125 Resources Road, Toronto Ontario M9P 3V6, at 1-888-396-9355 or wellshelpdesk@ontario.ca.

Fields marked with an asterisk (*) are mandatory.

Well Tag Number *
[A352935](#)

Type *

☒ Construction ☐ Abandonment

Measurement recorded in: *

☐ Metric ☒ Imperial

1. Well Owner's Information

Last Name and First Name, or Organization is mandatory. *

Last Name	First Name
Organization Township of Centre Wellington	Email Address

Current Address

Unit Number	Street Number * 1	Street Name * MacDonald Square	City/Town/Village Elora
Country Canada	Province Ontario	Postal Code N0B1S0	Telephone Number 519-846-9691

2. Well Location

Address of Well Location

Unit Number	Street Number * 295	Street Name * Queen Street E	Township Nichol
Lot	Concession	County/District/Municipality Wellington	
City/Town Fergus	Province Ontario	Postal Code N1M 3N4	
UTM Coordinates NAD 83	Zone * 17	Easting * 550391	Northing * 4836513
			Municipal Plan and Sublot Number Test UTM in Map

Other

3. Overburden and Bedrock Material *

Well Depth * 260	(ft)				
General Colour	Most Common Material	Other Materials	General Description	Depth From	Depth To

				(ft)	(ft)
Brown	Fill	Clay	Dirty	0	5
White	Dolostone			5	260

4. Annular Space *

Depth From (ft)	Depth To (ft)	Type of Sealant Used (Material and Type)	Volume Placed (cubic feet)
0	43	Pellet Plug	5.16
43	49	Sand (Port 5)	0.72
49	87	Pellet Plug	4.56
87	92	Sand (Port 4)	0.6
92	109	Pellet Plug	2.04
109	119	Sand (Port 3)	1.2
119	171	Pellet Plug	6.24
171	180	Pea Stone (Port 2)	20
180	222	Pellet Plug	5.04
222	227.5	Sand (Port 1)	0.66

5. Method of Construction *

- ☐ Cable Tool
 ☐ Rotary (Conventional)
 ☐ Rotary (Reverse)
 ☐ Boring
 ☐ Air percussion
 ☒ Diamond
- ☐ Jetting
 ☐ Driving
 ☐ Digging
 ☐ Rotary (Air)
 ☐ Augering
 ☐ Direct Push
- ☒ Other (specify) PQ Cored

6. Well Use *

- ☐ Public
 ☐ Industrial
 ☐ Cooling & Air Conditioning
- ☐ Domestic
 ☐ Commercial
 ☐ Not Used
- ☐ Livestock
 ☐ Municipal
 ☒ Monitoring
- ☐ Irrigation
 ☐ Test Hole
 ☐ Dewatering
- ☐ Other (specify) _____

7. Status of Well *

- ☐ Water Supply
 ☐ Replacement Well
 ☐ Test Hole
- ☐ Recharge Well
 ☐ Dewatering Well
 ☒ Observation and/or Monitoring Hole
- ☐ Alteration (Construction)
 ☐ Abandoned, Insufficient Supply
 ☐ Abandoned, Poor Water Quality
- ☐ Abandoned, other (specify) _____
- ☒ Other (specify) This is a multilevel Waterloo Well System

8. Construction Record - Casing * (use negative number(s) to indicate depth above ground surface)

Inside Diameter (in)	Open Hole or Material (Galvanized, Fibreglass, Concrete, Plastic, Steel)	Wall Thickness	Depth From (ft)	Depth To (ft)
2	Plastic	0.25	-3	260

9. Construction Record - Screen

Outside Diameter (in)	Material (Plastic, Galvanized, Steel)	Slot Number	Depth From (ft)	Depth To (ft)
2	Plastic		45	45.5
2	Plastic		89	89.5
2	Plastic		115.5	116
2	Plastic		176	176.5
2	Plastic		225	225.5

10. Water Details

Water found at Depth (ft) ☐ Gas Kind of water ☐ Fresh ☒ Untested ☐ Other

11. Hole Diameter

Depth From (ft)	Depth To (ft)	Diameter (in)
0	260	5

12. Results of Well Yield Testing

☐ Pumping Discontinued

Explain _____

If flowing give rate

☐ Flowing _____ (GPM)

Draw down

Time (min)	Static Level	1	2	3	4	5	10	15	20	25	30	40	50	60
Water Level (ft)														

Recovery

Time (min)	1	2	3	4	5	10	15	20	25	30	40	50	60
Water Level (ft)													

After test of well yield, water was

☐ Clear and sand free ☐ Other (specify)

Pump intake set at (ft)	Pumping rate (GPM)	Duration of pumping hrs + min	Final water level end of pumping (ft)	Disinfected? * <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Recommended pump depth (ft)	Recommended pump rate (GPM)	Well production (GPM)		

13. Map of Well Location *

Map 1. Please Click the map area below to import an image file to use as the map.

☐ Make map area bigger



14. Information

Well owner's information package delivered <input type="checkbox"/> Yes <input type="checkbox"/> No	Date Package Delivered (yyyy/mm/dd)	Date Work Completed (yyyy/mm/dd) * 2022/12/22
--	-------------------------------------	---

Comments

Annular Space Continued:

Depth From: 227.5'

Depth To: 260'

Type of Sealant: Pellet Plug

Pellet Plug Volume Placed (cubic ft): 3.9

15. Well Contractor and Well Technician Information

Business Name of Well Contractor * Aardvark Drilling Inc.	Well Contractor's License Number * 7675
---	---

Business Address

Unit Number C	Street Number 25	Street Name * Lewis Road
City/Town/Village * Guelph		Province ON
		Postal Code * N1H 1E9
Business Telephone Number 519-826-9340	Business Email Address info@aardvarkdrillinginc.com	
Last Name of Well Technician * Hovey	First Name of Well Technician * Aaron	Well Technician's License Number * 4256

16. Declaration *

☒ I hereby confirm that I am the person who constructed the well and I hereby confirm that the information on the form is correct and accurate.

Last Name England	First Name Matthew	Email Address mengland@aardvarkdrillinginc.com
Signature		Date Submitted (yyyy/mm/dd) 2023/01/18

17. Ministry Use Only

Audit Number
I5LQ XNHJ

General Instructions and Explanations for completing a Well Record

A completed electronic Well Record Form must be delivered to the well purchaser and the owner of the land on which the well is situated within 14 days after the date on which the well's structural stage is complete. The electronic Well Record must also be forwarded within 30 days after the date on which the well's structural stage is complete to the ministry through email to the following email address: WellRecordSubmission@ontario.ca

False and Misleading Information

Subsection 98(2) of the *Ontario Water Resources Act*, R.S.O. 1990 c. O. 40, states that:

"No person shall orally, in writing or electronically, give or submit false or misleading information in any statement, document or data, to any provincial officer, the Minister, the Ministry or the Agency, any employee in or agent of the Ministry or the Agency, or any person involved in carrying out a program of the Ministry or the Agency in respect of any matter related to this Act or the regulations."

Further, subsection 98(3) of the Act states that:

"No person shall include false or misleading information in any document or data required to be created, stored or submitted under this Act."

Measurements

All measurements must be recorded in the specified unit, metric or imperial by checking off the applicable box on the top of the form. You must use the checked unit consistently throughout the well record. Measurements must be reported to 1/10th of a metre if the unit is a metre. All measurements of depth must be referenced to ground surface.

Well Owner's Information

A "well owner" means the owner of land upon which a well is situated and includes a tenant or lessee of the land and a well purchaser. If the "well owner" is an individual, record the owner's last name and first name or if the "well owner" is a business, government or other organization, record the name in the "organization" area.

Well Location

Street Number/Name and City/town/Village must be provided, if available.

Geographic Township, Concession and Lot must be reported if the well is located in an area where such information exists.

UTM Coordinates must be recorded each time a Well Record is completed. Click the button [Test UTM in Map] to use the UTM Coordinates to plot the location to Google map. This allows verification of the UTM Coordinates. This will also automatically populate the County/District.

Municipal Plan and Sublot Number may be provided, if available.

Overburden and Bedrock Materials

For each formation encountered during construction, choose words from the lists that best describe the formation on the basis of general colour, most common material, other materials, and general description of the formation.

General Colours are White, Yellow, Grey, Brown, Blue, Red, Green and Black.

Examples of Materials are: Fill, Silt, Top Soil, Coarse Sand, Slate, Muck, Gravel, Limestone, Dolomite, Quartzite, Peat, Stones, Fine Sand, Shale, Granite, Clay, Boulders, Medium Sand, Sandstone, and Greenstone.

Some definitions are as follows:

- Clay: Composed of very fine particles. Forms dense hard lumps or clods when dry and a very elastic putty-like mass when wet. It can be rolled between fingers to form a long, flexible ribbon.
- Silt: Grain size, midway between sand and clay. It may form clods which, when broken, feel soft and floury. When moist, it will form a cast that can be handled freely without breaking. Rolled between thumb and finger, it will not "ribbon" but will give a broken appearance.

- Sand: Grains are loose and granular and may be seen and felt readily. Squeezed in the hand when dry, it falls apart when the pressure is released. Squeezed when moist, it will form a cast that will crumble when touched. Should be listed as fine sand, medium sand or coarse sand.
- Gravel: Rock fragments greater than 0.3 cm in diameter.

Examples of General Descriptions are Loose, Cemented, Previously Dug or Bored, Porous, Layered, Previously Drilled, Dense, Soft, Wood Fragments, Packed, Hard.

Abandonment

To report abandonment of a well, check off the applicable box in Type on the top of the form. Details of abandonment must be recorded in the Abandonment and Sealing Section. Additional comments may be entered in the comments box under the Information section.

Annular Space

Record all material placed in the annular space around the single casing or around the permanent outer casing. If the well is a telescoped well [i.e., a well with an outer casing and inner casing(s)] or if the well is a multi-level nested test hole, report the depth from, depth to, material and volume placed for the annular space between two different sized casings or between the inner casing(s) and the side of the well in the “Comments” area of this electronic well record form.

Method of Construction

If the equipment used to construct the well is not on the list, check “Other (specify)” and record the type of equipment, check each equipment that applies.

Well Use

If the well’s use is not provided on the list, check “Other (specify)” and record the use of the well. If the well has multiple uses, check each use that applies.

Status of Well

If the well’s status is not provided on the list, check “Other (specify)” and record the use of the well. If the well has multiple statuses, check each use that applies.

Construction Record – Casing and Open Hole

Use negative values to report the top of casing above ground surface. For example, if the top of the casing is 0.4 metres above the ground surface and the bottom of the casing 6.0 metres below the ground surface, record the casing “Depth From” as -0.4.

If the top of casing is located below the ground surface (e.g., if a test hole is constructed and the top of casing is located below the ground surface in a flush mounted well vault), report the top of the casing from below ground surface. For example, if the top of the casing is 0.1 metres below the ground surface and the bottom of the casing is 6 metres below the ground surface, record the casing “Depth From” as 0.1.

Note: If a drive shoe is used, the shoe is considered casing and it must be reported if the shoe has a different inside diameter thickness.

If a portion of the well was created an open hole, record the location of the open hole on a separate row, including the diameter and the depth (top and bottom of open hole) from the ground surface.

Construction Record – Well Screen

A “well screen” means perforated pipe or tubing, unsealed concrete tiles or other material installed in a well to filter out particulate matter and form the water intake zone. Therefore, the length of a well screen includes any slotted or perforated area and unsealed area of pipe or tiles.

Water Details

- if groundwater was located, record the depth from the ground surface to the location of the groundwater resource, and
- record if the groundwater quality is “Untested,” “Fresh” (i.e., not salty), or “Other (specify).” If “Other (specify)” is recorded, use the “Other (specify)” dropdown list to select the type of groundwater (e.g., salty, blackish water, yellowish water, mineralized, etc.).

Check off “Gas” if natural gas was encountered during well construction.

Note: Natural gas encounters need to be immediately reported to the ministry at 1-800-268-6060, well purchaser and the owner of the land.

Results of Well Yield Testing

Check off “Pumping Discontinued” if pumping was discontinued before 1 hour of continuous pumping. Explain the reason why pumping was discontinued or in some cases not performed (e.g., the well went dry, impossible to install pump in small diameter well, static water level from test hole or dewatering well was obtained and is reported instead of completing a yield test etc.).

Note: Equipment breakdown is not an acceptable reason for checking off “Pumping Discontinued” on the well record form. If groundwater in the well is flowing out of the well, provide the rate of flow, and check off “Flowing Well” (i.e., static water level above the ground surface).

In the “Results of Well Yield Testing” section of the well record form, record:

- the depth to the intake of the pump,
- the rate of pumping and duration of pumping period during the yield test,
- the final water level when pumping stops,
- water level measurements made during pumping (drawdown) and recovery. All water level measurements must be referenced from below the ground surface for each time interval specified in the drawdown and recovery boxes.

If the water level measurements remain the same over a period of time, continue to measure and report the same water level measurement for the remaining pumping or recovery time intervals.

If pumping continuously for at least 1 hour, but the design of the well does not allow for water level measurements (e.g., driven point well), the person constructing the well is not required to report drawdown or recovery water level measurements.

Map of Well Location

In the “Map of Well Location” section of the well record form, click the map area to attach a map of the well location. The map must show sufficient information to locate the well, including:

- a mark on the map showing the well,
- a scale on the map, and
- where available, the name of the structure, street or surface water body nearest to the well.

Note: More than one map can be added to the well record form by clicking on “Add Map (+)” to add an additional map.

Information

Record any additional information (e.g., observations, tests, additional licensed well technicians who worked on the well, additional annular space details for a telescoped well or a multi-level nested test hole, reasons for not providing a well owner information package) in the comments area.

Declaration

Check the declaration statement to confirm that the person constructing the well agrees with the following statement: “I hereby confirm that I am the person who constructed the well and I hereby confirm that the information on the form is correct and accurate”.

Validate

Click the validate button. If there is no missing information, you will be asked to enter the well tag again to make sure the well tag is entered correctly (only enter the numeric portion of the tag number). The audit number will then be changed from “**incomplete**” to an assigned audit number. The signature field will then be available. Click on “signature” to enter the well technician’s electronic signature. For instructions on how to create an electronic signature, please visit the Adobe Digital IDs website using the following link: <https://helpx.adobe.com/acrobat/using/digital-ids.html>

Notice of Collection of Personal Information

Personal information contained on this form is collected pursuant to sections 35-50 and 75(2) of the *Ontario Water Resources Act* and section 16.3 of the Wells Regulation. This information will be used for the purpose of maintaining a public record of wells in Ontario. This form and the information contained on the form will be stored in the Ministry's well record database and made publicly available. Questions about this collection should be directed to the Water Well Customer Service Representative at the Wells Help Desk, 125 Resources Road, Toronto Ontario M9P 3V6, at 1-888-396-9355 or wellshelpdesk@ontario.ca.

Fields marked with an asterisk (*) are mandatory.

Well Tag Number *

[No Tag on Well](#)
Type *
☐ Construction ☒ Abandonment

Measurement recorded in: *
☐ Metric ☒ Imperial

1. Well Owner's Information

Last Name and First Name, or Organization is mandatory. *

Last Name

First Name

Organization

[Township of Centre Wellington](#)

Email Address

Current Address

Unit Number

Street Number *

1

Street Name *

[MacDonald Square](#)

City/Town/Village

[Elora](#)

Country

[Canada](#)

Province

[Ontario](#)

Postal Code

[N0B 1S0](#)

Telephone Number

[519-846-9691](#)

2. Well Location

Address of Well Location

Unit Number

Street Number *

[445](#)

Street Name *

[St Andrew St & Gartshore St](#)

Township

[Nichol](#)

Lot

Concession

County/District/Municipality

[Wellington](#)

City/Town

[Fergus](#)

Province

[Ontario](#)

Postal Code

UTM Coordinates

Zone *

Easting *

Northing *

NAD 83

[17](#)
[550587](#)
[4839948](#)
[Test UTM in Map](#)

Municipal Plan and Sublot Number

Other

3. Abandonment and Sealing

Well Depth

[251](#)

(ft)

Provide information of well (e.g. construction date, original contractor). **Do not** enter private information
Original construction date July 10, 1946. Original contractor International Water Supply Ltd.

Original Owner
Original owner PVC Fergus

General Description	Depth From (ft)	Depth To (ft)
Pulled pipe and filled with holeplug	0	251

4. Annular Space

Depth From (ft)	Depth To (ft)	Type of Sealant Used (Material and Type)	Volume Placed (cubic feet)
0	251	Holeplug	197.13

5. Method of Construction

- ☐ Cable Tool
- ☐ Rotary (Conventional)
- ☐ Rotary (Reverse)
- ☐ Boring
- ☐ Air percussion
- ☐ Diamond
- ☐ Jetting
- ☐ Driving
- ☐ Digging
- ☐ Rotary (Air)
- ☐ Augering
- ☐ Direct Push
- ☒ Other (specify) unknown

6. Well Use

- ☐ Public
- ☐ Industrial
- ☐ Cooling & Air Conditioning
- ☐ Domestic
- ☐ Commercial
- ☐ Not Used
- ☐ Livestock
- ☒ Municipal
- ☐ Monitoring
- ☐ Irrigation
- ☐ Test Hole
- ☐ Dewatering
- ☐ Other (specify)

7. Status of Well

- ☐ Water Supply
- ☐ Replacement Well
- ☐ Test Hole
- ☐ Recharge Well
- ☐ Dewatering Well
- ☐ Observation and/or Monitoring Hole
- ☐ Alteration (Construction)
- ☐ Abandoned, Insufficient Supply
- ☐ Abandoned, Poor Water Quality
- ☒ Abandoned, other (specify) no longer in use
- ☐ Other (specify)

8. Construction Record - Casing (use negative number(s) to indicate depth above ground surface)

Inside Diameter (in)	Open Hole or Material (Galvanized, Fibreglass, Concrete, Plastic, Steel)	Wall Thickness	Depth From (ft)	Depth To (ft)

9. Construction Record - Screen

Outside Diameter (in)	Material (Plastic, Galvanized, Steel)	Slot Number	Depth From (ft)	Depth To (ft)

10. Water Details

Water found at Depth (ft) ☐ Gas Kind of water ☐ Fresh ☐ Untested ☐ Other

11. Hole Diameter

Depth From (ft)	Depth To (ft)	Diameter (in)
0	251	12

12. Results of Well Yield Testing

☐ Pumping Discontinued

Explain

If flowing give rate

☐ Flowing (GPM)

Draw down

Time (min)	Static Level	1	2	3	4	5	10	15	20	25	30	40	50	60
Water Level (ft)														

Recovery

Time (min)	1	2	3	4	5	10	15	20	25	30	40	50	60
Water Level (ft)													

After test of well yield, water was


☐ Clear and sand free ☐ Other (specify)

Pump intake set at (ft)	Pumping rate (GPM)	Duration of pumping hrs + min	Final water level end of pumping (ft)	Disinfected? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
-------------------------	--------------------	-------------------------------	---------------------------------------	--

Recommended pump depth (ft)	Recommended pump rate (GPM)	Well production (GPM)
-----------------------------	-----------------------------	-----------------------

13. Map of Well Location *

Map 1. Please Click the map area below to import an image file to use as the map. ☐ Make map area bigger



14. Information

Well owner's information package delivered <input type="checkbox"/> Yes <input type="checkbox"/> No	Date Package Delivered (yyyy/mm/dd)	Date Work Completed (yyyy/mm/dd) *
		2021/10/14

Comments

15. Well Contractor and Well Technician Information

Business Name of Well Contractor *	Well Contractor's License Number *
Aardvark Drilling Inc.	7675

Business Address

Unit Number	Street Number	Street Name *
C	25	Lewis Road
City/Town/Village *	Province	Postal Code *
Guelph	ON	N1H 1E9

Business Telephone Number	Business Email Address
519-826-9340	info@aardvarkdrillinginc.com

Last Name of Well Technician *	First Name of Well Technician *	Well Technician's License Number *
Smith	Kyle	3591

16. Declaration *

☒ I hereby confirm that I am the person who constructed the well and I hereby confirm that the information on the form is correct and accurate.

Last Name England	First Name Matthew	Email Address mengland@aardvarkdrillinginc.com
Signature		Date Submitted (yyyy/mm/dd) 2022/01/19

17. Ministry Use Only

Audit Number
SZCU D6PJ

MECP Water Well Records



General Instructions and Explanations for completing a Well Record

A completed electronic Well Record Form must be delivered to the well purchaser and the owner of the land on which the well is situated within 14 days after the date on which the well's structural stage is complete. The electronic Well Record must also be forwarded within 30 days after the date on which the well's structural stage is complete to the ministry through email to the following email address: WellRecordSubmission@ontario.ca

False and Misleading Information

Subsection 98(2) of the *Ontario Water Resources Act*, R.S.O. 1990 c. O. 40, states that:

"No person shall orally, in writing or electronically, give or submit false or misleading information in any statement, document or data, to any provincial officer, the Minister, the Ministry or the Agency, any employee in or agent of the Ministry or the Agency, or any person involved in carrying out a program of the Ministry or the Agency in respect of any matter related to this Act or the regulations."

Further, subsection 98(3) of the Act states that:

"No person shall include false or misleading information in any document or data required to be created, stored or submitted under this Act."

Measurements

All measurements must be recorded in the specified unit, metric or imperial by checking off the applicable box on the top of the form. You must use the checked unit consistently throughout the well record. Measurements must be reported to 1/10th of a metre if the unit is a metre. All measurements of depth must be referenced to ground surface.

Well Owner's Information

A "well owner" means the owner of land upon which a well is situated and includes a tenant or lessee of the land and a well purchaser. If the "well owner" is an individual, record the owner's last name and first name or if the "well owner" is a business, government or other organization, record the name in the "organization" area.

Well Location

Street Number/Name and City/town/Village must be provided, if available.

Geographic Township, Concession and Lot must be reported if the well is located in an area where such information exists.

UTM Coordinates must be recorded each time a Well Record is completed. Click the button [Test UTM in Map] to use the UTM Coordinates to plot the location to Google map. This allows verification of the UTM Coordinates. This will also automatically populate the County/District.

Municipal Plan and Sublot Number may be provided, if available.

Overburden and Bedrock Materials

For each formation encountered during construction, choose words from the lists that best describe the formation on the basis of general colour, most common material, other materials, and general description of the formation.

General Colours are White, Yellow, Grey, Brown, Blue, Red, Green and Black.

Examples of Materials are: Fill, Silt, Top Soil, Coarse Sand, Slate, Muck, Gravel, Limestone, Dolomite, Quartzite, Peat, Stones, Fine Sand, Shale, Granite, Clay, Boulders, Medium Sand, Sandstone, and Greenstone.

Some definitions are as follows:

- Clay: Composed of very fine particles. Forms dense hard lumps or clods when dry and a very elastic putty-like mass when wet. It can be rolled between fingers to form a long, flexible ribbon.
- Silt: Grain size, midway between sand and clay. It may form clods which, when broken, feel soft and floury. When moist, it will form a cast that can be handled freely without breaking. Rolled between thumb and finger, it will not "ribbon" but will give a broken appearance.

- Sand: Grains are loose and granular and may be seen and felt readily. Squeezed in the hand when dry, it falls apart when the pressure is released. Squeezed when moist, it will form a cast that will crumble when touched. Should be listed as fine sand, medium sand or coarse sand.
- Gravel: Rock fragments greater than 0.3 cm in diameter.

Examples of General Descriptions are Loose, Cemented, Previously Dug or Bored, Porous, Layered, Previously Drilled, Dense, Soft, Wood Fragments, Packed, Hard.

Abandonment

To report abandonment of a well, check off the applicable box in Type on the top of the form. Details of abandonment must be recorded in the Abandonment and Sealing Section. Additional comments may be entered in the comments box under the Information section.

Annular Space

Record all material placed in the annular space around the single casing or around the permanent outer casing. If the well is a telescoped well [i.e., a well with an outer casing and inner casing(s)] or if the well is a multi-level nested test hole, report the depth from, depth to, material and volume placed for the annular space between two different sized casings or between the inner casing(s) and the side of the well in the “Comments” area of this electronic well record form.

Method of Construction

If the equipment used to construct the well is not on the list, check “Other (specify)” and record the type of equipment, check each equipment that applies.

Well Use

If the well’s use is not provided on the list, check “Other (specify)” and record the use of the well. If the well has multiple uses, check each use that applies.

Status of Well

If the well’s status is not provided on the list, check “Other (specify)” and record the use of the well. If the well has multiple statuses, check each use that applies.

Construction Record – Casing and Open Hole

Use negative values to report the top of casing above ground surface. For example, if the top of the casing is 0.4 metres above the ground surface and the bottom of the casing 6.0 metres below the ground surface, record the casing “Depth From” as -0.4.

If the top of casing is located below the ground surface (e.g., if a test hole is constructed and the top of casing is located below the ground surface in a flush mounted well vault), report the top of the casing from below ground surface. For example, if the top of the casing is 0.1 metres below the ground surface and the bottom of the casing is 6 metres below the ground surface, record the casing “Depth From” as 0.1.

Note: If a drive shoe is used, the shoe is considered casing and it must be reported if the shoe has a different inside diameter thickness.

If a portion of the well was created an open hole, record the location of the open hole on a separate row, including the diameter and the depth (top and bottom of open hole) from the ground surface.

Construction Record – Well Screen

A “well screen” means perforated pipe or tubing, unsealed concrete tiles or other material installed in a well to filter out particulate matter and form the water intake zone. Therefore, the length of a well screen includes any slotted or perforated area and unsealed area of pipe or tiles.

Water Details

- if groundwater was located, record the depth from the ground surface to the location of the groundwater resource, and
- record if the groundwater quality is “Untested,” “Fresh” (i.e., not salty), or “Other (specify).” If “Other (specify)” is recorded, use the “Other (specify)” dropdown list to select the type of groundwater (e.g., salty, blackish water, yellowish water, mineralized, etc.).

Check off “Gas” if natural gas was encountered during well construction.

Note: Natural gas encounters need to be immediately reported to the ministry at 1-800-268-6060, well purchaser and the owner of the land.

Results of Well Yield Testing

Check off “Pumping Discontinued” if pumping was discontinued before 1 hour of continuous pumping. Explain the reason why pumping was discontinued or in some cases not performed (e.g., the well went dry, impossible to install pump in small diameter well, static water level from test hole or dewatering well was obtained and is reported instead of completing a yield test etc.).

Note: Equipment breakdown is not an acceptable reason for checking off “Pumping Discontinued” on the well record form. If groundwater in the well is flowing out of the well, provide the rate of flow, and check off “Flowing Well” (i.e., static water level above the ground surface).

In the “Results of Well Yield Testing” section of the well record form, record:

- the depth to the intake of the pump,
- the rate of pumping and duration of pumping period during the yield test,
- the final water level when pumping stops,
- water level measurements made during pumping (drawdown) and recovery. All water level measurements must be referenced from below the ground surface for each time interval specified in the drawdown and recovery boxes.

If the water level measurements remain the same over a period of time, continue to measure and report the same water level measurement for the remaining pumping or recovery time intervals.

If pumping continuously for at least 1 hour, but the design of the well does not allow for water level measurements (e.g., driven point well), the person constructing the well is not required to report drawdown or recovery water level measurements.

Map of Well Location

In the “Map of Well Location” section of the well record form, click the map area to attach a map of the well location. The map must show sufficient information to locate the well, including:

- a mark on the map showing the well,
- a scale on the map, and
- where available, the name of the structure, street or surface water body nearest to the well.

Note: More than one map can be added to the well record form by clicking on “Add Map (+)” to add an additional map.

Information

Record any additional information (e.g., observations, tests, additional licensed well technicians who worked on the well, additional annular space details for a telescoped well or a multi-level nested test hole, reasons for not providing a well owner information package) in the comments area.

Declaration

Check the declaration statement to confirm that the person constructing the well agrees with the following statement: “I hereby confirm that I am the person who constructed the well and I hereby confirm that the information on the form is correct and accurate”.

Validate

Click the validate button. If there is no missing information, you will be asked to enter the well tag again to make sure the well tag is entered correctly (only enter the numeric portion of the tag number). The audit number will then be changed from “**incomplete**” to an assigned audit number. The signature field will then be available. Click on “signature” to enter the well technician’s electronic signature. For instructions on how to create an electronic signature, please visit the Adobe Digital IDs website using the following link: <https://helpx.adobe.com/acrobat/using/digital-ids.html>

Notice of Collection of Personal Information

Personal information contained on this form is collected pursuant to sections 35-50 and 75(2) of the *Ontario Water Resources Act* and section 16.3 of the Wells Regulation. This information will be used for the purpose of maintaining a public record of wells in Ontario. This form and the information contained on the form will be stored in the Ministry's well record database and made publicly available. Questions about this collection should be directed to the Water Well Customer Service Representative at the Wells Help Desk, 125 Resources Road, Toronto Ontario M9P 3V6, at 1-888-396-9355 or wellshelpdesk@ontario.ca.

Fields marked with an asterisk (*) are mandatory.

Well Tag Number *

A324183

Type *
☒ Construction ☐ Abandonment

Measurement recorded in: *
☐ Metric ☒ Imperial

1. Well Owner's Information

Last Name and First Name, or Organization is mandatory. *

Last Name

First Name

Organization

Township of Centre Wellington

Email Address

Current Address

Unit Number

Street Number *

1

Street Name *

MacDonald Square

City/Town/Village

Elora

Country

Canada

Province

Ontario

Postal Code

N0B 1S0

Telephone Number

519-846-9691

2. Well Location

Address of Well Location

Unit Number

Street Number *

449

Street Name *

St. Andrew Street East

Township

Nichol

Lot

Concession

County/District/Municipality

Wellington

City/Town

Fergus

Province

Ontario

Postal Code

UTM Coordinates

Zone *

Easting *

Northing *

NAD 83

17

550587

4839948

Test UTM in Map

Municipal Plan and Sublot Number

Other

F2R

3. Overburden and Bedrock Material *

Well Depth *

380

(ft)

General Colour

Most Common Material

Other Materials

General Description

Depth From

Depth To

				(ft)	(ft)
	Fill			0	3
	Gravel	Sand		3	4
	Limestone			4	380

4. Annular Space *

Depth From (ft)	Depth To (ft)	Type of Sealant Used (Material and Type)	Volume Placed (cubic feet)
0	144.8	Cement	151.56
144.8	380	Open Hole	

5. Method of Construction *

- ☐ Cable Tool
 ☐ Rotary (Conventional)
 ☐ Rotary (Reverse)
 ☐ Boring
 ☐ Air percussion
 ☐ Diamond
- ☐ Jetting
 ☐ Driving
 ☐ Digging
 ☐ Rotary (Air)
 ☐ Augering
 ☐ Direct Push
- ☒ Other (specify) DR

6. Well Use *

- ☐ Public
 ☐ Industrial
 ☐ Cooling & Air Conditioning
- ☐ Domestic
 ☐ Commercial
 ☐ Not Used
- ☐ Livestock
 ☒ Municipal
 ☐ Monitoring
- ☐ Irrigation
 ☐ Test Hole
 ☐ Dewatering
- ☐ Other (specify) _____

7. Status of Well *

- ☒ Water Supply
 ☒ Replacement Well
 ☐ Test Hole
- ☐ Recharge Well
 ☐ Dewatering Well
 ☐ Observation and/or Monitoring Hole
- ☐ Alteration (Construction)
 ☐ Abandoned, Insufficient Supply
 ☐ Abandoned, Poor Water Quality
- ☐ Abandoned, other (specify) _____
- ☐ Other (specify) _____

8. Construction Record - Casing * (use negative number(s) to indicate depth above ground surface)

Inside Diameter (in)	Open Hole or Material (Galvanized, Fibreglass, Concrete, Plastic, Steel)	Wall Thickness	Depth From (ft)	Depth To (ft)
12.75	Steel	0.375	-3	144.8
12	Open Hole		144.8	380

9. Construction Record - Screen

Outside Diameter (in)	Material (Plastic, Galvanized, Steel)	Slot Number	Depth From (ft)	Depth To (ft)

10. Water Details

Water found at Depth 120 (ft) ☐ Gas Kind of water ☐ Fresh ☒ Untested ☐ Other

11. Hole Diameter

Depth From (ft)	Depth To (ft)	Diameter (in)
0	144.8	19
144.8	380	12

12. Results of Well Yield Testing

☐ Pumping Discontinued
Explain _____

If flowing give rate
☐ Flowing _____ (GPM)


Draw down														
Time (min)	Static Level	1	2	3	4	5	10	15	20	25	30	40	50	60
Water Level (ft)														
Recovery														
Time (min)		1	2	3	4	5	10	15	20	25	30	40	50	60
Water Level (ft)														

After test of well yield, water was
☒ Clear and sand free ☐ Other (specify)

Pump intake set at (ft)	Pumping rate (GPM)	Duration of pumping hrs + min	Final water level end of pumping (ft)	Disinfected? *
317.01	8	157		<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Recommended pump depth (ft)	Recommended pump rate (GPM)	Well production (GPM)		

13. Map of Well Location *

Map 1. Please Click the map area below to import an image file to use as the map. ☐ Make map area bigger



14. Information

Well owner's information package delivered <input type="checkbox"/> Yes <input type="checkbox"/> No	Date Package Delivered (yyyy/mm/dd) 2022/08/22	Date Work Completed (yyyy/mm/dd) * 2022/09/01
Comments Please See pump test info on Excel spread sheet labelled "Aquifer Test - F2-R(313-010)"		

15. Well Contractor and Well Technician Information

Business Name of Well Contractor * Aardvark Drilling Inc.		Well Contractor's License Number * 7675	
Business Address			
Unit Number C	Street Number 25	Street Name * Lewis Road	
City/Town/Village * Guelph		Province ON	Postal Code * N1H 1E9
Business Telephone Number 519-826-9340	Business Email Address info@aardvarkdrillinginc.com		
Last Name of Well Technician * Smith	First Name of Well Technician * Kyle	Well Technician's License Number * 3591	

16. Declaration *

☒ I hereby confirm that I am the person who constructed the well and I hereby confirm that the information on the form is correct and accurate.

Last Name England	First Name Matthew	Email Address mengland@aardvarkdrillinginc.com
Signature		Date Submitted (yyyy/mm/dd) 2022/11/23

17. Ministry Use Only

Audit Number
MQEH DU8G

General Instructions and Explanations for completing a Well Record

A completed electronic Well Record Form must be delivered to the well purchaser and the owner of the land on which the well is situated within 14 days after the date on which the well's structural stage is complete. The electronic Well Record must also be forwarded within 30 days after the date on which the well's structural stage is complete to the ministry through email to the following email address: WellRecordSubmission@ontario.ca

False and Misleading Information

Subsection 98(2) of the *Ontario Water Resources Act*, R.S.O. 1990 c. O. 40, states that:

"No person shall orally, in writing or electronically, give or submit false or misleading information in any statement, document or data, to any provincial officer, the Minister, the Ministry or the Agency, any employee in or agent of the Ministry or the Agency, or any person involved in carrying out a program of the Ministry or the Agency in respect of any matter related to this Act or the regulations."

Further, subsection 98(3) of the Act states that:

"No person shall include false or misleading information in any document or data required to be created, stored or submitted under this Act."

Measurements

All measurements must be recorded in the specified unit, metric or imperial by checking off the applicable box on the top of the form. You must use the checked unit consistently throughout the well record. Measurements must be reported to 1/10th of a metre if the unit is a metre. All measurements of depth must be referenced to ground surface.

Well Owner's Information

A "well owner" means the owner of land upon which a well is situated and includes a tenant or lessee of the land and a well purchaser. If the "well owner" is an individual, record the owner's last name and first name or if the "well owner" is a business, government or other organization, record the name in the "organization" area.

Well Location

Street Number/Name and City/town/Village must be provided, if available.

Geographic Township, Concession and Lot must be reported if the well is located in an area where such information exists.

UTM Coordinates must be recorded each time a Well Record is completed. Click the button [Test UTM in Map] to use the UTM Coordinates to plot the location to Google map. This allows verification of the UTM Coordinates. This will also automatically populate the County/District.

Municipal Plan and Sublot Number may be provided, if available.

Overburden and Bedrock Materials

For each formation encountered during construction, choose words from the lists that best describe the formation on the basis of general colour, most common material, other materials, and general description of the formation.

General Colours are White, Yellow, Grey, Brown, Blue, Red, Green and Black.

Examples of Materials are: Fill, Silt, Top Soil, Coarse Sand, Slate, Muck, Gravel, Limestone, Dolomite, Quartzite, Peat, Stones, Fine Sand, Shale, Granite, Clay, Boulders, Medium Sand, Sandstone, and Greenstone.

Some definitions are as follows:

- Clay: Composed of very fine particles. Forms dense hard lumps or clods when dry and a very elastic putty-like mass when wet. It can be rolled between fingers to form a long, flexible ribbon.
- Silt: Grain size, midway between sand and clay. It may form clods which, when broken, feel soft and floury. When moist, it will form a cast that can be handled freely without breaking. Rolled between thumb and finger, it will not "ribbon" but will give a broken appearance.

- Sand: Grains are loose and granular and may be seen and felt readily. Squeezed in the hand when dry, it falls apart when the pressure is released. Squeezed when moist, it will form a cast that will crumble when touched. Should be listed as fine sand, medium sand or coarse sand.
- Gravel: Rock fragments greater than 0.3 cm in diameter.

Examples of General Descriptions are Loose, Cemented, Previously Dug or Bored, Porous, Layered, Previously Drilled, Dense, Soft, Wood Fragments, Packed, Hard.

Abandonment

To report abandonment of a well, check off the applicable box in Type on the top of the form. Details of abandonment must be recorded in the Abandonment and Sealing Section. Additional comments may be entered in the comments box under the Information section.

Annular Space

Record all material placed in the annular space around the single casing or around the permanent outer casing. If the well is a telescoped well [i.e., a well with an outer casing and inner casing(s)] or if the well is a multi-level nested test hole, report the depth from, depth to, material and volume placed for the annular space between two different sized casings or between the inner casing(s) and the side of the well in the “Comments” area of this electronic well record form.

Method of Construction

If the equipment used to construct the well is not on the list, check “Other (specify)” and record the type of equipment, check each equipment that applies.

Well Use

If the well’s use is not provided on the list, check “Other (specify)” and record the use of the well. If the well has multiple uses, check each use that applies.

Status of Well

If the well’s status is not provided on the list, check “Other (specify)” and record the use of the well. If the well has multiple statuses, check each use that applies.

Construction Record – Casing and Open Hole

Use negative values to report the top of casing above ground surface. For example, if the top of the casing is 0.4 metres above the ground surface and the bottom of the casing 6.0 metres below the ground surface, record the casing “Depth From” as -0.4.

If the top of casing is located below the ground surface (e.g., if a test hole is constructed and the top of casing is located below the ground surface in a flush mounted well vault), report the top of the casing from below ground surface. For example, if the top of the casing is 0.1 metres below the ground surface and the bottom of the casing is 6 metres below the ground surface, record the casing “Depth From” as 0.1.

Note: If a drive shoe is used, the shoe is considered casing and it must be reported if the shoe has a different inside diameter thickness.

If a portion of the well was created an open hole, record the location of the open hole on a separate row, including the diameter and the depth (top and bottom of open hole) from the ground surface.

Construction Record – Well Screen

A “well screen” means perforated pipe or tubing, unsealed concrete tiles or other material installed in a well to filter out particulate matter and form the water intake zone. Therefore, the length of a well screen includes any slotted or perforated area and unsealed area of pipe or tiles.

Water Details

- if groundwater was located, record the depth from the ground surface to the location of the groundwater resource, and
- record if the groundwater quality is “Untested,” “Fresh” (i.e., not salty), or “Other (specify).” If “Other (specify)” is recorded, use the “Other (specify)” dropdown list to select the type of groundwater (e.g., salty, blackish water, yellowish water, mineralized, etc.).

Check off “Gas” if natural gas was encountered during well construction.

Note: Natural gas encounters need to be immediately reported to the ministry at 1-800-268-6060, well purchaser and the owner of the land.

Results of Well Yield Testing

Check off “Pumping Discontinued” if pumping was discontinued before 1 hour of continuous pumping. Explain the reason why pumping was discontinued or in some cases not performed (e.g., the well went dry, impossible to install pump in small diameter well, static water level from test hole or dewatering well was obtained and is reported instead of completing a yield test etc.).

Note: Equipment breakdown is not an acceptable reason for checking off “Pumping Discontinued” on the well record form. If groundwater in the well is flowing out of the well, provide the rate of flow, and check off “Flowing Well” (i.e., static water level above the ground surface).

In the “Results of Well Yield Testing” section of the well record form, record:

- the depth to the intake of the pump,
- the rate of pumping and duration of pumping period during the yield test,
- the final water level when pumping stops,
- water level measurements made during pumping (drawdown) and recovery. All water level measurements must be referenced from below the ground surface for each time interval specified in the drawdown and recovery boxes.

If the water level measurements remain the same over a period of time, continue to measure and report the same water level measurement for the remaining pumping or recovery time intervals.

If pumping continuously for at least 1 hour, but the design of the well does not allow for water level measurements (e.g., driven point well), the person constructing the well is not required to report drawdown or recovery water level measurements.

Map of Well Location

In the “Map of Well Location” section of the well record form, click the map area to attach a map of the well location. The map must show sufficient information to locate the well, including:

- a mark on the map showing the well,
- a scale on the map, and
- where available, the name of the structure, street or surface water body nearest to the well.

Note: More than one map can be added to the well record form by clicking on “Add Map (+)” to add an additional map.

Information

Record any additional information (e.g., observations, tests, additional licensed well technicians who worked on the well, additional annular space details for a telescoped well or a multi-level nested test hole, reasons for not providing a well owner information package) in the comments area.

Declaration

Check the declaration statement to confirm that the person constructing the well agrees with the following statement: “I hereby confirm that I am the person who constructed the well and I hereby confirm that the information on the form is correct and accurate”.

Validate

Click the validate button. If there is no missing information, you will be asked to enter the well tag again to make sure the well tag is entered correctly (only enter the numeric portion of the tag number). The audit number will then be changed from “**incomplete**” to an assigned audit number. The signature field will then be available. Click on “signature” to enter the well technician’s electronic signature. For instructions on how to create an electronic signature, please visit the Adobe Digital IDs website using the following link: <https://helpx.adobe.com/acrobat/using/digital-ids.html>

Notice of Collection of Personal Information

Personal information contained on this form is collected pursuant to sections 35-50 and 75(2) of the *Ontario Water Resources Act* and section 16.3 of the Wells Regulation. This information will be used for the purpose of maintaining a public record of wells in Ontario. This form and the information contained on the form will be stored in the Ministry's well record database and made publicly available. Questions about this collection should be directed to the Water Well Customer Service Representative at the Wells Help Desk, 125 Resources Road, Toronto Ontario M9P 3V6, at 1-888-396-9355 or wellshelpdesk@ontario.ca.

Fields marked with an asterisk (*) are mandatory.

Well Tag Number *
[A324195](#)

Type *

☒ Construction ☐ Abandonment

Measurement recorded in: *

☐ Metric ☒ Imperial

1. Well Owner's Information

Last Name and First Name, or Organization is mandatory. *

Last Name	First Name
Organization Township of Centre Wellington	Email Address

Current Address

Unit Number	Street Number * 1	Street Name * MacDonald Square	City/Town/Village Elora
Country Canada	Province Ontario	Postal Code N0B 1S0	Telephone Number 519-846-9691

2. Well Location

Address of Well Location

Unit Number	Street Number * 900	Street Name * Scotland Street	Township
Lot	Concession	County/District/Municipality Wellington	
City/Town Center Wellington	Province Ontario	Postal Code	
UTM Coordinates NAD 83	Zone * 17	Easting * 551835	Northing * 4839072
			Municipal Plan and Sublot Number Test UTM in Map
Other F5R			

3. Overburden and Bedrock Material *

Well Depth * 475.5	(ft)				
General Colour	Most Common Material	Other Materials	General Description	Depth From	Depth To

				(ft)	(ft)
	Overburden			0	65
Brown	Limestone			65	475.5

4. Annular Space *

Depth From (ft)	Depth To (ft)	Type of Sealant Used (Material and Type)	Volume Placed (cubic feet)
0	183	Cement/Bentonite	11.25
183	475.5	Open Hole	229.92

5. Method of Construction *

- ☐ Cable Tool ☐ Rotary (Conventional) ☐ Rotary (Reverse) ☐ Boring ☐ Air percussion ☐ Diamond
☐ Jetting ☐ Driving ☐ Digging ☐ Rotary (Air) ☐ Augering ☐ Direct Push
☒ Other (specify) DR

6. Well Use *

- ☐ Public ☐ Industrial ☐ Cooling & Air Conditioning
☐ Domestic ☐ Commercial ☐ Not Used
☐ Livestock ☒ Municipal ☐ Monitoring
☐ Irrigation ☐ Test Hole ☐ Dewatering
☐ Other (specify) _____

7. Status of Well *

- ☒ Water Supply ☒ Replacement Well ☐ Test Hole
☐ Recharge Well ☐ Dewatering Well ☐ Observation and/or Monitoring Hole
☐ Alteration (Construction) ☐ Abandoned, Insufficient Supply ☐ Abandoned, Poor Water Quality
☐ Abandoned, other (specify) _____
☐ Other (specify) _____

8. Construction Record - Casing * (use negative number(s) to indicate depth above ground surface)

Inside Diameter (in)	Open Hole or Material (Galvanized, Fibreglass, Concrete, Plastic, Steel)	Wall Thickness	Depth From (ft)	Depth To (ft)
12	Steel	0.375	-2.33	183
16	Steel	0.375	-0.58	182
12	Open Hole		183	475.5

9. Construction Record - Screen

Outside Diameter (in)	Material (Plastic, Galvanized, Steel)	Slot Number	Depth From (ft)	Depth To (ft)

10. Water Details

Water found at Depth (ft) ☐ Gas Kind of water ☐ Fresh ☐ Untested ☐ Other

11. Hole Diameter

Depth From (ft)	Depth To (ft)	Diameter (in)
0	182	20
182	183	16
183	475.5	12

12. Results of Well Yield Testing

☐ Pumping Discontinued

Explain _____

If flowing give rate

☐ Flowing _____ (GPM)

Draw down

Time (min)	Static Level	1	2	3	4	5	10	15	20	25	30	40	50	60
Water Level (ft)														

Recovery

Time (min)	1	2	3	4	5	10	15	20	25	30	40	50	60
Water Level (ft)													


After test of well yield, water was

☒ Clear and sand free ☐ Other (specify)

Pump intake set at (ft)	Pumping rate (GPM)	Duration of pumping hrs + min	Final water level end of pumping (ft)	Disinfected? *
	104.61	27	57.05	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Recommended pump depth (ft)	Recommended pump rate (GPM)	Well production (GPM)		

13. Map of Well Location *

Map 1. Please Click the map area below to import an image file to use as the map. ☐ Make map area bigger



14. Information

Well owner's information package delivered <input type="checkbox"/> Yes <input type="checkbox"/> No	Date Package Delivered (yyyy/mm/dd) 2021/12/01	Date Work Completed (yyyy/mm/dd) * 2022/06/28
--	---	--

Comments

Please see Excel spread sheet for the pump test information

15. Well Contractor and Well Technician Information

Business Name of Well Contractor * Aardvark Drilling Inc.	Well Contractor's License Number * 7675
--	--

Business Address

Unit Number C	Street Number 25	Street Name * Lewis Road
City/Town/Village * Guelph	Province ON	Postal Code * N1H 1E9

Business Telephone Number 519-826-9340	Business Email Address info@aardvarkdrillinginc.com
---	--

Last Name of Well Technician * Smith	First Name of Well Technician * Kyle	Well Technician's License Number * 3591
---	---	--

16. Declaration *

☒ I hereby confirm that I am the person who constructed the well and I hereby confirm that the information on the form is correct and accurate.

Last Name England	First Name Matthew	Email Address mengland@aardvarkdrillinginc.com
Signature	Date Submitted (yyyy/mm/dd) 2022/10/05	

17. Ministry Use Only

Audit Number
47RO TSTE

General Instructions and Explanations for completing a Well Record

A completed electronic Well Record Form must be delivered to the well purchaser and the owner of the land on which the well is situated within 14 days after the date on which the well's structural stage is complete. The electronic Well Record must also be forwarded within 30 days after the date on which the well's structural stage is complete to the ministry through email to the following email address: WellRecordSubmission@ontario.ca

False and Misleading Information

Subsection 98(2) of the *Ontario Water Resources Act*, R.S.O. 1990 c. O. 40, states that:

"No person shall orally, in writing or electronically, give or submit false or misleading information in any statement, document or data, to any provincial officer, the Minister, the Ministry or the Agency, any employee in or agent of the Ministry or the Agency, or any person involved in carrying out a program of the Ministry or the Agency in respect of any matter related to this Act or the regulations."

Further, subsection 98(3) of the Act states that:

"No person shall include false or misleading information in any document or data required to be created, stored or submitted under this Act."

Measurements

All measurements must be recorded in the specified unit, metric or imperial by checking off the applicable box on the top of the form. You must use the checked unit consistently throughout the well record. Measurements must be reported to 1/10th of a metre if the unit is a metre. All measurements of depth must be referenced to ground surface.

Well Owner's Information

A "well owner" means the owner of land upon which a well is situated and includes a tenant or lessee of the land and a well purchaser. If the "well owner" is an individual, record the owner's last name and first name or if the "well owner" is a business, government or other organization, record the name in the "organization" area.

Well Location

Street Number/Name and City/town/Village must be provided, if available.

Geographic Township, Concession and Lot must be reported if the well is located in an area where such information exists.

UTM Coordinates must be recorded each time a Well Record is completed. Click the button [Test UTM in Map] to use the UTM Coordinates to plot the location to Google map. This allows verification of the UTM Coordinates. This will also automatically populate the County/District.

Municipal Plan and Sublot Number may be provided, if available.

Overburden and Bedrock Materials

For each formation encountered during construction, choose words from the lists that best describe the formation on the basis of general colour, most common material, other materials, and general description of the formation.

General Colours are White, Yellow, Grey, Brown, Blue, Red, Green and Black.

Examples of Materials are: Fill, Silt, Top Soil, Coarse Sand, Slate, Muck, Gravel, Limestone, Dolomite, Quartzite, Peat, Stones, Fine Sand, Shale, Granite, Clay, Boulders, Medium Sand, Sandstone, and Greenstone.

Some definitions are as follows:

- Clay: Composed of very fine particles. Forms dense hard lumps or clods when dry and a very elastic putty-like mass when wet. It can be rolled between fingers to form a long, flexible ribbon.
- Silt: Grain size, midway between sand and clay. It may form clods which, when broken, feel soft and floury. When moist, it will form a cast that can be handled freely without breaking. Rolled between thumb and finger, it will not "ribbon" but will give a broken appearance.

- Sand: Grains are loose and granular and may be seen and felt readily. Squeezed in the hand when dry, it falls apart when the pressure is released. Squeezed when moist, it will form a cast that will crumble when touched. Should be listed as fine sand, medium sand or coarse sand.
- Gravel: Rock fragments greater than 0.3 cm in diameter.

Examples of General Descriptions are Loose, Cemented, Previously Dug or Bored, Porous, Layered, Previously Drilled, Dense, Soft, Wood Fragments, Packed, Hard.

Abandonment

To report abandonment of a well, check off the applicable box in Type on the top of the form. Details of abandonment must be recorded in the Abandonment and Sealing Section. Additional comments may be entered in the comments box under the Information section.

Annular Space

Record all material placed in the annular space around the single casing or around the permanent outer casing. If the well is a telescoped well [i.e., a well with an outer casing and inner casing(s)] or if the well is a multi-level nested test hole, report the depth from, depth to, material and volume placed for the annular space between two different sized casings or between the inner casing(s) and the side of the well in the “Comments” area of this electronic well record form.

Method of Construction

If the equipment used to construct the well is not on the list, check “Other (specify)” and record the type of equipment, check each equipment that applies.

Well Use

If the well’s use is not provided on the list, check “Other (specify)” and record the use of the well. If the well has multiple uses, check each use that applies.

Status of Well

If the well’s status is not provided on the list, check “Other (specify)” and record the use of the well. If the well has multiple statuses, check each use that applies.

Construction Record – Casing and Open Hole

Use negative values to report the top of casing above ground surface. For example, if the top of the casing is 0.4 metres above the ground surface and the bottom of the casing 6.0 metres below the ground surface, record the casing “Depth From” as -0.4.

If the top of casing is located below the ground surface (e.g., if a test hole is constructed and the top of casing is located below the ground surface in a flush mounted well vault), report the top of the casing from below ground surface. For example, if the top of the casing is 0.1 metres below the ground surface and the bottom of the casing is 6 metres below the ground surface, record the casing “Depth From” as 0.1.

Note: If a drive shoe is used, the shoe is considered casing and it must be reported if the shoe has a different inside diameter thickness.

If a portion of the well was created an open hole, record the location of the open hole on a separate row, including the diameter and the depth (top and bottom of open hole) from the ground surface.

Construction Record – Well Screen

A “well screen” means perforated pipe or tubing, unsealed concrete tiles or other material installed in a well to filter out particulate matter and form the water intake zone. Therefore, the length of a well screen includes any slotted or perforated area and unsealed area of pipe or tiles.

Water Details

- if groundwater was located, record the depth from the ground surface to the location of the groundwater resource, and
- record if the groundwater quality is “Untested,” “Fresh” (i.e., not salty), or “Other (specify).” If “Other (specify)” is recorded, use the “Other (specify)” dropdown list to select the type of groundwater (e.g., salty, blackish water, yellowish water, mineralized, etc.).

Check off “Gas” if natural gas was encountered during well construction.

Note: Natural gas encounters need to be immediately reported to the ministry at 1-800-268-6060, well purchaser and the owner of the land.

Results of Well Yield Testing

Check off “Pumping Discontinued” if pumping was discontinued before 1 hour of continuous pumping. Explain the reason why pumping was discontinued or in some cases not performed (e.g., the well went dry, impossible to install pump in small diameter well, static water level from test hole or dewatering well was obtained and is reported instead of completing a yield test etc.).

Note: Equipment breakdown is not an acceptable reason for checking off “Pumping Discontinued” on the well record form. If groundwater in the well is flowing out of the well, provide the rate of flow, and check off “Flowing Well” (i.e., static water level above the ground surface).

In the “Results of Well Yield Testing” section of the well record form, record:

- the depth to the intake of the pump,
- the rate of pumping and duration of pumping period during the yield test,
- the final water level when pumping stops,
- water level measurements made during pumping (drawdown) and recovery. All water level measurements must be referenced from below the ground surface for each time interval specified in the drawdown and recovery boxes.

If the water level measurements remain the same over a period of time, continue to measure and report the same water level measurement for the remaining pumping or recovery time intervals.

If pumping continuously for at least 1 hour, but the design of the well does not allow for water level measurements (e.g., driven point well), the person constructing the well is not required to report drawdown or recovery water level measurements.

Map of Well Location

In the “Map of Well Location” section of the well record form, click the map area to attach a map of the well location. The map must show sufficient information to locate the well, including:

- a mark on the map showing the well,
- a scale on the map, and
- where available, the name of the structure, street or surface water body nearest to the well.

Note: More than one map can be added to the well record form by clicking on “Add Map (+)” to add an additional map.

Information

Record any additional information (e.g., observations, tests, additional licensed well technicians who worked on the well, additional annular space details for a telescoped well or a multi-level nested test hole, reasons for not providing a well owner information package) in the comments area.

Declaration

Check the declaration statement to confirm that the person constructing the well agrees with the following statement: “I hereby confirm that I am the person who constructed the well and I hereby confirm that the information on the form is correct and accurate”.

Validate

Click the validate button. If there is no missing information, you will be asked to enter the well tag again to make sure the well tag is entered correctly (only enter the numeric portion of the tag number). The audit number will then be changed from “**incomplete**” to an assigned audit number. The signature field will then be available. Click on “signature” to enter the well technician’s electronic signature. For instructions on how to create an electronic signature, please visit the Adobe Digital IDs website using the following link: <https://helpx.adobe.com/acrobat/using/digital-ids.html>

Notice of Collection of Personal Information

Personal information contained on this form is collected pursuant to sections 35-50 and 75(2) of the *Ontario Water Resources Act* and section 16.3 of the Wells Regulation. This information will be used for the purpose of maintaining a public record of wells in Ontario. This form and the information contained on the form will be stored in the Ministry's well record database and made publicly available. Questions about this collection should be directed to the Water Well Customer Service Representative at the Wells Help Desk, 125 Resources Road, Toronto Ontario M9P 3V6, at 1-888-396-9355 or wellshelpdesk@ontario.ca.

Fields marked with an asterisk (*) are mandatory.

Well Tag Number *
A323424

Type *

☒ Construction ☐ Abandonment

Measurement recorded in: *

☐ Metric ☒ Imperial

1. Well Owner's Information

Last Name and First Name, or Organization is mandatory. *

Last Name	First Name
Organization Township of Centre Wellington	Email Address

Current Address

Unit Number	Street Number * 1	Street Name * MacDonald Square	City/Town/Village Elora
Country Canada	Province Ontario	Postal Code N0B 1S0	Telephone Number 519-846-9691

2. Well Location

Address of Well Location

Unit Number	Street Number * 0	Street Name * St Andrew St & Cameron St	Township Nichol
Lot	Concession	County/District/Municipality Wellington	
City/Town Fergus	Province Ontario	Postal Code	
UTM Coordinates NAD 83	Zone * 17	Easting * 550345	Northing * 4839658
		Test UTM in Map	Municipal Plan and Sublot Number

Other

3. Overburden and Bedrock Material *

Well Depth *	283.6	(ft)
General Colour	Most Common Material	Other Materials
General Description	Depth From	Depth To

				(ft)	(ft)
	Fill			0	3
	Gravel	Sand		3	4
	Limestone			4	283.6

4. Annular Space *

Depth From (ft)	Depth To (ft)	Type of Sealant Used (Material and Type)	Volume Placed (cubic feet)
0	64	Grout, Cement	9.82
64	68.2	Pellet Chips	0.74
68.2	82.1	Sand	2.44
82.1	270	Pellet Chips	33
270	283.6	Sand	2.40

5. Method of Construction *

☐ Cable Tool ☐ Rotary (Conventional) ☐ Rotary (Reverse) ☐ Boring ☒ Air percussion ☐ Diamond
☐ Jetting ☐ Driving ☐ Digging ☐ Rotary (Air) ☐ Augering ☐ Direct Push
☐ Other (specify) _____

6. Well Use *

☐ Public ☐ Industrial ☐ Cooling & Air Conditioning
☐ Domestic ☒ Commercial ☐ Not Used
☐ Livestock ☐ Municipal ☐ Monitoring
☐ Irrigation ☐ Test Hole ☐ Dewatering
☐ Other (specify) _____

7. Status of Well *

☒ Water Supply ☐ Replacement Well ☐ Test Hole
☐ Recharge Well ☐ Dewatering Well ☐ Observation and/or Monitoring Hole
☐ Alteration (Construction) ☐ Abandoned, Insufficient Supply ☐ Abandoned, Poor Water Quality
☐ Abandoned, other (specify) _____
☐ Other (specify) _____

8. Construction Record - Casing * (use negative number(s) to indicate depth above ground surface)

Inside Diameter (in)	Open Hole or Material (Galvanized, Fibreglass, Concrete, Plastic, Steel)	Wall Thickness	Depth From (ft)	Depth To (ft)
1.25	Plastic	0.28	0	70.4
1.25	Plastic	0.28	0	272.1

9. Construction Record - Screen

Outside Diameter (in)	Material (Plastic, Galvanized, Steel)	Slot Number	Depth From (ft)	Depth To (ft)
1.5	Plastic	10	70.4	80.4
1.5	Plastic	10	272.1	282.1

10. Water Details

Water found at Depth 30 (ft) ☐ Gas Kind of water ☐ Fresh ☒ Untested ☐ Other

11. Hole Diameter

Depth From (ft)	Depth To (ft)	Diameter (in)
0	4	10
4	283.6	5.87

12. Results of Well Yield Testing

☐ Pumping Discontinued

Explain _____

If flowing give rate

☐ Flowing _____ (GPM)

Draw down

Time (min)	Static Level	1	2	3	4	5	10	15	20	25	30	40	50	60
Water Level (ft)														

Recovery

Time (min)	1	2	3	4	5	10	15	20	25	30	40	50	60
Water Level (ft)													


After test of well yield, water was

☐ Clear and sand free ☐ Other (specify)

Pump intake set at (ft)	Pumping rate (GPM)	Duration of pumping hrs + min	Final water level end of pumping (ft)	Disinfected? * <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Recommended pump depth (ft)	Recommended pump rate (GPM)	Well production (GPM)		

13. Map of Well Location *

Map 1. Please Click the map area below to import an image file to use as the map. ☐ Make map area bigger



14. Information

Well owner's information package delivered <input type="checkbox"/> Yes <input type="checkbox"/> No	Date Package Delivered (yyyy/mm/dd)	Date Work Completed (yyyy/mm/dd) *
		2021/10/14

Comments

15. Well Contractor and Well Technician Information

Business Name of Well Contractor *	Well Contractor's License Number *
Aardvark Drilling Inc.	7675

Business Address

Unit Number	Street Number	Street Name *
C	25	Lewis Road
City/Town/Village *	Province	Postal Code *
Guelph	ON	N1H 1E9

Business Telephone Number	Business Email Address
519-826-9340	info@aardvarkdrillinginc.com

Last Name of Well Technician *	First Name of Well Technician *	Well Technician's License Number *
Richards	Adrian	2554

16. Declaration *

☒ I hereby confirm that I am the person who constructed the well and I hereby confirm that the information on the form is correct and accurate.

Last Name England	First Name Matthew	Email Address mengland@aardvarkdrillinginc.com
Signature		Date Submitted (yyyy/mm/dd) 2021/11/26

17. Ministry Use Only

Audit Number
2AVF SN8L

General Instructions and Explanations for completing a Well Record

A completed electronic Well Record Form must be delivered to the well purchaser and the owner of the land on which the well is situated within 14 days after the date on which the well's structural stage is complete. The electronic Well Record must also be forwarded within 30 days after the date on which the well's structural stage is complete to the ministry through email to the following email address: WellRecordSubmission@ontario.ca

False and Misleading Information

Subsection 98(2) of the *Ontario Water Resources Act*, R.S.O. 1990 c. O. 40, states that:

"No person shall orally, in writing or electronically, give or submit false or misleading information in any statement, document or data, to any provincial officer, the Minister, the Ministry or the Agency, any employee in or agent of the Ministry or the Agency, or any person involved in carrying out a program of the Ministry or the Agency in respect of any matter related to this Act or the regulations."

Further, subsection 98(3) of the Act states that:

"No person shall include false or misleading information in any document or data required to be created, stored or submitted under this Act."

Measurements

All measurements must be recorded in the specified unit, metric or imperial by checking off the applicable box on the top of the form. You must use the checked unit consistently throughout the well record. Measurements must be reported to 1/10th of a metre if the unit is a metre. All measurements of depth must be referenced to ground surface.

Well Owner's Information

A "well owner" means the owner of land upon which a well is situated and includes a tenant or lessee of the land and a well purchaser. If the "well owner" is an individual, record the owner's last name and first name or if the "well owner" is a business, government or other organization, record the name in the "organization" area.

Well Location

Street Number/Name and City/town/Village must be provided, if available.

Geographic Township, Concession and Lot must be reported if the well is located in an area where such information exists.

UTM Coordinates must be recorded each time a Well Record is completed. Click the button [Test UTM in Map] to use the UTM Coordinates to plot the location to Google map. This allows verification of the UTM Coordinates. This will also automatically populate the County/District.

Municipal Plan and Sublot Number may be provided, if available.

Overburden and Bedrock Materials

For each formation encountered during construction, choose words from the lists that best describe the formation on the basis of general colour, most common material, other materials, and general description of the formation.

General Colours are White, Yellow, Grey, Brown, Blue, Red, Green and Black.

Examples of Materials are: Fill, Silt, Top Soil, Coarse Sand, Slate, Muck, Gravel, Limestone, Dolomite, Quartzite, Peat, Stones, Fine Sand, Shale, Granite, Clay, Boulders, Medium Sand, Sandstone, and Greenstone.

Some definitions are as follows:

- Clay: Composed of very fine particles. Forms dense hard lumps or clods when dry and a very elastic putty-like mass when wet. It can be rolled between fingers to form a long, flexible ribbon.
- Silt: Grain size, midway between sand and clay. It may form clods which, when broken, feel soft and floury. When moist, it will form a cast that can be handled freely without breaking. Rolled between thumb and finger, it will not "ribbon" but will give a broken appearance.

- Sand: Grains are loose and granular and may be seen and felt readily. Squeezed in the hand when dry, it falls apart when the pressure is released. Squeezed when moist, it will form a cast that will crumble when touched. Should be listed as fine sand, medium sand or coarse sand.
- Gravel: Rock fragments greater than 0.3 cm in diameter.

Examples of General Descriptions are Loose, Cemented, Previously Dug or Bored, Porous, Layered, Previously Drilled, Dense, Soft, Wood Fragments, Packed, Hard.

Abandonment

To report abandonment of a well, check off the applicable box in Type on the top of the form. Details of abandonment must be recorded in the Abandonment and Sealing Section. Additional comments may be entered in the comments box under the Information section.

Annular Space

Record all material placed in the annular space around the single casing or around the permanent outer casing. If the well is a telescoped well [i.e., a well with an outer casing and inner casing(s)] or if the well is a multi-level nested test hole, report the depth from, depth to, material and volume placed for the annular space between two different sized casings or between the inner casing(s) and the side of the well in the “Comments” area of this electronic well record form.

Method of Construction

If the equipment used to construct the well is not on the list, check “Other (specify)” and record the type of equipment, check each equipment that applies.

Well Use

If the well’s use is not provided on the list, check “Other (specify)” and record the use of the well. If the well has multiple uses, check each use that applies.

Status of Well

If the well’s status is not provided on the list, check “Other (specify)” and record the use of the well. If the well has multiple statuses, check each use that applies.

Construction Record – Casing and Open Hole

Use negative values to report the top of casing above ground surface. For example, if the top of the casing is 0.4 metres above the ground surface and the bottom of the casing 6.0 metres below the ground surface, record the casing “Depth From” as -0.4.

If the top of casing is located below the ground surface (e.g., if a test hole is constructed and the top of casing is located below the ground surface in a flush mounted well vault), report the top of the casing from below ground surface. For example, if the top of the casing is 0.1 metres below the ground surface and the bottom of the casing is 6 metres below the ground surface, record the casing “Depth From” as 0.1.

Note: If a drive shoe is used, the shoe is considered casing and it must be reported if the shoe has a different inside diameter thickness.

If a portion of the well was created an open hole, record the location of the open hole on a separate row, including the diameter and the depth (top and bottom of open hole) from the ground surface.

Construction Record – Well Screen

A “well screen” means perforated pipe or tubing, unsealed concrete tiles or other material installed in a well to filter out particulate matter and form the water intake zone. Therefore, the length of a well screen includes any slotted or perforated area and unsealed area of pipe or tiles.

Water Details

- if groundwater was located, record the depth from the ground surface to the location of the groundwater resource, and
- record if the groundwater quality is “Untested,” “Fresh” (i.e., not salty), or “Other (specify).” If “Other (specify)” is recorded, use the “Other (specify)” dropdown list to select the type of groundwater (e.g., salty, blackish water, yellowish water, mineralized, etc.).

Check off “Gas” if natural gas was encountered during well construction.

Note: Natural gas encounters need to be immediately reported to the ministry at 1-800-268-6060, well purchaser and the owner of the land.

Results of Well Yield Testing

Check off “Pumping Discontinued” if pumping was discontinued before 1 hour of continuous pumping. Explain the reason why pumping was discontinued or in some cases not performed (e.g., the well went dry, impossible to install pump in small diameter well, static water level from test hole or dewatering well was obtained and is reported instead of completing a yield test etc.).

Note: Equipment breakdown is not an acceptable reason for checking off “Pumping Discontinued” on the well record form. If groundwater in the well is flowing out of the well, provide the rate of flow, and check off “Flowing Well” (i.e., static water level above the ground surface).

In the “Results of Well Yield Testing” section of the well record form, record:

- the depth to the intake of the pump,
- the rate of pumping and duration of pumping period during the yield test,
- the final water level when pumping stops,
- water level measurements made during pumping (drawdown) and recovery. All water level measurements must be referenced from below the ground surface for each time interval specified in the drawdown and recovery boxes.

If the water level measurements remain the same over a period of time, continue to measure and report the same water level measurement for the remaining pumping or recovery time intervals.

If pumping continuously for at least 1 hour, but the design of the well does not allow for water level measurements (e.g., driven point well), the person constructing the well is not required to report drawdown or recovery water level measurements.

Map of Well Location

In the “Map of Well Location” section of the well record form, click the map area to attach a map of the well location. The map must show sufficient information to locate the well, including:

- a mark on the map showing the well,
- a scale on the map, and
- where available, the name of the structure, street or surface water body nearest to the well.

Note: More than one map can be added to the well record form by clicking on “Add Map (+)” to add an additional map.

Information

Record any additional information (e.g., observations, tests, additional licensed well technicians who worked on the well, additional annular space details for a telescoped well or a multi-level nested test hole, reasons for not providing a well owner information package) in the comments area.

Declaration

Check the declaration statement to confirm that the person constructing the well agrees with the following statement: “I hereby confirm that I am the person who constructed the well and I hereby confirm that the information on the form is correct and accurate”.

Validate

Click the validate button. If there is no missing information, you will be asked to enter the well tag again to make sure the well tag is entered correctly (only enter the numeric portion of the tag number). The audit number will then be changed from “**incomplete**” to an assigned audit number. The signature field will then be available. Click on “signature” to enter the well technician’s electronic signature. For instructions on how to create an electronic signature, please visit the Adobe Digital IDs website using the following link: <https://helpx.adobe.com/acrobat/using/digital-ids.html>

Notice of Collection of Personal Information

Personal information contained on this form is collected pursuant to sections 35-50 and 75(2) of the *Ontario Water Resources Act* and section 16.3 of the Wells Regulation. This information will be used for the purpose of maintaining a public record of wells in Ontario. This form and the information contained on the form will be stored in the Ministry's well record database and made publicly available. Questions about this collection should be directed to the Water Well Customer Service Representative at the Wells Help Desk, 125 Resources Road, Toronto Ontario M9P 3V6, at 1-888-396-9355 or wellshelpdesk@ontario.ca.

Fields marked with an asterisk (*) are mandatory.

Well Tag Number *

A323425

Type *
☒ Construction ☐ Abandonment

Measurement recorded in: *
☐ Metric ☒ Imperial

1. Well Owner's Information

Last Name and First Name, or Organization is mandatory. *

Last Name

First Name

Organization

Township of Centre Wellington

Email Address

Current Address

Unit Number

Street Number *

1

Street Name *

MacDonald Square

City/Town/Village

Elora

Country

Canada

Province

Ontario

Postal Code

N0B 1S0

Telephone Number

519-846-9691

2. Well Location

Address of Well Location

Unit Number

Street Number *

0

Street Name *

St Andrew St & Cameron St

Township

Nichol

Lot

Concession

County/District/Municipality

Wellington

City/Town

Fergus

Province

Ontario

Postal Code

UTM Coordinates

Zone *

Easting *

Northing *

Municipal Plan and Sublot Number

NAD 83

17

550349

4839658

[Test UTM in Map](#)

Other

3. Overburden and Bedrock Material *

Well Depth *

380.6

(ft)

General Colour

Most Common Material

Other Materials

General Description

Depth From

Depth To

				(ft)	(ft)
	Fill			0	3
	Gravel	Sand		3	4
	Limestone			4	380.6

4. Annular Space *

Depth From (ft)	Depth To (ft)	Type of Sealant Used (Material and Type)	Volume Placed (cubic feet)
0	328	Grout, Cement	41.45
328	330	Pellet Chips	0.26
330	355	Sand	3.19
355	380	Pellet Chips	3.19

5. Method of Construction *

- ☐ Cable Tool
 ☐ Rotary (Conventional)
 ☐ Rotary (Reverse)
 ☐ Boring
 ☐ Air percussion
 ☒ Diamond
- ☐ Jetting
 ☐ Driving
 ☐ Digging
 ☐ Rotary (Air)
 ☐ Augering
 ☐ Direct Push
- ☐ Other (specify) _____

6. Well Use *

- ☐ Public
 ☐ Industrial
 ☐ Cooling & Air Conditioning
- ☐ Domestic
 ☒ Commercial
 ☐ Not Used
- ☐ Livestock
 ☐ Municipal
 ☐ Monitoring
- ☐ Irrigation
 ☐ Test Hole
 ☐ Dewatering
- ☐ Other (specify) _____

7. Status of Well *

- ☐ Water Supply
 ☐ Replacement Well
 ☐ Test Hole
- ☐ Recharge Well
 ☐ Dewatering Well
 ☒ Observation and/or Monitoring Hole
- ☐ Alteration (Construction)
 ☐ Abandoned, Insufficient Supply
 ☐ Abandoned, Poor Water Quality
- ☐ Abandoned, other (specify) _____
- ☐ Other (specify) _____

8. Construction Record - Casing * (use negative number(s) to indicate depth above ground surface)

Inside Diameter (in)	Open Hole or Material (Galvanized, Fibreglass, Concrete, Plastic, Steel)	Wall Thickness	Depth From (ft)	Depth To (ft)
2	Plastic	80	0	353

9. Construction Record - Screen

Outside Diameter (in)	Material (Plastic, Galvanized, Steel)	Slot Number	Depth From (ft)	Depth To (ft)
2	Plastic	80	341	353

10. Water Details

Water found at Depth 30 (ft) ☐ Gas Kind of water ☐ Fresh ☒ Untested ☐ Other

11. Hole Diameter

Depth From (ft)	Depth To (ft)	Diameter (in)
0	4	6
4	380.6	5

12. Results of Well Yield Testing

☐ Pumping Discontinued
Explain _____

If flowing give rate
☐ Flowing _____ (GPM)

Draw down

Time (min)	Static Level	1	2	3	4	5	10	15	20	25	30	40	50	60
Water Level (ft)														

Recovery


Time (min)	1	2	3	4	5	10	15	20	25	30	40	50	60
Water Level (ft)													

After test of well yield, water was
☐ Clear and sand free ☐ Other (specify)

Pump intake set at (ft)	Pumping rate (GPM)	Duration of pumping hrs + min	Final water level end of pumping (ft)	Disinfected? * <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Recommended pump depth (ft)	Recommended pump rate (GPM)	Well production (GPM)		

13. Map of Well Location *

Map 1. Please Click the map area below to import an image file to use as the map. ☐ Make map area bigger



14. Information

Well owner's information package delivered <input type="checkbox"/> Yes <input type="checkbox"/> No	Date Package Delivered (yyyy/mm/dd)	Date Work Completed (yyyy/mm/dd) *
		2021/10/14

Comments

15. Well Contractor and Well Technician Information

Business Name of Well Contractor *	Well Contractor's License Number *
Aardvark Drilling Inc.	7675

Business Address

Unit Number	Street Number	Street Name *
C	25	Lewis Road
City/Town/Village *	Province	Postal Code *
Guelph	ON	N1H 1E9

Business Telephone Number	Business Email Address
519-826-9340	info@aardvarkdrillinginc.com

Last Name of Well Technician *	First Name of Well Technician *	Well Technician's License Number *
Richards	Adrian	2554

16. Declaration *

☒ I hereby confirm that I am the person who constructed the well and I hereby confirm that the information on the form is correct and accurate.

Last Name England	First Name Matthew	Email Address mengland@aardvarkdrillinginc.com
Signature		Date Submitted (yyyy/mm/dd) 2021/11/26

17. Ministry Use Only

Audit Number
IQVW SCOU

General Instructions and Explanations for completing a Well Record

A completed electronic Well Record Form must be delivered to the well purchaser and the owner of the land on which the well is situated within 14 days after the date on which the well's structural stage is complete. The electronic Well Record must also be forwarded within 30 days after the date on which the well's structural stage is complete to the ministry through email to the following email address: WellRecordSubmission@ontario.ca

False and Misleading Information

Subsection 98(2) of the *Ontario Water Resources Act*, R.S.O. 1990 c. O. 40, states that:

"No person shall orally, in writing or electronically, give or submit false or misleading information in any statement, document or data, to any provincial officer, the Minister, the Ministry or the Agency, any employee in or agent of the Ministry or the Agency, or any person involved in carrying out a program of the Ministry or the Agency in respect of any matter related to this Act or the regulations."

Further, subsection 98(3) of the Act states that:

"No person shall include false or misleading information in any document or data required to be created, stored or submitted under this Act."

Measurements

All measurements must be recorded in the specified unit, metric or imperial by checking off the applicable box on the top of the form. You must use the checked unit consistently throughout the well record. Measurements must be reported to 1/10th of a metre if the unit is a metre. All measurements of depth must be referenced to ground surface.

Well Owner's Information

A "well owner" means the owner of land upon which a well is situated and includes a tenant or lessee of the land and a well purchaser. If the "well owner" is an individual, record the owner's last name and first name or if the "well owner" is a business, government or other organization, record the name in the "organization" area.

Well Location

Street Number/Name and City/town/Village must be provided, if available.

Geographic Township, Concession and Lot must be reported if the well is located in an area where such information exists.

UTM Coordinates must be recorded each time a Well Record is completed. Click the button [Test UTM in Map] to use the UTM Coordinates to plot the location to Google map. This allows verification of the UTM Coordinates. This will also automatically populate the County/District.

Municipal Plan and Sublot Number may be provided, if available.

Overburden and Bedrock Materials

For each formation encountered during construction, choose words from the lists that best describe the formation on the basis of general colour, most common material, other materials, and general description of the formation.

General Colours are White, Yellow, Grey, Brown, Blue, Red, Green and Black.

Examples of Materials are: Fill, Silt, Top Soil, Coarse Sand, Slate, Muck, Gravel, Limestone, Dolomite, Quartzite, Peat, Stones, Fine Sand, Shale, Granite, Clay, Boulders, Medium Sand, Sandstone, and Greenstone.

Some definitions are as follows:

- Clay: Composed of very fine particles. Forms dense hard lumps or clods when dry and a very elastic putty-like mass when wet. It can be rolled between fingers to form a long, flexible ribbon.
- Silt: Grain size, midway between sand and clay. It may form clods which, when broken, feel soft and floury. When moist, it will form a cast that can be handled freely without breaking. Rolled between thumb and finger, it will not "ribbon" but will give a broken appearance.

- Sand: Grains are loose and granular and may be seen and felt readily. Squeezed in the hand when dry, it falls apart when the pressure is released. Squeezed when moist, it will form a cast that will crumble when touched. Should be listed as fine sand, medium sand or coarse sand.
- Gravel: Rock fragments greater than 0.3 cm in diameter.

Examples of General Descriptions are Loose, Cemented, Previously Dug or Bored, Porous, Layered, Previously Drilled, Dense, Soft, Wood Fragments, Packed, Hard.

Abandonment

To report abandonment of a well, check off the applicable box in Type on the top of the form. Details of abandonment must be recorded in the Abandonment and Sealing Section. Additional comments may be entered in the comments box under the Information section.

Annular Space

Record all material placed in the annular space around the single casing or around the permanent outer casing. If the well is a telescoped well [i.e., a well with an outer casing and inner casing(s)] or if the well is a multi-level nested test hole, report the depth from, depth to, material and volume placed for the annular space between two different sized casings or between the inner casing(s) and the side of the well in the “Comments” area of this electronic well record form.

Method of Construction

If the equipment used to construct the well is not on the list, check “Other (specify)” and record the type of equipment, check each equipment that applies.

Well Use

If the well’s use is not provided on the list, check “Other (specify)” and record the use of the well. If the well has multiple uses, check each use that applies.

Status of Well

If the well’s status is not provided on the list, check “Other (specify)” and record the use of the well. If the well has multiple statuses, check each use that applies.

Construction Record – Casing and Open Hole

Use negative values to report the top of casing above ground surface. For example, if the top of the casing is 0.4 metres above the ground surface and the bottom of the casing 6.0 metres below the ground surface, record the casing “Depth From” as -0.4.

If the top of casing is located below the ground surface (e.g., if a test hole is constructed and the top of casing is located below the ground surface in a flush mounted well vault), report the top of the casing from below ground surface. For example, if the top of the casing is 0.1 metres below the ground surface and the bottom of the casing is 6 metres below the ground surface, record the casing “Depth From” as 0.1.

Note: If a drive shoe is used, the shoe is considered casing and it must be reported if the shoe has a different inside diameter thickness.

If a portion of the well was created an open hole, record the location of the open hole on a separate row, including the diameter and the depth (top and bottom of open hole) from the ground surface.

Construction Record – Well Screen

A “well screen” means perforated pipe or tubing, unsealed concrete tiles or other material installed in a well to filter out particulate matter and form the water intake zone. Therefore, the length of a well screen includes any slotted or perforated area and unsealed area of pipe or tiles.

Water Details

- if groundwater was located, record the depth from the ground surface to the location of the groundwater resource, and
- record if the groundwater quality is “Untested,” “Fresh” (i.e., not salty), or “Other (specify).” If “Other (specify)” is recorded, use the “Other (specify)” dropdown list to select the type of groundwater (e.g., salty, blackish water, yellowish water, mineralized, etc.).

Check off “Gas” if natural gas was encountered during well construction.

Note: Natural gas encounters need to be immediately reported to the ministry at 1-800-268-6060, well purchaser and the owner of the land.

Results of Well Yield Testing

Check off “Pumping Discontinued” if pumping was discontinued before 1 hour of continuous pumping. Explain the reason why pumping was discontinued or in some cases not performed (e.g., the well went dry, impossible to install pump in small diameter well, static water level from test hole or dewatering well was obtained and is reported instead of completing a yield test etc.).

Note: Equipment breakdown is not an acceptable reason for checking off “Pumping Discontinued” on the well record form. If groundwater in the well is flowing out of the well, provide the rate of flow, and check off “Flowing Well” (i.e., static water level above the ground surface).

In the “Results of Well Yield Testing” section of the well record form, record:

- the depth to the intake of the pump,
- the rate of pumping and duration of pumping period during the yield test,
- the final water level when pumping stops,
- water level measurements made during pumping (drawdown) and recovery. All water level measurements must be referenced from below the ground surface for each time interval specified in the drawdown and recovery boxes.

If the water level measurements remain the same over a period of time, continue to measure and report the same water level measurement for the remaining pumping or recovery time intervals.

If pumping continuously for at least 1 hour, but the design of the well does not allow for water level measurements (e.g., driven point well), the person constructing the well is not required to report drawdown or recovery water level measurements.

Map of Well Location

In the “Map of Well Location” section of the well record form, click the map area to attach a map of the well location. The map must show sufficient information to locate the well, including:

- a mark on the map showing the well,
- a scale on the map, and
- where available, the name of the structure, street or surface water body nearest to the well.

Note: More than one map can be added to the well record form by clicking on “Add Map (+)” to add an additional map.

Information

Record any additional information (e.g., observations, tests, additional licensed well technicians who worked on the well, additional annular space details for a telescoped well or a multi-level nested test hole, reasons for not providing a well owner information package) in the comments area.

Declaration

Check the declaration statement to confirm that the person constructing the well agrees with the following statement: “I hereby confirm that I am the person who constructed the well and I hereby confirm that the information on the form is correct and accurate”.

Validate

Click the validate button. If there is no missing information, you will be asked to enter the well tag again to make sure the well tag is entered correctly (only enter the numeric portion of the tag number). The audit number will then be changed from “**incomplete**” to an assigned audit number. The signature field will then be available. Click on “signature” to enter the well technician’s electronic signature. For instructions on how to create an electronic signature, please visit the Adobe Digital IDs website using the following link: <https://helpx.adobe.com/acrobat/using/digital-ids.html>

Notice of Collection of Personal Information

Personal information contained on this form is collected pursuant to sections 35-50 and 75(2) of the *Ontario Water Resources Act* and section 16.3 of the Wells Regulation. This information will be used for the purpose of maintaining a public record of wells in Ontario. This form and the information contained on the form will be stored in the Ministry's well record database and made publicly available. Questions about this collection should be directed to the Water Well Customer Service Representative at the Wells Help Desk, 125 Resources Road, Toronto Ontario M9P 3V6, at 1-888-396-9355 or wellshelpdesk@ontario.ca.

Fields marked with an asterisk (*) are mandatory.

Well Tag Number *
[A352935](#)

Type *

☒ Construction ☐ Abandonment

Measurement recorded in: *

☐ Metric ☒ Imperial

1. Well Owner's Information

Last Name and First Name, or Organization is mandatory. *

Last Name	First Name
Organization Township of Centre Wellington	Email Address

Current Address

Unit Number	Street Number * 1	Street Name * MacDonald Square	City/Town/Village Elora
Country Canada	Province Ontario	Postal Code N0B1S0	Telephone Number 519-846-9691

2. Well Location

Address of Well Location

Unit Number	Street Number * 295	Street Name * Queen Street E	Township Nichol
Lot	Concession	County/District/Municipality Wellington	
City/Town Fergus	Province Ontario	Postal Code N1M 3N4	
UTM Coordinates NAD 83	Zone * 17	Easting * 550391	Northing * 4836513
Test UTM in Map			
Municipal Plan and Sublot Number			

Other

3. Overburden and Bedrock Material *

Well Depth * [260](#) (ft)

General Colour	Most Common Material	Other Materials	General Description	Depth From	Depth To
----------------	----------------------	-----------------	---------------------	------------	----------

				(ft)	(ft)
Brown	Fill	Clay	Dirty	0	5
White	Dolostone			5	260

4. Annular Space *

Depth From (ft)	Depth To (ft)	Type of Sealant Used (Material and Type)	Volume Placed (cubic feet)
0	43	Pellet Plug	5.16
43	49	Sand (Port 5)	0.72
49	87	Pellet Plug	4.56
87	92	Sand (Port 4)	0.6
92	109	Pellet Plug	2.04
109	119	Sand (Port 3)	1.2
119	171	Pellet Plug	6.24
171	180	Pea Stone (Port 2)	20
180	222	Pellet Plug	5.04
222	227.5	Sand (Port 1)	0.66

5. Method of Construction *

- ☐ Cable Tool
 ☐ Rotary (Conventional)
 ☐ Rotary (Reverse)
 ☐ Boring
 ☐ Air percussion
 ☒ Diamond
- ☐ Jetting
 ☐ Driving
 ☐ Digging
 ☐ Rotary (Air)
 ☐ Augering
 ☐ Direct Push
- ☒ Other (specify) PQ Cored

6. Well Use *

- ☐ Public
 ☐ Industrial
 ☐ Cooling & Air Conditioning
- ☐ Domestic
 ☐ Commercial
 ☐ Not Used
- ☐ Livestock
 ☐ Municipal
 ☒ Monitoring
- ☐ Irrigation
 ☐ Test Hole
 ☐ Dewatering
- ☐ Other (specify) _____

7. Status of Well *

- ☐ Water Supply
 ☐ Replacement Well
 ☐ Test Hole
- ☐ Recharge Well
 ☐ Dewatering Well
 ☒ Observation and/or Monitoring Hole
- ☐ Alteration (Construction)
 ☐ Abandoned, Insufficient Supply
 ☐ Abandoned, Poor Water Quality
- ☐ Abandoned, other (specify) _____
- ☒ Other (specify) This is a multilevel Waterloo Well System

8. Construction Record - Casing * (use negative number(s) to indicate depth above ground surface)

Inside Diameter (in)	Open Hole or Material (Galvanized, Fibreglass, Concrete, Plastic, Steel)	Wall Thickness	Depth From (ft)	Depth To (ft)
2	Plastic	0.25	-3	260

9. Construction Record - Screen

Outside Diameter (in)	Material (Plastic, Galvanized, Steel)	Slot Number	Depth From (ft)	Depth To (ft)
2	Plastic		45	45.5
2	Plastic		89	89.5
2	Plastic		115.5	116
2	Plastic		176	176.5
2	Plastic		225	225.5

10. Water Details

Water found at Depth (ft) ☐ Gas Kind of water ☐ Fresh ☒ Untested ☐ Other

11. Hole Diameter

Depth From (ft)	Depth To (ft)	Diameter (in)
0	260	5

12. Results of Well Yield Testing

☐ Pumping Discontinued

Explain _____

If flowing give rate

☐ Flowing _____ (GPM)

Draw down

Time (min)	Static Level	1	2	3	4	5	10	15	20	25	30	40	50	60
Water Level (ft)														

Recovery

Time (min)	1	2	3	4	5	10	15	20	25	30	40	50	60
Water Level (ft)													

After test of well yield, water was

☐ Clear and sand free ☐ Other (specify)

Pump intake set at (ft)	Pumping rate (GPM)	Duration of pumping hrs + min	Final water level end of pumping (ft)	Disinfected? * <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Recommended pump depth (ft)	Recommended pump rate (GPM)	Well production (GPM)		

13. Map of Well Location *

Map 1. Please Click the map area below to import an image file to use as the map.

☐ Make map area bigger



14. Information

Well owner's information package delivered <input type="checkbox"/> Yes <input type="checkbox"/> No	Date Package Delivered (yyyy/mm/dd)	Date Work Completed (yyyy/mm/dd) * 2022/12/22
--	-------------------------------------	---

Comments

Annular Space Continued:

Depth From: 227.5'

Depth To: 260'

Type of Sealant: Pellet Plug

Pellet Plug Volume Placed (cubic ft): 3.9

15. Well Contractor and Well Technician Information

Business Name of Well Contractor * Aardvark Drilling Inc.	Well Contractor's License Number * 7675
---	---

Business Address

Unit Number C	Street Number 25	Street Name * Lewis Road
City/Town/Village * Guelph		Province ON
Postal Code * N1H 1E9		
Business Telephone Number 519-826-9340	Business Email Address info@aardvarkdrillinginc.com	
Last Name of Well Technician * Hovey	First Name of Well Technician * Aaron	Well Technician's License Number * 4256

16. Declaration *

☒ I hereby confirm that I am the person who constructed the well and I hereby confirm that the information on the form is correct and accurate.

Last Name England	First Name Matthew	Email Address mengland@aardvarkdrillinginc.com
Signature		Date Submitted (yyyy/mm/dd) 2023/01/18

17. Ministry Use Only

Audit Number
I5LQ XNHJ

General Instructions and Explanations for completing a Well Record

A completed electronic Well Record Form must be delivered to the well purchaser and the owner of the land on which the well is situated within 14 days after the date on which the well's structural stage is complete. The electronic Well Record must also be forwarded within 30 days after the date on which the well's structural stage is complete to the ministry through email to the following email address: WellRecordSubmission@ontario.ca

False and Misleading Information

Subsection 98(2) of the *Ontario Water Resources Act*, R.S.O. 1990 c. O. 40, states that:

"No person shall orally, in writing or electronically, give or submit false or misleading information in any statement, document or data, to any provincial officer, the Minister, the Ministry or the Agency, any employee in or agent of the Ministry or the Agency, or any person involved in carrying out a program of the Ministry or the Agency in respect of any matter related to this Act or the regulations."

Further, subsection 98(3) of the Act states that:

"No person shall include false or misleading information in any document or data required to be created, stored or submitted under this Act."

Measurements

All measurements must be recorded in the specified unit, metric or imperial by checking off the applicable box on the top of the form. You must use the checked unit consistently throughout the well record. Measurements must be reported to 1/10th of a metre if the unit is a metre. All measurements of depth must be referenced to ground surface.

Well Owner's Information

A "well owner" means the owner of land upon which a well is situated and includes a tenant or lessee of the land and a well purchaser. If the "well owner" is an individual, record the owner's last name and first name or if the "well owner" is a business, government or other organization, record the name in the "organization" area.

Well Location

Street Number/Name and City/town/Village must be provided, if available.

Geographic Township, Concession and Lot must be reported if the well is located in an area where such information exists.

UTM Coordinates must be recorded each time a Well Record is completed. Click the button [Test UTM in Map] to use the UTM Coordinates to plot the location to Google map. This allows verification of the UTM Coordinates. This will also automatically populate the County/District.

Municipal Plan and Sublot Number may be provided, if available.

Overburden and Bedrock Materials

For each formation encountered during construction, choose words from the lists that best describe the formation on the basis of general colour, most common material, other materials, and general description of the formation.

General Colours are White, Yellow, Grey, Brown, Blue, Red, Green and Black.

Examples of Materials are: Fill, Silt, Top Soil, Coarse Sand, Slate, Muck, Gravel, Limestone, Dolomite, Quartzite, Peat, Stones, Fine Sand, Shale, Granite, Clay, Boulders, Medium Sand, Sandstone, and Greenstone.

Some definitions are as follows:

- Clay: Composed of very fine particles. Forms dense hard lumps or clods when dry and a very elastic putty-like mass when wet. It can be rolled between fingers to form a long, flexible ribbon.
- Silt: Grain size, midway between sand and clay. It may form clods which, when broken, feel soft and floury. When moist, it will form a cast that can be handled freely without breaking. Rolled between thumb and finger, it will not "ribbon" but will give a broken appearance.

- Sand: Grains are loose and granular and may be seen and felt readily. Squeezed in the hand when dry, it falls apart when the pressure is released. Squeezed when moist, it will form a cast that will crumble when touched. Should be listed as fine sand, medium sand or coarse sand.
- Gravel: Rock fragments greater than 0.3 cm in diameter.

Examples of General Descriptions are Loose, Cemented, Previously Dug or Bored, Porous, Layered, Previously Drilled, Dense, Soft, Wood Fragments, Packed, Hard.

Abandonment

To report abandonment of a well, check off the applicable box in Type on the top of the form. Details of abandonment must be recorded in the Abandonment and Sealing Section. Additional comments may be entered in the comments box under the Information section.

Annular Space

Record all material placed in the annular space around the single casing or around the permanent outer casing. If the well is a telescoped well [i.e., a well with an outer casing and inner casing(s)] or if the well is a multi-level nested test hole, report the depth from, depth to, material and volume placed for the annular space between two different sized casings or between the inner casing(s) and the side of the well in the “Comments” area of this electronic well record form.

Method of Construction

If the equipment used to construct the well is not on the list, check “Other (specify)” and record the type of equipment, check each equipment that applies.

Well Use

If the well’s use is not provided on the list, check “Other (specify)” and record the use of the well. If the well has multiple uses, check each use that applies.

Status of Well

If the well’s status is not provided on the list, check “Other (specify)” and record the use of the well. If the well has multiple statuses, check each use that applies.

Construction Record – Casing and Open Hole

Use negative values to report the top of casing above ground surface. For example, if the top of the casing is 0.4 metres above the ground surface and the bottom of the casing 6.0 metres below the ground surface, record the casing “Depth From” as -0.4.

If the top of casing is located below the ground surface (e.g., if a test hole is constructed and the top of casing is located below the ground surface in a flush mounted well vault), report the top of the casing from below ground surface. For example, if the top of the casing is 0.1 metres below the ground surface and the bottom of the casing is 6 metres below the ground surface, record the casing “Depth From” as 0.1.

Note: If a drive shoe is used, the shoe is considered casing and it must be reported if the shoe has a different inside diameter thickness.

If a portion of the well was created an open hole, record the location of the open hole on a separate row, including the diameter and the depth (top and bottom of open hole) from the ground surface.

Construction Record – Well Screen

A “well screen” means perforated pipe or tubing, unsealed concrete tiles or other material installed in a well to filter out particulate matter and form the water intake zone. Therefore, the length of a well screen includes any slotted or perforated area and unsealed area of pipe or tiles.

Water Details

- if groundwater was located, record the depth from the ground surface to the location of the groundwater resource, and
- record if the groundwater quality is “Untested,” “Fresh” (i.e., not salty), or “Other (specify).” If “Other (specify)” is recorded, use the “Other (specify)” dropdown list to select the type of groundwater (e.g., salty, blackish water, yellowish water, mineralized, etc.).

Check off “Gas” if natural gas was encountered during well construction.

Note: Natural gas encounters need to be immediately reported to the ministry at 1-800-268-6060, well purchaser and the owner of the land.

Results of Well Yield Testing

Check off “Pumping Discontinued” if pumping was discontinued before 1 hour of continuous pumping. Explain the reason why pumping was discontinued or in some cases not performed (e.g., the well went dry, impossible to install pump in small diameter well, static water level from test hole or dewatering well was obtained and is reported instead of completing a yield test etc.).

Note: Equipment breakdown is not an acceptable reason for checking off “Pumping Discontinued” on the well record form. If groundwater in the well is flowing out of the well, provide the rate of flow, and check off “Flowing Well” (i.e., static water level above the ground surface).

In the “Results of Well Yield Testing” section of the well record form, record:

- the depth to the intake of the pump,
- the rate of pumping and duration of pumping period during the yield test,
- the final water level when pumping stops,
- water level measurements made during pumping (drawdown) and recovery. All water level measurements must be referenced from below the ground surface for each time interval specified in the drawdown and recovery boxes.

If the water level measurements remain the same over a period of time, continue to measure and report the same water level measurement for the remaining pumping or recovery time intervals.

If pumping continuously for at least 1 hour, but the design of the well does not allow for water level measurements (e.g., driven point well), the person constructing the well is not required to report drawdown or recovery water level measurements.

Map of Well Location

In the “Map of Well Location” section of the well record form, click the map area to attach a map of the well location. The map must show sufficient information to locate the well, including:

- a mark on the map showing the well,
- a scale on the map, and
- where available, the name of the structure, street or surface water body nearest to the well.

Note: More than one map can be added to the well record form by clicking on “Add Map (+)” to add an additional map.

Information

Record any additional information (e.g., observations, tests, additional licensed well technicians who worked on the well, additional annular space details for a telescoped well or a multi-level nested test hole, reasons for not providing a well owner information package) in the comments area.

Declaration

Check the declaration statement to confirm that the person constructing the well agrees with the following statement: “I hereby confirm that I am the person who constructed the well and I hereby confirm that the information on the form is correct and accurate”.

Validate

Click the validate button. If there is no missing information, you will be asked to enter the well tag again to make sure the well tag is entered correctly (only enter the numeric portion of the tag number). The audit number will then be changed from “**incomplete**” to an assigned audit number. The signature field will then be available. Click on “signature” to enter the well technician’s electronic signature. For instructions on how to create an electronic signature, please visit the Adobe Digital IDs website using the following link: <https://helpx.adobe.com/acrobat/using/digital-ids.html>

Notice of Collection of Personal Information

Personal information contained on this form is collected pursuant to sections 35-50 and 75(2) of the *Ontario Water Resources Act* and section 16.3 of the Wells Regulation. This information will be used for the purpose of maintaining a public record of wells in Ontario. This form and the information contained on the form will be stored in the Ministry's well record database and made publicly available. Questions about this collection should be directed to the Water Well Customer Service Representative at the Wells Help Desk, 125 Resources Road, Toronto Ontario M9P 3V6, at 1-888-396-9355 or wellshelpdesk@ontario.ca.

Fields marked with an asterisk (*) are mandatory.

Well Tag Number *

[No Tag on Well](#)
Type *
☐ Construction ☒ Abandonment

Measurement recorded in: *
☐ Metric ☒ Imperial

1. Well Owner's Information

Last Name and First Name, or Organization is mandatory. *

Last Name

First Name

Organization

[Township of Centre Wellington](#)

Email Address

Current Address

Unit Number

Street Number *

1

Street Name *

[MacDonald Square](#)

City/Town/Village

[Elora](#)

Country

[Canada](#)

Province

[Ontario](#)

Postal Code

[N0B 1S0](#)

Telephone Number

[519-846-9691](#)

2. Well Location

Address of Well Location

Unit Number

Street Number *

[445](#)

Street Name *

[St Andrew St & Gartshore St](#)

Township

[Nichol](#)

Lot

Concession

County/District/Municipality

[Wellington](#)

City/Town

[Fergus](#)

Province

[Ontario](#)

Postal Code

UTM Coordinates

Zone *

Easting *

Northing *

NAD 83

[17](#)
[550587](#)
[4839948](#)
[Test UTM in Map](#)

Municipal Plan and Sublot Number

Other

3. Abandonment and Sealing

Well Depth

[251](#)

(ft)

Provide information of well (e.g. construction date, original contractor). **Do not** enter private information
Original construction date July 10, 1946. Original contractor International Water Supply Ltd.

Original Owner
Original owner PVC Fergus

General Description	Depth From (ft)	Depth To (ft)
Pulled pipe and filled with holeplug	0	251

4. Annular Space

Depth From (ft)	Depth To (ft)	Type of Sealant Used (Material and Type)	Volume Placed (cubic feet)
0	251	Holeplug	197.13

5. Method of Construction

- ☐ Cable Tool
- ☐ Rotary (Conventional)
- ☐ Rotary (Reverse)
- ☐ Boring
- ☐ Air percussion
- ☐ Diamond
- ☐ Jetting
- ☐ Driving
- ☐ Digging
- ☐ Rotary (Air)
- ☐ Augering
- ☐ Direct Push
- ☒ Other (specify) unknown

6. Well Use

- ☐ Public
- ☐ Industrial
- ☐ Cooling & Air Conditioning
- ☐ Domestic
- ☐ Commercial
- ☐ Not Used
- ☐ Livestock
- ☒ Municipal
- ☐ Monitoring
- ☐ Irrigation
- ☐ Test Hole
- ☐ Dewatering
- ☐ Other (specify)

7. Status of Well

- ☐ Water Supply
- ☐ Replacement Well
- ☐ Test Hole
- ☐ Recharge Well
- ☐ Dewatering Well
- ☐ Observation and/or Monitoring Hole
- ☐ Alteration (Construction)
- ☐ Abandoned, Insufficient Supply
- ☐ Abandoned, Poor Water Quality
- ☒ Abandoned, other (specify) no longer in use
- ☐ Other (specify)

8. Construction Record - Casing (use negative number(s) to indicate depth above ground surface)

Inside Diameter (in)	Open Hole or Material (Galvanized, Fibreglass, Concrete, Plastic, Steel)	Wall Thickness	Depth From (ft)	Depth To (ft)

9. Construction Record - Screen

Outside Diameter (in)	Material (Plastic, Galvanized, Steel)	Slot Number	Depth From (ft)	Depth To (ft)

10. Water Details

Water found at Depth (ft) ☐ Gas Kind of water ☐ Fresh ☐ Untested ☐ Other

11. Hole Diameter

Depth From (ft)	Depth To (ft)	Diameter (in)
0	251	12

12. Results of Well Yield Testing

☐ Pumping Discontinued

Explain

If flowing give rate

☐ Flowing (GPM)

Draw down

Time (min)	Static Level	1	2	3	4	5	10	15	20	25	30	40	50	60
Water Level (ft)														

Recovery

Time (min)	1	2	3	4	5	10	15	20	25	30	40	50	60
Water Level (ft)													

After test of well yield, water was


☐ Clear and sand free ☐ Other (specify)

Pump intake set at (ft)	Pumping rate (GPM)	Duration of pumping hrs + min	Final water level end of pumping (ft)	Disinfected? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
-------------------------	--------------------	-------------------------------	---------------------------------------	--

Recommended pump depth (ft)	Recommended pump rate (GPM)	Well production (GPM)
-----------------------------	-----------------------------	-----------------------

13. Map of Well Location *

Map 1. Please Click the map area below to import an image file to use as the map. ☐ Make map area bigger



14. Information

Well owner's information package delivered

☐ Yes ☐ No

Date Package Delivered (yyyy/mm/dd)

Date Work Completed (yyyy/mm/dd) *

2021/10/14

Comments

15. Well Contractor and Well Technician Information

Business Name of Well Contractor *

Aardvark Drilling Inc.

Well Contractor's License Number *

7675

Business Address

Unit Number

C

Street Number

25

Street Name *

Lewis Road

City/Town/Village *

Guelph

Province

ON

Postal Code *

N1H 1E9

Business Telephone Number

519-826-9340

Business Email Address

info@aardvarkdrillinginc.com

Last Name of Well Technician *

Smith

First Name of Well Technician *

Kyle

Well Technician's License Number *

3591

16. Declaration *

☒ I hereby confirm that I am the person who constructed the well and I hereby confirm that the information on the form is correct and accurate.

Last Name

England

First Name

Matthew

Email Address

mengland@aardvarkdrillinginc.com

Signature

Date Submitted (yyyy/mm/dd)

2022/01/19

17. Ministry Use Only

Audit Number

SZCU D6PJ

Appendix **B**

Laboratory Certificates of Analysis

F2-T Well Certificate of Analysis



CLIENT NAME: AECOM CANADA LTD
50 SPORTSWORLD CROSSING RD UNIT 290
KITCHENER, ON N2P0A4
(519) 650-5313

ATTENTION TO: Matthew Alexander

PROJECT: 60664299

AGAT WORK ORDER: 21W799802

WATER ANALYSIS REVIEWED BY: Yris Verastegui, Report Reviewer

DATE REPORTED: Sep 16, 2021

PAGES (INCLUDING COVER): 9

VERSION*: 1

Should you require any information regarding this analysis please contact your client services representative at (905) 712-5100

*Notes

Disclaimer:

- All work conducted herein has been done using accepted standard protocols, and generally accepted practices and methods. AGAT test methods may incorporate modifications from the specified reference methods to improve performance.
- All samples will be disposed of within 30 days after receipt unless a Long Term Storage Agreement is signed and returned. Some specialty analysis may be exempt, please contact your Client Project Manager for details.
- AGAT's liability in connection with any delay, performance or non-performance of these services is only to the Client and does not extend to any other third party. Unless expressly agreed otherwise in writing, AGAT's liability is limited to the actual cost of the specific analysis or analyses included in the services.
- This Certificate shall not be reproduced except in full, without the written approval of the laboratory.
- The test results reported herewith relate only to the samples as received by the laboratory.
- Application of guidelines is provided "as is" without warranty of any kind, either expressed or implied, including, but not limited to, warranties of merchantability, fitness for a particular purpose, or non-infringement. AGAT assumes no responsibility for any errors or omissions in the guidelines contained in this document.
- All reportable information as specified by ISO/IEC 17025:2017 is available from AGAT Laboratories upon request.



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 21W799802

PROJECT: 60664299

5835 COOPERS AVENUE
MISSISSAUGA, ONTARIO
CANADA L4Z 1Y2
TEL (905)712-5100
FAX (905)712-5122
<http://www.agatlabs.com>

CLIENT NAME: AECOM CANADA LTD

SAMPLING SITE:

ATTENTION TO: Matthew Alexander

SAMPLED BY:PM

(Water) TSS

DATE RECEIVED: 2021-09-10

DATE REPORTED: 2021-09-16

		SAMPLE DESCRIPTION: F2-T Development	
		SAMPLE TYPE: Water	
		DATE SAMPLED: 2021-09-09 16:30	
Parameter	Unit	G / S	RDL
Total Suspended Solids	mg/L	10	<10

Comments: RDL - Reported Detection Limit; G / S - Guideline / Standard

Analysis performed at AGAT Toronto (unless marked by *)

Certified By:

Iris Veraistegui



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 21W799802

PROJECT: 60664299

5835 COOPERS AVENUE
MISSISSAUGA, ONTARIO
CANADA L4Z 1Y2
TEL (905)712-5100
FAX (905)712-5122
<http://www.agatlabs.com>

CLIENT NAME: AECOM CANADA LTD

ATTENTION TO: Matthew Alexander

SAMPLING SITE:

SAMPLED BY:PM

Water Quality Assessment (mg/L)

DATE RECEIVED: 2021-09-10

DATE REPORTED: 2021-09-16

		SAMPLE DESCRIPTION: Development		F2-T
		SAMPLE TYPE: Water		
		DATE SAMPLED: 2021-09-09 16:30		
Parameter	Unit	G / S	RDL	2955573
Electrical Conductivity	µS/cm		2	1540
pH	pH Units		NA	7.86
Saturation pH (Calculated)				6.60
Langelier Index (Calculated)				1.26
Hardness (as CaCO ₃) (Calculated)	mg/L		0.5	939
Total Dissolved Solids	mg/L		10	1190
Alkalinity (as CaCO ₃)	mg/L		5	212
Bicarbonate (as CaCO ₃)	mg/L		5	212
Carbonate (as CaCO ₃)	mg/L		5	<5
Hydroxide (as CaCO ₃)	mg/L		5	<5
Fluoride	mg/L		0.05	<0.05
Chloride	mg/L		0.24	34.1
Nitrate as N	mg/L		0.07	<0.07
Nitrite as N	mg/L		0.05	0.62
Bromide	mg/L		0.06	<0.06
Sulphate	mg/L		0.19	686
Ortho Phosphate as P	mg/L		0.13	<0.13
Ammonia as N	mg/L		0.02	0.17
Total Phosphorus	mg/L		0.02	0.03
Total Organic Carbon	mg/L		0.5	1.0
True Colour	TCU		5	<5
Turbidity	NTU		0.5	3.0
Total Calcium	mg/L		0.16	279
Total Magnesium	mg/L		0.17	58.8
Total Potassium	mg/L		0.58	2.05
Total Sodium	mg/L		0.22	24.3
Total Aluminum	mg/L		0.010	<0.010
Total Antimony	mg/L		0.003	<0.003

Certified By:

Iris Veraistegui



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 21W799802

PROJECT: 60664299

5835 COOPERS AVENUE
MISSISSAUGA, ONTARIO
CANADA L4Z 1Y2
TEL (905)712-5100
FAX (905)712-5122
<http://www.agatlabs.com>

CLIENT NAME: AECOM CANADA LTD

ATTENTION TO: Matthew Alexander

SAMPLING SITE:

SAMPLED BY:PM

Water Quality Assessment (mg/L)

DATE RECEIVED: 2021-09-10

DATE REPORTED: 2021-09-16

		F2-T		
		SAMPLE DESCRIPTION: Development		
		SAMPLE TYPE: Water		
		DATE SAMPLED: 2021-09-09 16:30		
Parameter	Unit	G / S	RDL	2955573
Total Arsenic	mg/L		0.003	<0.003
Total Barium	mg/L		0.002	0.012
Total Beryllium	mg/L		0.001	<0.001
Total Boron	mg/L		0.010	0.067
Total Cadmium	mg/L		0.001	<0.001
Total Chromium	mg/L		0.003	<0.003
Total Cobalt	mg/L		0.001	<0.001
Total Copper	mg/L		0.003	<0.003
Total Iron	mg/L		0.010	0.393
Total Lead	mg/L		0.001	<0.001
Total Manganese	mg/L		0.002	0.009
Total Mercury	mg/L		0.0001	<0.0001
Total Molybdenum	mg/L		0.002	0.002
Total Nickel	mg/L		0.003	<0.003
Total Selenium	mg/L		0.002	<0.002
Total Silver	mg/L		0.002	<0.002
Total Strontium	mg/L		0.05	7.28
Total Thallium	mg/L		0.006	<0.006
Total Tin	mg/L		0.002	<0.002
Total Titanium	mg/L		0.002	<0.002
Total Tungsten	mg/L		0.010	<0.010
Total Uranium	mg/L		0.002	<0.002
Total Vanadium	mg/L		0.002	<0.002
Total Zinc	mg/L		0.005	<0.005
Total Zirconium	mg/L		0.004	<0.004

Comments: RDL - Reported Detection Limit; G / S - Guideline / Standard

2955573 Dilution required, RDL has been increased accordingly.

Analysis performed at AGAT Toronto (unless marked by *)

Certified By:

Iris Veraestegui

Quality Assurance

CLIENT NAME: AECOM CANADA LTD

PROJECT: 60664299

SAMPLING SITE:

AGAT WORK ORDER: 21W799802

ATTENTION TO: Matthew Alexander

SAMPLED BY: PM

Water Analysis															
RPT Date: Sep 16, 2021			DUPLICATE			Method Blank	REFERENCE MATERIAL			METHOD BLANK SPIKE			MATRIX SPIKE		
PARAMETER	Batch	Sample Id	Dup #1	Dup #2	RPD		Measured Value	Acceptable Limits		Recovery	Acceptable Limits		Recovery	Acceptable Limits	
								Lower	Upper		Lower	Upper		Lower	Upper

Water Quality Assessment (mg/L)

Electrical Conductivity	2955483		1470	1470	0.0%	< 2	99%	90%	110%						
pH	2955483		7.65	7.81	2.1%	NA	104%	90%	110%						
Total Dissolved Solids	2949140		368	382	3.7%	< 10	96%	80%	120%						
Alkalinity (as CaCO ₃)	2955483		393	438	10.8%	< 5	86%	80%	120%						
Bicarbonate (as CaCO ₃)	2955483		393	438	10.8%	< 5	NA								
Carbonate (as CaCO ₃)	2955483		<5	<5	NA	< 5	NA								
Hydroxide (as CaCO ₃)	2955483		<5	<5	NA	< 5	NA								
Fluoride	2955573	2955573	<0.05	<0.05	NA	< 0.05	103%	70%	130%	105%	80%	120%	110%	70%	130%
Chloride	2955573	2955573	34.1	34.0	0.3%	< 0.10	94%	70%	130%	102%	80%	120%	103%	70%	130%
Nitrate as N	2955573	2955573	<0.07	<0.07	NA	< 0.05	98%	70%	130%	103%	80%	120%	102%	70%	130%
Nitrite as N	2955573	2955573	0.62	0.66	6.3%	< 0.05	93%	70%	130%	97%	80%	120%	103%	70%	130%
Bromide	2955573	2955573	<0.06	<0.06	NA	< 0.05	103%	70%	130%	102%	80%	120%	102%	70%	130%
Sulphate	2955573	2955573	686	686	0.0%	< 0.10	98%	70%	130%	100%	80%	120%	NA	70%	130%
Ortho Phosphate as P	2955573	2955573	<0.13	<0.13	NA	< 0.10	98%	70%	130%	94%	80%	120%	91%	70%	130%
Ammonia as N	2956321		0.48	0.47	2.1%	< 0.02	120%	70%	130%	108%	80%	120%	110%	70%	130%
Total Phosphorus	2970883		0.03	0.03	NA	< 0.02	102%	70%	130%	101%	80%	120%	101%	70%	130%
Total Organic Carbon	2956321		2.3	2.2	NA	< 0.5	104%	90%	110%	105%	90%	110%	102%	80%	120%
True Colour	2963128		<5	<5	NA	< 5	102%	90%	110%						
Turbidity	2955573	2955573	3.0	3.1	3.3%	< 0.5	98%	80%	120%						
Total Calcium	2955573	2955573	279	254	9.4%	< 0.10	95%	70%	130%	96%	80%	120%	104%	70%	130%
Total Magnesium	2955573	2955573	58.8	54.6	7.4%	< 0.10	98%	70%	130%	98%	80%	120%	108%	70%	130%
Total Potassium	2955573	2955573	2.05	2.07	NA	< 0.50	97%	70%	130%	98%	80%	120%	110%	70%	130%
Total Sodium	2955573	2955573	24.3	22.7	6.8%	< 0.10	94%	70%	130%	94%	80%	120%	108%	70%	130%
Total Aluminum	2955573	2955573	<0.010	<0.010	NA	< 0.010	96%	70%	130%	99%	80%	120%	102%	70%	130%
Total Antimony	2955573	2955573	<0.003	<0.003	NA	< 0.003	97%	70%	130%	94%	80%	120%	104%	70%	130%
Total Arsenic	2955573	2955573	<0.003	<0.003	NA	< 0.003	94%	70%	130%	103%	80%	120%	106%	70%	130%
Total Barium	2955573	2955573	0.012	0.011	8.7%	< 0.002	92%	70%	130%	95%	80%	120%	97%	70%	130%
Total Beryllium	2955573	2955573	<0.001	<0.001	NA	< 0.001	96%	70%	130%	99%	80%	120%	103%	70%	130%
Total Boron	2955573	2955573	0.067	0.064	4.6%	< 0.010	96%	70%	130%	97%	80%	120%	102%	70%	130%
Total Cadmium	2955573	2955573	<0.001	<0.001	NA	< 0.001	96%	70%	130%	96%	80%	120%	101%	70%	130%
Total Chromium	2955573	2955573	<0.003	<0.003	NA	< 0.003	104%	70%	130%	97%	80%	120%	99%	70%	130%
Total Cobalt	2955573	2955573	<0.001	<0.001	NA	< 0.001	104%	70%	130%	100%	80%	120%	100%	70%	130%
Total Copper	2955573	2955573	<0.003	<0.003	NA	< 0.003	101%	70%	130%	100%	80%	120%	99%	70%	130%
Total Iron	2955573	2955573	0.393	0.376	4.4%	< 0.010	104%	70%	130%	102%	80%	120%	99%	70%	130%
Total Lead	2955573	2955573	<0.001	<0.001	NA	< 0.001	98%	70%	130%	92%	80%	120%	95%	70%	130%
Total Manganese	2955573	2955573	0.009	0.008	NA	< 0.002	104%	70%	130%	98%	80%	120%	99%	70%	130%
Total Mercury	2956321		<0.0001	<0.0001	NA	< 0.0001	103%	70%	130%	101%	80%	120%	102%	70%	130%
Total Molybdenum	2955573	2955573	0.002	0.002	NA	< 0.002	108%	70%	130%	103%	80%	120%	103%	70%	130%
Total Nickel	2955573	2955573	<0.003	<0.003	NA	< 0.003	105%	70%	130%	98%	80%	120%	100%	70%	130%

AGAT QUALITY ASSURANCE REPORT (V1)

Page 5 of 9

AGAT Laboratories is accredited to ISO/IEC 17025 by the Canadian Association for Laboratory Accreditation Inc. (CALA) and/or Standards Council of Canada (SCC) for specific tests listed on the scope of accreditation. AGAT Laboratories (Mississauga) is also accredited by the Canadian Association for Laboratory Accreditation Inc. (CALA) for specific drinking water tests. Accreditations are location and parameter specific. A complete listing of parameters for each location is available from www.cala.ca and/or www.scc.ca. The tests in this report may not necessarily be included in the scope of accreditation. RPDs calculated using raw data. The RPD may not be reflective of duplicate values shown, due to rounding of final results.

Results relate only to the items tested. Results apply to samples as received.

Quality Assurance

CLIENT NAME: AECOM CANADA LTD

PROJECT: 60664299

SAMPLING SITE:

AGAT WORK ORDER: 21W799802

ATTENTION TO: Matthew Alexander

SAMPLED BY: PM

Water Analysis (Continued)

RPT Date: Sep 16, 2021			DUPLICATE				REFERENCE MATERIAL			METHOD BLANK SPIKE			MATRIX SPIKE		
PARAMETER	Batch	Sample Id	Dup #1	Dup #2	RPD	Method Blank	Measured Value	Acceptable Limits		Recovery	Acceptable Limits		Recovery	Acceptable Limits	
								Lower	Upper		Lower	Upper		Lower	Upper
Total Selenium	2955573	2955573	<0.002	<0.002	NA	< 0.002	100%	70%	130%	107%	80%	120%	106%	70%	130%
Total Silver	2955573	2955573	<0.002	<0.002	NA	< 0.002	99%	70%	130%	96%	80%	120%	99%	70%	130%
Total Strontium	2955573	2955573	7.28	7.91	8.3%	< 0.005	104%	70%	130%	97%	80%	120%	108%	70%	130%
Total Thallium	2955573	2955573	<0.006	<0.006	NA	< 0.006	98%	70%	130%	111%	80%	120%	117%	70%	130%
Total Tin	2955573	2955573	<0.002	<0.002	NA	< 0.002	95%	70%	130%	95%	80%	120%	104%	70%	130%
Total Titanium	2955573	2955573	<0.002	<0.002	NA	< 0.002	105%	70%	130%	100%	80%	120%	109%	70%	130%
Total Tungsten	2955573	2955573	<0.010	<0.010	NA	< 0.010	85%	70%	130%	87%	80%	120%	90%	70%	130%
Total Uranium	2955573	2955573	<0.002	<0.002	NA	< 0.002	100%	70%	130%	99%	80%	120%	103%	70%	130%
Total Vanadium	2955573	2955573	<0.002	<0.002	NA	< 0.002	106%	70%	130%	100%	80%	120%	101%	70%	130%
Total Zinc	2955573	2955573	<0.005	<0.005	NA	< 0.005	101%	70%	130%	98%	80%	120%	100%	70%	130%
Total Zirconium	2955573	2955573	<0.004	<0.004	NA	< 0.004	101%	70%	130%	98%	80%	120%	97%	70%	130%

(Water) TSS

Total Suspended Solids	2953715	<10	<10	NA	< 10	98%	80%	120%
------------------------	---------	-----	-----	----	------	-----	-----	------

Comments: NA signifies Not Applicable.

If the RPD value is NA, the results of the duplicates are under 5X the RDL and will not be calculated.

Certified By:



Method Summary

CLIENT NAME: AECOM CANADA LTD
PROJECT: 60664299
SAMPLING SITE:
AGAT WORK ORDER: 21W799802
ATTENTION TO: Matthew Alexander
SAMPLED BY: PM

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Water Analysis			
Total Suspended Solids	INOR-93-6028	modified from EPA 1684, ON MOECC E3139, SM 2540C, D	BALANCE
Electrical Conductivity	INOR-93-6000	modified from SM 2510 B	PC TITRATE
pH	INOR-93-6000	modified from SM 4500-H+ B	PC TITRATE
Saturation pH (Calculated)		SM 2320 B	CALCULATION
Langelier Index (Calculated)		SM 2330B	CALCULATION
Hardness (as CaCO ₃) (Calculated)	MET-93-6105	modified from EPA SW-846 6010C & 200.7 & SM 2340 B	CALCULATION
Total Dissolved Solids	INOR-93-6028	modified from EPA 1684, ON MOECC E3139, SM 2540C, D	BALANCE
Alkalinity (as CaCO ₃)	INOR-93-6000	Modified from SM 2320 B	PC TITRATE
Bicarbonate (as CaCO ₃)	INOR-93-6000	modified from SM 2320 B	PC TITRATE
Carbonate (as CaCO ₃)	INOR-93-6000	modified from SM 2320 B	PC TITRATE
Hydroxide (as CaCO ₃)	INOR-93-6000	modified from SM 2320 B	PC TITRATE
Fluoride	INOR-93-6004	modified from SM 4110 B	ION CHROMATOGRAPH
Chloride	INOR-93-6004	modified from SM 4110 B	ION CHROMATOGRAPH
Nitrate as N	INOR-93-6004	modified from SM 4110 B	ION CHROMATOGRAPH
Nitrite as N	INOR-93-6004	SM 4110 B	ION CHROMATOGRAPH
Bromide	INOR-93-6004	modified from SM 4110 B	ION CHROMATOGRAPH
Sulphate	INOR-93-6004	modified from SM 4110 B	ION CHROMATOGRAPH
Ortho Phosphate as P	INOR-93-6004	modified from SM 4110 B	ION CHROMATOGRAPH
Ammonia as N	INOR-93-6059	modified from SM 4500-NH ₃ H	LACHAT FIA
Total Phosphorus	INOR-93-6057	modified from LACHAT 10-115-01-3A	LACHAT FIA
Total Organic Carbon	INOR-93-6049	modified from SM 5310 B	SHIMADZU CARBON ANALYZER
True Colour	INOR-93-6074	modified from SM 2120 B	LACHAT FIA
Turbidity	INOR-93-6044	modified from SM 2130 B	NEPHELOMETER
Total Calcium	MET-93-6105	modified from EPA 6010D	ICP/OES
Total Magnesium	MET-93-6105	modified from EPA 6010D	ICP/OES
Total Potassium	MET-93-6105	modified from EPA 6010D	ICP/OES
Total Sodium	MET-93-6105	modified from EPA 6010D	ICP/OES
Total Aluminum	MET-93-6103	modified from EPA 200.8, 3005A, 3010A & 6020B	ICP-MS
Total Antimony	MET-93-6103	modified from EPA 200.8, 3005A, 3010A & 6020B	ICP-MS
Total Arsenic	MET-93-6103	modified from EPA 200.8, 3005A, 3010A & 6020B	ICP-MS
Total Barium	MET-93-6103	modified from EPA 200.8, 3005A, 3010A & 6020B	ICP-MS
Total Beryllium	MET-93-6103	modified from EPA 200.8, 3005A, 3010A & 6020B	ICP-MS
Total Boron	MET-93-6103	modified from EPA 200.8, 3005A, 3010A & 6020B	ICP-MS
Total Cadmium	MET -93-6103	modified from EPA 200.8, 3005A, 3010A & 6020B	ICP-MS
Total Chromium	MET-93-6103	modified from EPA 200.8, 3005A, 3010A & 6020B	ICP-MS
Total Cobalt	MET-93-6103	modified from EPA 200.8, 3005A, 3010A & 6020B	ICP-MS
Total Copper	MET-93-6103	modified from EPA 200.8, 3005A, 3010A & 6020B	ICP-MS
Total Iron	MET-93-6103	modified from EPA 200.8, 3005A, 3010A & 6020B	ICP-MS

Method Summary

CLIENT NAME: AECOM CANADA LTD
PROJECT: 60664299
SAMPLING SITE:
AGAT WORK ORDER: 21W799802
ATTENTION TO: Matthew Alexander
SAMPLED BY:PM

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Total Lead	MET-93-6103	modified from EPA 200.8, 3005A, 3010A & 6020B	ICP-MS
Total Manganese	MET-93-6103	modified from EPA 200.8, 3005A, 3010A & 6020B	ICP-MS
Total Mercury	MET-93-6100	modified from EPA 245.2 and SM 3112 B	CVAAS
Total Molybdenum	MET-93-6103	modified from EPA 200.8, 3005A, 3010A & 6020B	ICP-MS
Total Nickel	MET-93-6103	modified from EPA 200.8, 3005A, 3010A & 6020B	ICP-MS
Total Selenium	MET-93-6103	modified from EPA 200.8, 3005A, 3010A & 6020B	ICP-MS
Total Silver	MET-93-6103	modified from EPA 200.8, 3005A, 3010A & 6020B	ICP-MS
Total Strontium	INOR-93-6003	modified from EPA 200.8, 3005A, 3010A & 6020B	ICP-MS
Total Thallium	MET-93-6103	modified from EPA 200.8, 3005A, 3010A & 6020B	ICP-MS
Total Tin	MET-93-6103	modified from EPA 200.8, 3005A, 3010A & 6020B	ICP-MS
Total Titanium	MET-93-6103	modified from EPA 200.8, 3005A, 3010A & 6020B	ICP-MS
Total Tungsten	MET-93-6103	modified from EPA 200.8, 3005A, 3010A & 6020B	ICP-MS
Total Uranium	MET-93-6103	modified from EPA 200.8, 3005A, 3010A & 6020B	ICP-MS
Total Vanadium	MET-93-6103	modified from EPA 200.8, 3005A, 3010A & 6020B	ICP-MS
Total Zinc	MET-93-6103	modified from EPA 200.8, 3005A, 3010A & 6020B	ICP-MS
Total Zirconium	MET-93-6103	modified from EPA 200.8, 3005A, 3010A & 6020B	ICP-MS



SRC Group # 2021-13808

Nov 08, 2021

AGAT Labs
5835 Coopers Ave
Mississauga, ON L4Z 1Y2
Attn: Eva Janzen

Date Samples Received: Oct-29-2021

Client P.O.:

All results have been reviewed and approved by a Qualified Person in accordance with the Saskatchewan Environmental Code, Corrective Action Plan Chapter, for the purposes of certifying a laboratory analysis

Results from Lab Section 3 approved by Tamosiunis, Cindy

-
- * Test methods and data are validated by the laboratory's Quality Assurance Program.
 - * Routine methods follow recognized procedures from sources such as
 - * Standard Methods for the Examination of Water and Wastewater APHA AWWA WEF
 - * Environment Canada
 - * US EPA
 - * CANMET
 - * The results reported relate only to the test samples as provided by the client.
 - * Samples will be kept for 30 days after the final report is sent. Please contact the lab if you have any special requirements.
 - * Additional information is available upon request.
 - * Where applicable, unless otherwise noted, Measurement Uncertainty has not been accounted for when stating conformity to the referenced standard.

This is a final report.

SRC Group # 2021-13808

Nov 08, 2021

AGAT Labs

5835 Coopers Ave

Mississauga, ON L4Z 1Y2

Attn: Eva Janzen

Date Samples Received: Oct-29-2021

Client P.O.:

51820 10/28/2021 21T822326 3141673 *WATER*

Analyte	Units	51820
---------	-------	-------

Lab Section 3

Chloramines	mg/L	<0.01
-------------	------	-------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

The temperature of the cooler was 14.8 °C upon receipt.

SRC Group # 2021-13808

Nov 08, 2021

AGAT Labs

Analyte Methods

Name	Units	Method
Chloramines	mg/L	CHM-340

Nov 08, 2021

This report was generated for samples included in SRC Group # 2021-13808

Quality Control Report

Eva Janzen
AGAT Labs
5835 Coopers Ave
Mississauga, ON L4Z 1Y2

Reference Materials and Standards:

A reference material of known concentration is used whenever possible as either a control sample or control standard and analyzed with each batch of samples. These "QC" results are used to assess the performance of the method and must be within clearly defined limits; otherwise corrective action is required.

QC Analysis	Units	Target Value	Obtained Value
Free chlorine	mg/L	25.0	28.5
Total residual chlorine	mg/L	1.1	1.1

Duplicates:

Duplicates are used to assess problems with precision and help ensure that samples within a given batch were processed appropriately. The difference between duplicates must be within strict limits, otherwise corrective action is required. Please note, the duplicate(s) in this report are duplicates analyzed within a given batch of test samples and may not be from this specific group of samples.

Duplicate Analysis	Units	Sample ID	First Result	Second Result
Chloramines	mg/L	51820	<0.01	<0.01

All quality control results were within the specified limits and considered acceptable.

Approved by Section Supervisor



Your Project #: 21T822326
Your C.O.C. #: N/A

Attention: Eva Janzen

AGAT Laboratories
5835 Coopers Ave
Mississauga, ON
CANADA L4Z 1Y2

Report Date: 2022/01/21
Report #: R6971612
Version: 1 - Final

CERTIFICATE OF ANALYSIS

BV LABS JOB #: C1V9565

Received: 2021/11/01, 12:45

Sample Matrix: Water
Samples Received: 1

Analyses	Date		Date Analyzed	Laboratory Method	Analytical Method
	Quantity	Extracted			
DW Parameters by Alpha Spec.	1	N/A	2021/12/20	BQL SOP-00006	Alpha Spectrometry
Long-lived Gamma Emitters	1	N/A	2021/11/01	BQL SOP-00007	Gamma Spectrometry
Short-lived Gamma Emitters	1	N/A	2021/11/01		Gamma Spectroscopy
Iodine-125 & Iodine-129 in Water	1	N/A	2021/12/17		Gamma Spectroscopy
Drinking Water Parameters by LSC	1	N/A	2021/12/12		LSC
Lead 210	1	N/A	2021/12/06	BQL SOP-00008	GFPC
Polonium-210 by Alpha Spectrometry	1	N/A	2021/11/28	BQL SOP-00006	Alpha Spectrometry
Radium-228 & Thorium-234 in Water	1	N/A	2021/12/15		Gamma Spectroscopy
Radium Isotopes by Alpha Spectrometry (1)	1	N/A	2021/12/17	BQL SOP-00006 BQL SOP-00017 BQL SOP-00032	Alpha Spectrometry
Strontium-90 by Proportional Counting	1	N/A	2021/11/11	BQL SOP-00008	GFPC
Tritium & Carbon-14 by Liq. Sc. Counting	1	N/A	2021/12/16	BQL SOP-00009	LSC
Uranium Isotopes by Alpha Spectrometry	1	N/A	2021/11/22	BQL SOP-00006	Alpha Spectrometry

Remarks:

Bureau Veritas is accredited to ISO/IEC 17025 for specific parameters on scopes of accreditation. Unless otherwise noted, procedures used by Bureau Veritas are based upon recognized Provincial, Federal or US method compendia such as CCME, MELCC, EPA, APHA.

All work recorded herein has been done in accordance with procedures and practices ordinarily exercised by professionals in Bureau Veritas' profession using accepted testing methodologies, quality assurance and quality control procedures (except where otherwise agreed by the client and Bureau Veritas in writing). All data is in statistical control and has met quality control and method performance criteria unless otherwise noted. All method blanks are reported; unless indicated otherwise, associated sample data are not blank corrected. Where applicable, unless otherwise noted, Measurement Uncertainty has not been accounted for when stating conformity to the referenced standard.

Bureau Veritas liability is limited to the actual cost of the requested analyses, unless otherwise agreed in writing. There is no other warranty expressed or implied. Bureau Veritas has been retained to provide analysis of samples provided by the Client using the testing methodology referenced in this report. Interpretation and use of test results are the sole responsibility of the Client and are not within the scope of services provided by Bureau Veritas, unless otherwise agreed in writing. Bureau Veritas is not responsible for the accuracy or any data impacts, that result from the information provided by the customer or their agent.

Solid sample results, except biota, are based on dry weight unless otherwise indicated. Organic analyses are not recovery corrected except for isotope dilution methods.

Results relate to samples tested. When sampling is not conducted by Bureau Veritas, results relate to the supplied samples tested.



Your Project #: 21T822326
Your C.O.C. #: N/A

Attention: Eva Janzen

AGAT Laboratories
5835 Coopers Ave
Mississauga, ON
CANADA L4Z 1Y2

Report Date: 2022/01/21
Report #: R6971612
Version: 1 - Final

CERTIFICATE OF ANALYSIS

BV LABS JOB #: C1V9565

Received: 2021/11/01, 12:45

This Certificate shall not be reproduced except in full, without the written approval of the laboratory.

Reference Method suffix "m" indicates test methods incorporate validated modifications from specific reference methods to improve performance.

(1) Radium-226 results have not been corrected for blanks.

Encryption Key

Please direct all questions regarding this Certificate of Analysis to your Project Manager.

Mayank Nigam, Project Manager

Email: Mayank.Nigam@bureauveritas.com

Phone# (905) 826-3080

=====

This report has been generated and distributed using a secure automated process.

BV Labs has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per ISO/IEC 17025, signing the reports. For Service Group specific validation please refer to the Validation Signature Page.



RESULTS OF ANALYSES OF WATER

Bureau Veritas ID		RCH757		
Sampling Date				
COC Number		N/A		
	UNITS	3141673	RDL	QC Batch
Americium-241	Bq/L	<0.01	0.01	7754425
Bismuth-210	Bq/L	<20	20	7761710
Calcium-45	Bq/L	<20	20	7761710
Cesium-131	Bq/L	<20	20	7761710
Iron-55	Bq/L	<20	20	7761710
Phosphorus-32	Bq/L	<20	20	7761710
Plutonium-238	Bq/L	<0.01	0.01	7754425
Plutonium-239	Bq/L	<0.01	0.01	7754425
Plutonium-240	Bq/L	<0.01	0.01	7754425
Plutonium-241	Bq/L	<5	5	7761710
Polonium-210	Bq/L	<0.010	0.010	7748155
Strontium-89	Bq/L	<20	20	7761710
Sulphur-35	Bq/L	<20	20	7761710
Technetium-99	Bq/L	<20	20	7761710
Thorium-228	Bq/L	<0.01	0.01	7754425
Thorium-230	Bq/L	<0.01	0.01	7754425
Thorium-232	Bq/L	<0.01	0.01	7754425
Uranium-234	Bq/L	<0.010	0.010	7705868
Uranium-235	Bq/L	<0.010	0.010	7705868
Uranium-238	Bq/L	<0.010	0.010	7705868
Yttrium-90	Bq/L	<20	20	7761710
Yttrium-91	Bq/L	<20	20	7761710
Bromine-82	Bq/L	<2	2	7673201
Carbon-14	Bq/L	<20	20	7761708
Cesium-137	Bq/L	<2	2	7673201
Gallium-67	Bq/L	<10	10	7673201
Iodine-125	Bq/L	<1	1	7747947
Iodine-129	Bq/L	<1	1	7747947
Lead-210	Bq/L	<0.10	0.10	7748319
Mercury-197	Bq/L	<5	5	7673201
Molybdenum-99	Bq/L	<3	3	7673201
Radium-224	Bq/L	<0.010	0.010	7753111
Radium-226	Bq/L	<0.010	0.010	7753111
Radium-228	Bq/L	<0.1	0.1	7760725
Rhodium-105	Bq/L	<10	10	7673201
Rubidium-81	Bq/L	<3	3	7673201
Strontium-90	Bq/L	<0.10	0.10	7677288
RDL = Reportable Detection Limit				
QC Batch = Quality Control Batch				



RESULTS OF ANALYSES OF WATER

Bureau Veritas ID		RCH757		
Sampling Date				
COC Number		N/A		
	UNITS	3141673	RDL	QC Batch
Technetium-99m	Bq/L	<2	2	7673201
Tellurium-131m	Bq/L	<3	3	7673201
Thallium-201	Bq/L	<10	10	7673201
Thorium-234	Bq/L	<7	7	7760725
Tritium	Bq/L	<100	100	7761708
Antimony-122	Bq/L	<1	1	7673211
Antimony-124	Bq/L	<1	1	7673211
Antimony-125	Bq/L	<2	2	7673211
Barium-140	Bq/L	<3	3	7673211
Beryllium-7	Bq/L	<6	6	7673211
Calcium-47	Bq/L	<2	2	7673211
Cerium-141	Bq/L	<1	1	7673211
Cerium-144	Bq/L	<3	3	7673211
Cesium-134	Bq/L	<1	1	7673211
Cesium-136	Bq/L	<1	1	7673211
Chromium-51	Bq/L	<5	5	7673211
Cobalt-57	Bq/L	<1	1	7673211
Cobalt-58	Bq/L	<1	1	7673211
Cobalt-60	Bq/L	<1	1	7673211
Gold-198	Bq/L	<1	1	7673211
Indium-111	Bq/L	<1	1	7673211
Iodine-131	Bq/L	<1	1	7673211
Iron-59	Bq/L	<2	2	7673211
Manganese-54	Bq/L	<1	1	7673211
Mercury-203	Bq/L	<1	1	7673211
Neptunium-239	Bq/L	<3	3	7673211
Niobium-95	Bq/L	<1	1	7673211
Rubidium-86	Bq/L	<10	10	7673211
Ruthenium-103	Bq/L	<1	1	7673211
Ruthenium-106	Bq/L	<8	8	7673211
Selenium-75	Bq/L	<1	1	7673211
Silver-108m	Bq/L	<1	1	7673211
Silver-110m	Bq/L	<1	1	7673211
Silver-111	Bq/L	<8	8	7673211
Sodium-22	Bq/L	<1	1	7673211
Strontium-85	Bq/L	<10	10	7673211
Tellurium-129m	Bq/L	<9	9	7673211
RDL = Reportable Detection Limit				
QC Batch = Quality Control Batch				



BUREAU
VERITAS

Bureau Veritas Job #: C1V9565

Report Date: 2022/01/21

AGAT Laboratories

Client Project #: 21T822326

RESULTS OF ANALYSES OF WATER

Bureau Veritas ID		RCH757		
Sampling Date				
COC Number		N/A		
	UNITS	3141673	RDL	QC Batch
Tellurium-132	Bq/L	<1	1	7673211
Ytterbium-169	Bq/L	<1	1	7673211
Zinc-65	Bq/L	<2	2	7673211
Zirconium-95	Bq/L	<2	2	7673211
RDL = Reportable Detection Limit				
QC Batch = Quality Control Batch				



BUREAU
VERITAS

Bureau Veritas Job #: C1V9565

Report Date: 2022/01/21

AGAT Laboratories

Client Project #: 21T822326

GENERAL COMMENTS

Results relate only to the items tested.



BUREAU
VERITAS

Bureau Veritas Job #: C1V9565
Report Date: 2022/01/21

AGAT Laboratories
Client Project #: 21T822326

QUALITY ASSURANCE REPORT

QA/QC Batch	Init	QC Type	Parameter	Date Analyzed	Value	Recovery	UNITS	QC Limits
7673201	DS2	QC Standard	Cesium-137	2021/11/04		96	%	N/A
7673201	DS2	Method Blank	Bromine-82	2021/11/04	<2		Bq/L	
			Cesium-137	2021/11/04	<2		Bq/L	
			Gallium-67	2021/11/04	<10		Bq/L	
			Mercury-197	2021/11/04	<5		Bq/L	
			Molybdenum-99	2021/11/04	<3		Bq/L	
			Rhodium-105	2021/11/04	<10		Bq/L	
			Rubidium-81	2021/11/04	<3		Bq/L	
			Technetium-99m	2021/11/04	<2		Bq/L	
			Tellurium-131m	2021/11/04	<3		Bq/L	
			Thallium-201	2021/11/04	<10		Bq/L	
7673211	DS2	QC Standard	Cesium-134	2021/11/04		91	%	N/A
			Cobalt-60	2021/11/04		105	%	N/A
			Iodine-131	2021/11/04		96	%	N/A
7673211	DS2	Method Blank	Antimony-122	2021/11/04	<1		Bq/L	
			Antimony-124	2021/11/04	<1		Bq/L	
			Antimony-125	2021/11/04	<2		Bq/L	
			Barium-140	2021/11/04	<3		Bq/L	
			Beryllium-7	2021/11/04	<6		Bq/L	
			Calcium-47	2021/11/04	<2		Bq/L	
			Cerium-141	2021/11/04	<1		Bq/L	
			Cerium-144	2021/11/04	<3		Bq/L	
			Cesium-134	2021/11/04	<1		Bq/L	
			Cesium-136	2021/11/04	<1		Bq/L	
			Chromium-51	2021/11/04	<5		Bq/L	
			Cobalt-57	2021/11/04	<1		Bq/L	
			Cobalt-58	2021/11/04	<1		Bq/L	
			Cobalt-60	2021/11/04	<1		Bq/L	
			Gold-198	2021/11/04	<1		Bq/L	
			Indium-111	2021/11/04	<1		Bq/L	
			Iodine-131	2021/11/04	<1		Bq/L	
			Iron-59	2021/11/04	<2		Bq/L	
			Manganese-54	2021/11/04	<1		Bq/L	
			Mercury-203	2021/11/04	<1		Bq/L	
			Neptunium-239	2021/11/04	<3		Bq/L	
			Niobium-95	2021/11/04	<1		Bq/L	
			Rubidium-86	2021/11/04	<10		Bq/L	
			Ruthenium-103	2021/11/04	<1		Bq/L	
			Ruthenium-106	2021/11/04	<8		Bq/L	
			Selenium-75	2021/11/04	<1		Bq/L	
			Silver-108m	2021/11/04	<1		Bq/L	
			Silver-110m	2021/11/04	<1		Bq/L	
			Silver-111	2021/11/04	<8		Bq/L	
			Sodium-22	2021/11/04	<1		Bq/L	
			Strontium-85	2021/11/04	<10		Bq/L	
			Tellurium-129m	2021/11/04	<9		Bq/L	
			Tellurium-132	2021/11/04	<1		Bq/L	
			Ytterbium-169	2021/11/04	<1		Bq/L	
			Zinc-65	2021/11/04	<2		Bq/L	
			Zirconium-95	2021/11/04	<2		Bq/L	
7673211	DS2	RPD [RCH757-01]	Antimony-122	2021/11/02	NC		%	N/A
			Antimony-124	2021/11/02	NC		%	N/A
			Antimony-125	2021/11/02	NC		%	N/A
			Barium-140	2021/11/02	NC		%	N/A
			Beryllium-7	2021/11/02	NC		%	N/A



BUREAU
VERITAS

Bureau Veritas Job #: C1V9565
Report Date: 2022/01/21

AGAT Laboratories
Client Project #: 21T822326

QUALITY ASSURANCE REPORT(CONT'D)

QA/QC Batch	Init	QC Type	Parameter	Date Analyzed	Value	Recovery	UNITS	QC Limits
			Calcium-47	2021/11/02	NC		%	N/A
			Cerium-141	2021/11/02	NC		%	N/A
			Cerium-144	2021/11/02	NC		%	N/A
			Cesium-134	2021/11/02	NC		%	N/A
			Cesium-136	2021/11/02	NC		%	N/A
			Chromium-51	2021/11/02	NC		%	N/A
			Cobalt-57	2021/11/02	NC		%	N/A
			Cobalt-58	2021/11/02	NC		%	N/A
			Cobalt-60	2021/11/02	NC		%	N/A
			Gold-198	2021/11/02	NC		%	N/A
			Indium-111	2021/11/02	NC		%	N/A
			Iodine-131	2021/11/02	NC		%	N/A
			Iron-59	2021/11/02	NC		%	N/A
			Manganese-54	2021/11/02	NC		%	N/A
			Mercury-203	2021/11/02	NC		%	N/A
			Neptunium-239	2021/11/02	NC		%	N/A
			Niobium-95	2021/11/02	NC		%	N/A
			Rubidium-86	2021/11/02	NC		%	N/A
			Ruthenium-103	2021/11/02	NC		%	N/A
			Ruthenium-106	2021/11/02	NC		%	N/A
			Selenium-75	2021/11/02	NC		%	N/A
			Silver-108m	2021/11/02	NC		%	N/A
			Silver-110m	2021/11/02	NC		%	N/A
			Silver-111	2021/11/02	NC		%	N/A
			Sodium-22	2021/11/02	NC		%	N/A
			Strontium-85	2021/11/02	NC		%	N/A
			Tellurium-129m	2021/11/02	NC		%	N/A
			Tellurium-132	2021/11/02	NC		%	N/A
			Ytterbium-169	2021/11/02	NC		%	N/A
			Zinc-65	2021/11/02	NC		%	N/A
			Zirconium-95	2021/11/02	NC		%	N/A
7677288	FK1	Spiked Blank	Strontium-90	2021/11/11		104	%	75 - 125
7677288	FK1	Method Blank	Strontium-90	2021/11/11	<0.10		Bq/L	
7677288	FK1	RPD	Strontium-90	2021/11/11	NC		%	N/A
7705868	FK1	Spiked Blank	Uranium-234	2021/11/21		99	%	N/A
			Uranium-235	2021/11/21		108	%	N/A
			Uranium-238	2021/11/21		102	%	N/A
7705868	FK1	Method Blank	Uranium-234	2021/11/21	<0.010		Bq/L	
			Uranium-235	2021/11/21	<0.010		Bq/L	
			Uranium-238	2021/11/21	<0.010		Bq/L	
7705868	FK1	RPD	Uranium-234	2021/11/21	NC		%	N/A
			Uranium-238	2021/11/21	NC		%	N/A
7747947	FK1	QC Standard	Iodine-129	2012/06/21		97	%	N/A
7747947	FK1	Method Blank	Iodine-125	2021/12/16	<1		Bq/L	
			Iodine-129	2021/12/16	<1		Bq/L	
7747947	FK1	RPD [RCH757-01]	Iodine-125	2021/12/20	NC		%	N/A
			Iodine-129	2021/12/20	NC		%	N/A
7748155	FK1	Spiked Blank	Polonium-210	2021/11/28		97	%	74 - 126
7748155	FK1	Method Blank	Polonium-210	2021/11/28	<0.010		Bq/L	
7748155	FK1	RPD	Polonium-210	2021/11/28	NC		%	N/A
7748319	FK1	Spiked Blank	Lead-210	2021/12/06		103	%	80 - 120
7748319	FK1	Method Blank	Lead-210	2021/12/06	<0.10		Bq/L	
7748319	FK1	RPD	Lead-210	2021/12/06	NC		%	N/A
7753111	FK1	QC Standard	Radium-224	2021/12/17		97	%	85 - 115
			Radium-226	2021/12/17		90	%	85 - 115



BUREAU
VERITAS

Bureau Veritas Job #: C1V9565
Report Date: 2022/01/21

AGAT Laboratories
Client Project #: 21T822326

QUALITY ASSURANCE REPORT(CONT'D)

QA/QC Batch	Init	QC Type	Parameter	Date Analyzed	Value	Recovery	UNITS	QC Limits
7753111	FK1	Spiked Blank	Radium-226	2021/12/17		97	%	85 - 115
7753111	FK1	Method Blank	Radium-224	2021/12/17	<0.010		Bq/L	
			Radium-226	2021/12/17	<0.010		Bq/L	
7753111	FK1	RPD	Radium-224	2021/12/17	NC		%	N/A
			Radium-226	2021/12/17	NC		%	N/A
7754425	JK2	Spiked Blank	Thorium-228	2021/12/20		93	%	63 - 137
			Thorium-230	2021/12/20		105	%	63 - 137
			Thorium-232	2021/12/20		100	%	63 - 137
7754425	JK2	Method Blank	Americium-241	2021/12/20	<0.01		Bq/L	
			Plutonium-238	2021/12/20	<0.01		Bq/L	
			Plutonium-239	2021/12/20	<0.01		Bq/L	
			Plutonium-240	2021/12/20	<0.01		Bq/L	
			Thorium-228	2021/12/20	<0.01		Bq/L	
			Thorium-230	2021/12/20	<0.01		Bq/L	
			Thorium-232	2021/12/20	<0.01		Bq/L	
7754425	JK2	RPD [RCH757-01]	Americium-241	2021/12/20	NC		%	N/A
			Plutonium-238	2021/12/20	NC		%	N/A
			Plutonium-239	2021/12/20	NC		%	N/A
			Plutonium-240	2021/12/20	NC		%	N/A
			Thorium-228	2021/12/20	NC		%	N/A
			Thorium-230	2021/12/20	NC		%	N/A
			Thorium-232	2021/12/20	NC		%	N/A
7760725	DS2	QC Standard	Radium-228	2021/12/15		102	%	N/A
			Thorium-234	2021/12/15		95	%	N/A
7760725	DS2	Method Blank	Radium-228	2021/12/14	<0.1		Bq/L	
			Thorium-234	2021/12/14	<7		Bq/L	
7761708	DS2	Spiked Blank	Carbon-14	2021/12/16		98	%	80 - 120
			Tritium	2021/12/16		101	%	N/A
7761708	DS2	Method Blank	Carbon-14	2021/12/16	<20		Bq/L	
			Tritium	2021/12/16	<100		Bq/L	
7761708	DS2	RPD [RCH757-01]	Carbon-14	2021/12/16	NC		%	N/A
			Tritium	2021/12/16	NC		%	N/A
7761710	DS2	Method Blank	Bismuth-210	2021/12/12	<20		Bq/L	
			Calcium-45	2021/12/12	<20		Bq/L	
			Cesium-131	2021/12/12	<20		Bq/L	
			Iron-55	2021/12/12	<20		Bq/L	
			Phosphorus-32	2021/12/12	<20		Bq/L	
			Plutonium-241	2021/12/12	<5		Bq/L	
			Strontium-89	2021/12/12	<20		Bq/L	
			Sulphur-35	2021/12/12	<20		Bq/L	
			Technetium-99	2021/12/12	<20		Bq/L	
			Yttrium-90	2021/12/12	<20		Bq/L	
			Yttrium-91	2021/12/12	<20		Bq/L	
7761710	DS2	RPD [RCH757-01]	Bismuth-210	2021/12/12	NC		%	N/A
			Calcium-45	2021/12/12	NC		%	N/A
			Cesium-131	2021/12/12	NC		%	N/A
			Iron-55	2021/12/12	NC		%	N/A
			Phosphorus-32	2021/12/12	NC		%	N/A
			Plutonium-241	2021/12/12	NC		%	N/A
			Strontium-89	2021/12/12	NC		%	N/A
			Sulphur-35	2021/12/12	NC		%	N/A
			Technetium-99	2021/12/12	NC		%	N/A
			Yttrium-90	2021/12/12	NC		%	N/A



QUALITY ASSURANCE REPORT(CONT'D)

QA/QC	Batch	Init	QC Type	Parameter	Date Analyzed	Value	Recovery	UNITS	QC Limits
				Yttrium-91	2021/12/12	NC		%	N/A
N/A = Not Applicable									
Duplicate: Paired analysis of a separate portion of the same sample. Used to evaluate the variance in the measurement.									
QC Standard: A sample of known concentration prepared by an external agency under stringent conditions. Used as an independent check of method accuracy.									
Spiked Blank: A blank matrix sample to which a known amount of the analyte, usually from a second source, has been added. Used to evaluate method accuracy.									
Method Blank: A blank matrix containing all reagents used in the analytical procedure. Used to identify laboratory contamination.									
NC (Duplicate RPD): The duplicate RPD was not calculated. The concentration in the sample and/or duplicate was too low to permit a reliable RPD calculation (absolute difference $\leq 2 \times \text{RDL}$).									



BUREAU
VERITAS

Bureau Veritas Job #: C1V9565

Report Date: 2022/01/21

AGAT Laboratories

Client Project #: 21T822326

VALIDATION SIGNATURE PAGE

The analytical data and all QC contained in this report were reviewed and validated by:

Robert Allen, Scientific Specialist

BV Labs has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per ISO/IEC 17025, signing the reports. For Service Group specific validation please refer to the Validation Signature Page.



Request for Laboratory Services and CHAIN OF CUSTODY (specific SDWA/HPPA - 1st Party)

SGS Environmental Services - Lakefield: 185 Concession St., Lakefield, ON K0L 2H0 Phone: 705-652-2000 Toll Free: 877-747-7658 Fax: 705-652-6365 Web: www.ca.sgs.com

Laboratory Information Section

Received Date (mm/dd/yyyy):

OCT 29 2021

LAB LIMS #:

OCT 14 635NK
128

Received Time (After Hours Only):

Billing & Reporting Information

Temperature Upon Receipt (°C):

Invoice/Receipt to:
Company: Accounts Payable
Attention: AGAT Laboratories - Mississauga
Address: 5835 Coopers Avenue, Mississauga, ON, L4Z1Y2
Email: gough@agatlabs.com

Quote #:

Attached Parameter List: ☐ YES ☐ NO

Turnaround Time

Report to: (3)
Attention: Eva Janzen, Nathan Berkely
Email: janzen@agatlabs.com, berkeley@agatlabs.com
Phone: 905-712-5096

PO #:
Job #: 21T822326
Fax:

Is *Rush Turnaround Time Required? ☐ YES ☒ NO

Specify:

* Rush TA Requests Require Lab Approval

Drinking Water System Information (Exceedance Reporting Information)

Client Lab #:

System Name:

Waterworks/DWS #:

Physical Address:

Contact Phone Number:

Contact Name:

Contact Fax Number:

MOH Unit (Ministry of Health):

Day Care Licence # or SFIS #:

Please check the regulation that applies to your water samples:

O.Reg. 170/03 ☐O.Reg 318/08
O.Reg 319/08 ☐O.Reg 243/07 ☐Certificate of Approval Requirement ☐Samples NOT Regulated ☒

As per the Ontario Safe Drinking Water Act and Health Protection and Promotion Act, the water facility information and the sample information sections must be filled out prior to processing samples. Sample Source Codes * indicate whether samples are Reportable or Not Reportable. The laboratory will report all exceedances to the SDWA/HPPA as per sample the applicable regulation and source codes.

Sample Information

Bottle #	Sample Source Code*	Sample Location Name	Check if Re Sample From an Adverse Report	Date Sampled (mm/dd/yy)	Time Sampled	# of Bottles	Field Total Residual Chlorine	Field Free Residual Chlorine	Analysis Requested (please enter the analysis required below and check off which analysis applies to each sample)				
									Bromate				
1	NR	3141673		Oct 28/21	8:00am	1			x				
2													
3													
4													
5													
6													
7		*Non Reportable Drinking Water											
8													
9													
10													
11													
12													

For NP/NPE work please report in mg/L

Sampled By {1}: (Name)

(Signature)

Date: ____ / ____ / ____ (mm/dd/yy)

Relinquished by {2}: Neal Gorospe

* Sample Source Codes

Date: 10 / 28 / 21 (mm/dd/yy)

DW-Distribution Water: Water in the DWS that is in the distribution system. These samples are reportable under applicable Ontario drinking water regulations

TW-Treated Water: Water in the DWS at the point of entry to the distribution system. These samples are reportable under applicable Ontario drinking water regulations

RW-Raw Water: Water source for a DWS that has a treatment system. These samples are not for consumption and not reportable under applicable Ontario drinking water regulations

RWFC-Raw Water For Consumption: Water source for a DWS that does not have a treatment system. These samples are for consumption and are reportable under applicable Ontario drinking water regulations

TAP-Tap Water: Water taken for the purposes of lead testing under O.Reg. 243/07

NR-Not Reportable: Water samples that are not reportable under applicable Ontario drinking water regulations

Note: {1} Submission of samples to SGS is acknowledgement that you have been provided direction on sample collection/handling and transportation of samples. {2} Submission of samples to SGS is considered authorization for completion of work. Signatures may appear on this form or be retained on file in the contract, or in an alternative format (e.g. shipping documents). {3} Results may be sent by email to an unlimited number of addresses for no additional cost. Fax is available upon request.

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/terms_and_conditions.htm. (Printed copies are available upon request.) Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

PP

333 203788877

1000 G/K

**SGS Canada Inc.**

P.O. Box 4300 - 185 Concession St.
Lakefield - Ontario - K0L 2H0
Phone: 705-652-2000 FAX: 705-652-6365

AGAT Laboratories - Mississauga

Attn : Eva Janzen / Nathan Berkeley

5835 Coopers Avenue
Mississauga, ON
L4Z 1Y2, Canada

Phone: 905-712-5096
Fax:

05-November-2021

Date Rec. : 29 October 2021
LR Report: CA14635-OCT21
Reference: PO#: 183300 - AGAT Job #
21T822326

Copy: #1

CERTIFICATE OF ANALYSIS

Final Report

Sample ID	Sample Date & Time	Temperature Upon Receipt °C	Bromate mg/L
1: Analysis Start Date		---	29-Oct-21
2: Analysis Start Time		---	14:53
3: Analysis Completed Date		---	04-Nov-21
4: Analysis Completed Time		---	06:54
5: QC - Blank		---	< 0.005
6: QC - STD % Recovery		---	97%
7: QC - DUP % RPD		---	ND
8: RL		---	0.005
9: NR 3141673	28-Oct-21 08:00	12.0	< 0.005

RL - SGS Reporting Limit

NR - Not regulated / reportable under applicable Provincial drinking water regulations as per client.

ND - Not Detected

Kimberley Didsbury
Project Specialist,
Environment, Health & Safety



TOWNSHIP OF CENTRE WELLINGTON

ATTN: Matthew Alexander c/o Centre
Wellington

50 Sportsworld Crossing Rd
Kitchener ON N2P 0A4

Date Received: 28-OCT-21

Report Date: 30-NOV-21

Version: INTERNAL

Client Phone: 226-821-4906

Certificate of Analysis

Lab Work Order #: **L2656807**
Project P.O. #: NOT SUBMITTED
Job Reference: 60664299
C of C Numbers:
Legal Site Desc:

Candice Hunter
Account Manager

[This report shall not be reproduced except in full without the written authority of the Laboratory.]

ADDRESS: 60 Northland Road, Unit 1, Waterloo, ON N2V 2B8 Canada | Phone: +1 519 886 6910 | Fax: +1 519 886 9047
ALS CANADA LTD Part of the ALS Group An ALS Limited Company



ANALYTICAL GUIDELINE REPORT

L2656807 CONTD....

Page 2 of 8

30-NOV-21 06:46 (MT)

60664299

Sample Details		Result	Qualifier	D.L.	Units	Analyzed	Guideline Limits			
Grouping	Analyte									
L2656807-1	F2-T-PT									
Sampled By:	CLIENT on 28-OCT-21 @ 08:00									
Matrix:	WATER									
Anions and Nutrients										
Chlorate		<0.010		0.010	mg/L	02-NOV-21	1.0			
Chlorite		<0.010		0.010	mg/L	02-NOV-21	1.0			
Fluoride (F)		0.95	DLDS	0.50	mg/L	01-NOV-21	1.5			
Nitrate (as N)		<0.10	DLDS	0.10	mg/L	01-NOV-21	10			
Nitrite (as N)		<0.050	DLDS	0.050	mg/L	01-NOV-21	1			
Cyanides										
Cyanide, Total		<0.0020		0.0020	mg/L	29-OCT-21				
Bacteriological Tests										
Escherichia Coli		0		0	MPN/100m L	29-OCT-21	0			
Total Coliforms		0		0	MPN/100m L	29-OCT-21	0			
Total Metals										
Antimony (Sb)		<0.60		0.60	ug/L	02-NOV-21	6			
Arsenic (As)		<1.0		1.0	ug/L	02-NOV-21	10.0			
Barium (Ba)		15		10	ug/L	02-NOV-21	1000			
Boron (B)		59		50	ug/L	02-NOV-21	5000			
Cadmium (Cd)		<0.10		0.10	ug/L	02-NOV-21	5			
Chromium (Cr)		<1.0		1.0	ug/L	02-NOV-21	50			
Lead (Pb)		<1.0		1.0	ug/L	02-NOV-21	10			
Selenium (Se)		<5.0		5.0	ug/L	02-NOV-21	50			
Sodium (Na)		23.6		0.50	mg/L	02-NOV-21	*20	200		
Uranium (U)		<5.0		5.0	ug/L	02-NOV-21	20			
Polycyclic Aromatic Hydrocarbons										
Benzo(a)pyrene		<0.0050		0.0050	ug/L	02-NOV-21	0.01			
Surrogate: Chrysene d12		95.9		50-150	%	02-NOV-21				
Haloacetic Acids										
Dibromoacetic Acid		<1.0		1.0	ug/L	03-NOV-21				
Dichloroacetic Acid		<1.0		1.0	ug/L	03-NOV-21				
Total Haloacetic Acids 5		<2.2		2.2	ug/L	03-NOV-21	80			
Bromoacetic Acid		<1.0		1.0	ug/L	03-NOV-21				
Chloroacetic acid		<1.0		1.0	ug/L	03-NOV-21				
Trichloroacetic Acid		<1.0		1.0	ug/L	03-NOV-21				
Semi-Volatile Organics										
N-Nitrosodimethylamine		<0.00090		0.00090	ug/L	03-NOV-21	0.009			
Surrogate: N-Nitrosodimethylamine-d6		62.0		50-150	%	03-NOV-21				
Herbicides										
AMPA		<0.50		0.50	ug/L	02-NOV-21				
Bromoxynil		<0.20		0.20	ug/L	29-OCT-21	5			
2,4-D		<0.20		0.20	ug/L	29-OCT-21	100			
Dicamba		<0.20		0.20	ug/L	29-OCT-21	120			
Dinoseb		<0.20		0.20	ug/L	29-OCT-21	10			
Glyphosate		<5.0		5.0	ug/L	02-NOV-21	280			
MCPA		<0.20		0.20	ug/L	29-OCT-21	100			
Picloram		<0.20		0.20	ug/L	29-OCT-21	190			
2,4,5-TP		<0.20		0.20	ug/L	29-OCT-21				

** Detection Limit for result exceeds Guideline Limit. Assessment against Guideline Limit cannot be made.

* Analytical result for this parameter exceeds Guideline Limit listed on this report. Guideline Limits applied:

Ontario Drinking Water Regulation (ODWQS) JAN.1,2020 = [Suite] - ON-DW-STANDARD+GUIDELINES

#1: Schedule 1 (Microbiological) and 2 (Chemical) Standards (JAN,2020)

#2: Ontario DW Aesthetic and Operational Guidelines (June, 2006)



ANALYTICAL GUIDELINE REPORT

L2656807 CONTD....

Page 3 of 8

30-NOV-21 06:46 (MT)

60664299

Sample Details		Result	Qualifier	D.L.	Units	Analyzed	Guideline Limits			
Grouping	Analyte									
L2656807-1	F2-T-PT									
Sampled By:	CLIENT on 28-OCT-21 @ 08:00									
Matrix:	WATER									
Herbicides										
Surrogate: 2,4-Dichlorophenylacetic Acid		90.0		50-130	%	29-OCT-21				
Pesticides										
Alachlor		<0.10		0.10	ug/L	08-NOV-21	5			
Atrazine		<0.10		0.10	ug/L	08-NOV-21				
Atrazine & Metabolites		<0.20		0.20	ug/L	08-NOV-21	5			
Azinphos-methyl		<0.10		0.10	ug/L	08-NOV-21	20			
Carbaryl		<0.20		0.20	ug/L	08-NOV-21	90			
Carbofuran		<0.20		0.20	ug/L	08-NOV-21	90			
Chlorpyrifos		<0.10		0.10	ug/L	08-NOV-21	90			
Diazinon		<0.10		0.10	ug/L	08-NOV-21	20			
2,4-Dichlorophenol		<0.30		0.30	ug/L	04-NOV-21	900	0.3		
Dimethoate		<0.10		0.10	ug/L	08-NOV-21	20			
Diquat		<1.0		1.0	ug/L	01-NOV-21	70			
Diuron		<1.0		1.0	ug/L	02-NOV-21	150			
Atrazine-desethyl		<0.10		0.10	ug/L	08-NOV-21				
Malathion		<0.10		0.10	ug/L	08-NOV-21	190			
Diclofop-methyl		<0.20		0.20	ug/L	08-NOV-21	9			
Metolachlor		<0.10		0.10	ug/L	08-NOV-21	50			
Metribuzin		<0.10		0.10	ug/L	08-NOV-21	80			
Paraquat		<1.0		1.0	ug/L	01-NOV-21	10			
Pentachlorophenol		<0.50		0.50	ug/L	04-NOV-21	60	30		
Phorate		<0.10		0.10	ug/L	08-NOV-21	2			
Prometryne		<0.10		0.10	ug/L	08-NOV-21	1			
Simazine		<0.10		0.10	ug/L	08-NOV-21	10			
Terbufos		<0.20		0.20	ug/L	08-NOV-21	1			
2,3,4,6-Tetrachlorophenol		<0.50		0.50	ug/L	04-NOV-21	100	1		
Triallate		<0.10		0.10	ug/L	08-NOV-21	230			
2,4,6-Trichlorophenol		<0.50		0.50	ug/L	04-NOV-21	5	2		
Trifluralin		<0.10		0.10	ug/L	08-NOV-21	45			
Surrogate: 2-Fluorobiphenyl		85.1		40-130	%	08-NOV-21				
Surrogate: 2,4,6-Tribromophenol		101.1		40-150	%	04-NOV-21				
L2656807-2	F2-T-PT (RESAMPLE)									
Sampled By:	CLIENT on 29-OCT-21 @ 08:00									
Matrix:	WATER									
Extractable Metals										
Mercury		<0.10		0.10	ug/L	02-NOV-21	1			
Volatile Organic Compounds										
Benzene		<0.50		0.50	ug/L	02-NOV-21	1			
Carbon tetrachloride		<0.20		0.20	ug/L	02-NOV-21	2			
Monochlorobenzene		<0.50		0.50	ug/L	02-NOV-21	80	30		
1,2-Dichlorobenzene		<0.50		0.50	ug/L	02-NOV-21	200	3		
1,4-Dichlorobenzene		<0.50		0.50	ug/L	02-NOV-21	5	1		
1,2-Dichloroethane		<0.50		0.50	ug/L	02-NOV-21	5			
1,1-dichloroethylene (vinylidene chlorid		<0.50		0.50	ug/L	02-NOV-21	14			

** Detection Limit for result exceeds Guideline Limit. Assessment against Guideline Limit cannot be made.

* Analytical result for this parameter exceeds Guideline Limit listed on this report. Guideline Limits applied:

Ontario Drinking Water Regulation (ODWQS) JAN.1,2020 = [Suite] - ON-DW-STANDARD+GUIDELINES

#1: Schedule 1 (Microbiological) and 2 (Chemical) Standards (JAN,2020)

#2: Ontario DW Aesthetic and Operational Guidelines (June, 2006)



ANALYTICAL GUIDELINE REPORT

L2656807 CONTD....

Page 4 of 8

30-NOV-21 06:46 (MT)

60664299

Sample Details		Result	Qualifier	D.L.	Units	Analyzed	Guideline Limits			
Grouping	Analyte									
L2656807-2	F2-T-PT (RESAMPLE)									
Sampled By:	CLIENT on 29-OCT-21 @ 08:00									
Matrix:	WATER									
Volatile Organic Compounds							#1	#2		
Dichloromethane		<5.0		5.0	ug/L	02-NOV-21	50			
Ethylbenzene		<0.50		0.50	ug/L	02-NOV-21	140	2.4		
Tetrachloroethylene (perchloroethylene)		<0.50		0.50	ug/L	02-NOV-21	10			
Toluene		<0.50		0.50	ug/L	02-NOV-21	60	24		
Trichloroethylene		<0.50		0.50	ug/L	02-NOV-21	5			
Vinyl chloride		<0.20		0.20	ug/L	02-NOV-21	1			
o-xylene		<0.50		0.50	ug/L	02-NOV-21				
m/p-xylene		<1.0		1.0	ug/L	02-NOV-21				
Xylenes (Total)		<1.5		1.5	ug/L	02-NOV-21	90	300		
Surrogate: 4-Bromofluorobenzene		89.8		70-130	%	02-NOV-21				
Surrogate: 1,4-Difluorobenzene		97.9		50-150	%	02-NOV-21				
Surrogate: 1,4-Difluorobenzene		97.9		70-130	%	02-NOV-21				
Trihalomethanes										
Bromodichloromethane		<2.0		2.0	ug/L	02-NOV-21				
Bromoform		<2.0		2.0	ug/L	02-NOV-21				
Dibromochloromethane		<2.0		2.0	ug/L	02-NOV-21				
Chloroform		<2.0		2.0	ug/L	02-NOV-21				
Total THMs		<4.0		4.0	ug/L	02-NOV-21	100			
Polychlorinated Biphenyls										
Aroclor 1242		<0.020		0.020	ug/L	02-NOV-21				
Aroclor 1254		<0.020		0.020	ug/L	02-NOV-21				
Aroclor 1260		<0.020		0.020	ug/L	02-NOV-21				
Surrogate: Decachlorobiphenyl		91.0		50-150	%	02-NOV-21				
Total PCBs		<0.035		0.035	ug/L	02-NOV-21	3			
Surrogate: Tetrachloro-m-xylene		94.8		50-150	%	02-NOV-21				
Organochlorine Pesticides										
Aldrin		<0.0080		0.0080	ug/L	02-NOV-21				
alpha-BHC		<0.0080		0.0080	ug/L	02-NOV-21				
gamma-hexachlorocyclohexane		<0.0080		0.0080	ug/L	02-NOV-21				
a-chlordane		<0.0080		0.0080	ug/L	02-NOV-21				
g-chlordane		<0.0080		0.0080	ug/L	02-NOV-21				
pp-DDD		<0.004		0.004	ug/L	02-NOV-21				
o,p-DDE		<0.0040		0.0040	ug/L	02-NOV-21				
pp-DDE		<0.004		0.004	ug/L	02-NOV-21				
op-DDT		<0.0040		0.0040	ug/L	02-NOV-21				
pp-DDT		<0.0040		0.0040	ug/L	02-NOV-21				
Endosulfan I		<0.0070		0.0070	ug/L	02-NOV-21				
Endosulfan II		<0.0070		0.0070	ug/L	02-NOV-21				
Endosulfan Sulfate		<0.0070		0.0070	ug/L	02-NOV-21				
Endrin		<0.010		0.010	ug/L	02-NOV-21				
Heptachlor		<0.0080		0.0080	ug/L	02-NOV-21				
Heptachlor Epoxide		<0.0080		0.0080	ug/L	02-NOV-21				
Hexachlorobenzene		<0.0080		0.0080	ug/L	02-NOV-21				
Methoxychlor		<0.0080		0.0080	ug/L	02-NOV-21	900			
Mirex		<0.0080		0.0080	ug/L	02-NOV-21				

** Detection Limit for result exceeds Guideline Limit. Assessment against Guideline Limit cannot be made.

* Analytical result for this parameter exceeds Guideline Limit listed on this report. Guideline Limits applied:

Ontario Drinking Water Regulation (ODWQS) JAN.1,2020 = [Suite] - ON-DW-STANDARD+GUIDELINES

#1: Schedule 1 (Microbiological) and 2 (Chemical) Standards (JAN,2020)

#2: Ontario DW Aesthetic and Operational Guidelines (June, 2006)



L2656807 CONTD....

Page 5 of 8

30-NOV-21 06:46 (MT)

60664299

* Detection Limit for result exceeds Guideline Limit. Assessment against Guideline Limit cannot be made.

Analytical result for this parameter exceeds Guideline Limit listed on this report. Guideline Limits applied.

Ontario Drinking Water Regulation (ODWQS) JAN.1,2020 = [Suite] - ON-DW-STANDARD+GUIDELINES

#1: Schedule 1 (Microbiological) and 2 (Chemical) Standards (JAN,2020) #2: Ontario DW Aesthetic and Operational Guidelines (June, 2006)

Reference Information

Sample Parameter Qualifier key listed:

Qualifier	Description
DLDS	Detection Limit Raised: Dilution required due to high Dissolved Solids / Electrical Conductivity.

Methods Listed (if applicable):

ALS Test Code	Matrix	Test Description	Method Reference***
ACIDS-ONT-DW-WT	Water	O.Reg 170/03 Acids	SW846 8270
Pesticides are extracted from an aqueous sample using separate aliquots of solvent, extracts are concentrated down to a certain volume and analyzed on the GC/MSD.			
BAP-ONT-DW-WT	Water	Benzo(a)pyrene in Drinking Water	SW 846 8270
CHLORATE-IC-DW-WT	Water	Chlorate by IC	EPA 300.1 (mod)
Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.			
CHLORITE-IC-DW-WT	Water	Chlorite by IC	EPA 300.1 (mod)
Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.			
CN-TOT-ONT-DW-WT	Water	Cyanide, Total	ISO 14403-2
Total cyanide is determined by the combination of UV digestion and distillation. Cyanide is converted to cyanogen chloride by reacting with chloramine-T, the cyanogen chloride then reacts with a combination of barbituric acid and isonicotinic acid to form a highly colored complex.			
When using this method, high levels of thiocyanate in samples can cause false positives at ~1-2% of the thiocyanate concentration. For samples with detectable cyanide analyzed by this method, ALS recommends analysis for thiocyanate to check for this potential interference.			
Ontario Drinking Water samples are not filtered during analysis.			
DIQUAT-ONT-DW-WT	Water	Diquat in Water by LC/MS-MS	E3503
An aliquot of the sample is taken and internal standard is added. The sample is analyzed by LC/MS/MS.			
DIURON-ONT-DW-WT	Water	Diuron in Drinking Water	E3501
An aliquot of water sample is diluted 1:1 using acetonitrile and analyzed using LC/MS/MS			
EC-SCREEN-WT	Water	Conductivity Screen (Internal Use Only)	APHA 2510
Qualitative analysis of conductivity where required during preparation of other tests - e.g. TDS, metals, etc.			
F-DW-IC-WT	Water	Fluoride in Water by IC	EPA 300.1 (mod)
Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.			
GLYPHOSATE-ONT-DW-WT	Water	Glyphosate in Drinking Water	MOE E3500
This analysis is carried out using procedures adapted from ON MOE E3500 "Glyphosate". Glyphosate is determined by direct injection by LC-MS/MS on a sample that has been derivatized.			
HAA-DW-LCMS-WT	Water	Haloacetic Acids - Ontario DW List	MOECC E3478
An aliquot of sample is fortified with formic acid and analyzed by direct inject via Electro Spray Ionization MS/MS detection using Triple Quadrupole MS/MS detector.			
HAA5-SUM-DW-CALC-WT	Water		CALCULATION
Total Haloacetic Acids 5 (HAA5) represents the sum of monobromoacetic acid, monochloroacetic acid, dibromoacetic acid, dichloroacetic acid and trichloroacetic acid. For the purpose of calculation, results less than the detection limit (DL) are treated as zero.			
HG-T-ONT-DW-WT	Water	Mercury (Hg)	EPA 1631E (mod)
MET-ONT-DW-WT	Water	Drinking Water Metals	EPA 6020A
MISC-ONT-DW-WT	Water	O.Reg 170/03 Miscellaneous Pesticides	SW846 8270
Pesticides are extracted from an aqueous sample using separate aliquots of solvent, extracts are concentrated down to a certain volume and analyzed on the GC/MSD.			
NDMA-ONTDW-WT	Water	NDMA to meet Ont Reg 170/03	QWI-ORG/WP239

An aliquot of sample is solid phase extracted followed by liquid chromatography tandem mass spectrometry instead of direct injection.

Reference Information

NO2-DW-IC-WT	Water	Nitrite in Water by IC	EPA 300.1 (mod)
Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.			
NO3-DW-IC-WT	Water	Nitrate in Water by IC	EPA 300.1 (mod)
Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.			
OCP-ROUTINE-DW-WT	Water	Pesticides, Organochlorine in Water	SW846 8270
Samples are extracted using a solvent mixture and the resulting extracts are analyzed on GC/MSD			
PAHERB-ONT-DW-WT	Water	O.Reg 170/03 PA Herbicides	MOE E3552
Water samples are analyzed by direct injection without sample preparation using liquid chromatography tandem mass spectrometry (LC-MS/MS).			
PARAQUAT-ONT-DW-WT	Water	Paraquat in Water by LC/MS-MS	E3503
An aliquot of the sample is taken and internal standard is added. The sample is analyzed by LC/MS/MS.			
PCB-ONT-DW-WT	Water	O.Reg 170/03 PCBs	EPA 8270
PCBs are extracted from an aqueous sample at neutral pH with aliquots of dichloromethane using a modified separatory funnel technique. The extracts are analyzed by GC/MSD.			
TC,EC-QT51-DW-WT	Water	Total Coliform and E. Coli	APHA 9223B
This analysis is carried out using procedures adapted from APHA Method 9223 "Enzyme Substrate Coliform Test". E. coli and Total Coliform are determined simultaneously. The sample is mixed with a mixture of hydrolyzable substrates and then sealed in a multi-well packet. The packet is incubated for 18 or 24 hours and then the number of wells exhibiting a positive response are counted. The final result is obtained by comparing the positive responses to a probability table.			
THM-ONT-DW-WT	Water	Trihalomethanes	SW846 8260
Liquid samples are analyzed by headspace GC/MSD.			
THM-SUM-DW-CALC-WT	Water	Total Trihalomethanes (THMs)	CALCULATION
Total Trihalomethanes (THMs) represents the sum of bromodichloromethane, bromoform, chlorodibromomethane and chloroform. For the purpose of calculation, results less than the detection limit (DL) are treated as zero.			
TURB-MET-WT	Water	Turbidity on preserved metals sample	APHA 2130 B
Sample result is based on a comparison of the intensity of the light scattered by the sample under defined conditions with the intensity of light scattered by a standard reference suspension under the same conditions. Sample readings are obtained from a Nephelometer.			
VOC-ONT-DW-WT	Water	Volatile Organics (O.Reg 170/03)	SW846 8260
Liquid samples are analyzed by headspace GC/MSD.			

*** ALS test methods may incorporate modifications from specified reference methods to improve performance.

Chain of Custody numbers:			
The last two letters of the above test code(s) indicate the laboratory that performed analytical analysis for that test. Refer to the list below:			
Laboratory Definition Code	Laboratory Location	Laboratory Definition Code	Laboratory Location
WT	ALS ENVIRONMENTAL - WATERLOO, ONTARIO, CANADA		

Reference Information

GLOSSARY OF REPORT TERMS

Surrogates are compounds that are similar in behaviour to target analyte(s), but that do not normally occur in environmental samples. For applicable tests, surrogates are added to samples prior to analysis as a check on recovery. In reports that display the D.L. column, laboratory objectives for surrogates are listed there.

mg/kg - milligrams per kilogram based on dry weight of sample

mg/kg ww - milligrams per kilogram based on wet weight of sample

mg/kg lwt - milligrams per kilogram based on lipid-adjusted weight

mg/L - unit of concentration based on volume, parts per million.

< - Less than.

D.L. - The reporting limit.

N/A - Result not available. Refer to qualifier code and definition for explanation.

Test results reported relate only to the samples as received by the laboratory.

UNLESS OTHERWISE STATED, ALL SAMPLES WERE RECEIVED IN ACCEPTABLE CONDITION.

Analytical results in unsigned test reports with the DRAFT watermark are subject to change, pending final QC review.

Application of guidelines is provided "as is" without warranty of any kind, either expressed or implied, including, but not limited to, fitness for a particular purpose, or non-infringement. ALS assumes no responsibility for errors or omissions in the information. Guideline limits are not adjusted for the hardness, pH or temperature of the sample (the most conservative values are used). Measurement uncertainty is not applied to test results prior to comparison with specified criteria values.



Environmental

Quality Control Report

Workorder: L2656807

Report Date: 30-NOV-21

Page 1 of 14

Client: TOWNSHIP OF CENTRE WELLINGTON
50 Sportsworld Crossing Rd
Kitchener ON N2P 0A4

Contact: Matthew Alexander c/o Centre Wellington

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
ACIDS-ONT-DW-WT		Water						
Batch	R5635233							
WG3650243-2 LCS								
2,4-Dichlorophenol			95.9		%		50-140	03-NOV-21
2,4,6-Trichlorophenol			97.2		%		50-140	03-NOV-21
2,3,4,6-Tetrachlorophenol			92.5		%		50-140	03-NOV-21
Pentachlorophenol			119.5		%		60-130	03-NOV-21
WG3650243-1 MB								
2,4-Dichlorophenol			<0.30		ug/L		0.3	03-NOV-21
2,4,6-Trichlorophenol			<0.50		ug/L		0.5	03-NOV-21
2,3,4,6-Tetrachlorophenol			<0.50		ug/L		0.5	03-NOV-21
Pentachlorophenol			<0.50		ug/L		0.5	03-NOV-21
Surrogate: 2,4,6-Tribromophenol			92.1		%		40-150	03-NOV-21
BAP-ONT-DW-WT		Water						
Batch	R5634292							
WG3649560-2 LCS								
Benzo(a)pyrene			78.2		%		60-130	02-NOV-21
WG3649560-1 MB								
Benzo(a)pyrene			<0.0050		ug/L		0.005	02-NOV-21
Surrogate: Chrysene d12			99.8		%		50-150	02-NOV-21
CHLORATE-IC-DW-WT		Water						
Batch	R5634938							
WG3650575-3 DUP		WG3650575-5						
Chlorate		<0.010	<0.010	RPD-NA	mg/L	N/A	20	02-NOV-21
WG3650575-2 LCS								
Chlorate			99.1		%		85-115	02-NOV-21
WG3650575-1 MB								
Chlorate			<0.010		mg/L		0.01	02-NOV-21
WG3650575-4 MS		WG3650575-5						
Chlorate			95.0		%		75-125	02-NOV-21
CHLORITE-IC-DW-WT		Water						
Batch	R5634938							
WG3650575-3 DUP		WG3650575-5						
Chlorite		<0.010	<0.010	RPD-NA	mg/L	N/A	20	02-NOV-21
WG3650575-2 LCS								
Chlorite			102.3		%		85-115	02-NOV-21
WG3650575-1 MB								
Chlorite			<0.010		mg/L		0.01	02-NOV-21
WG3650575-4 MS		WG3650575-5						



Environmental

Quality Control Report

Workorder: L2656807

Report Date: 30-NOV-21

Page 2 of 14

Client: TOWNSHIP OF CENTRE WELLINGTON
50 Sportsworld Crossing Rd
Kitchener ON N2P 0A4

Contact: Matthew Alexander c/o Centre Wellington

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
CHLORITE-IC-DW-WT	Water							
Batch R5634938								
WG3650575-4 MS		WG3650575-5						
Chlorite			90.7		%		75-125	02-NOV-21
CN-TOT-ONT-DW-WT	Water							
Batch R5633500								
WG3648574-19 DUP		WG3648574-18						
Cyanide, Total		<0.0020	<0.0020	RPD-NA	mg/L	N/A	20	29-OCT-21
WG3648574-17 LCS			97.7		%		80-120	29-OCT-21
Cyanide, Total								
WG3648574-16 MB			<0.0020		mg/L		0.002	29-OCT-21
Cyanide, Total								
WG3648574-20 MS		WG3648574-18	102.7		%		70-130	29-OCT-21
Cyanide, Total								
DIQUAT-ONT-DW-WT	Water							
Batch R5633999								
WG3649847-3 DUP		WG3649847-5						
Diquat		<1.0	<1.0	RPD-NA	ug/L	N/A	30	01-NOV-21
WG3649847-2 LCS			114.2		%		70-130	01-NOV-21
Diquat								
WG3649847-1 MB			<1.0		ug/L		1	01-NOV-21
Diquat								
WG3649847-4 MS		WG3649847-5	91.1		%		70-130	01-NOV-21
Diquat								
DIURON-ONT-DW-WT	Water							
Batch R5634139								
WG3650015-3 DUP		WG3650015-5						
Diuron		<1.0	<1.0	RPD-NA	ug/L	N/A	30	02-NOV-21
WG3650015-2 LCS			105.4		%		70-130	02-NOV-21
Diuron								
WG3650015-1 MB			<1.0		ug/L		1	02-NOV-21
Diuron								
WG3650015-4 MS		WG3650015-5	101.5		%		70-130	02-NOV-21
Diuron								
F-DW-IC-WT	Water							

Quality Control Report

Workorder: L2656807

Report Date: 30-NOV-21

Page 3 of 14

Client: TOWNSHIP OF CENTRE WELLINGTON
50 Sportsworld Crossing Rd
Kitchener ON N2P 0A4

Contact: Matthew Alexander c/o Centre Wellington

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
F-DW-IC-WT		Water						
Batch	R5634301							
WG3649968-9	DUP	WG3649968-8						
Fluoride (F)		<0.10	<0.10	RPD-NA	mg/L	N/A	20	01-NOV-21
WG3649968-7	LCS							
Fluoride (F)			102.5		%		90-110	01-NOV-21
WG3649968-6	MB							
Fluoride (F)			<0.10		mg/L		0.1	01-NOV-21
WG3649968-10	MS	WG3649968-8						
Fluoride (F)			99.0		%		75-125	01-NOV-21
GLYPHOSATE-ONT-DW-WT		Water						
Batch	R5634650							
WG3649751-3	DUP	L2656451-2						
Glyphosate		<5.0	<5.0	RPD-NA	ug/L	N/A	30	02-NOV-21
AMPA		<0.50	<0.50	RPD-NA	ug/L	N/A	40	02-NOV-21
WG3649751-2	LCS							
Glyphosate			96.4		%		70-130	02-NOV-21
AMPA			97.6		%		70-130	02-NOV-21
WG3649751-1	MB							
Glyphosate			<5.0		ug/L		5	02-NOV-21
AMPA			<0.50		ug/L		0.5	02-NOV-21
WG3649751-4	MS	L2656451-2						
Glyphosate			97.0		%		70-130	02-NOV-21
AMPA			88.3		%		70-130	02-NOV-21
HAA-DW-LCMS-WT		Water						
Batch	R5634844							
WG3650532-2	LCS							
Bromoacetic Acid			73.5		%		70-130	02-NOV-21
Chloroacetic acid			89.8		%		70-130	02-NOV-21
Dibromoacetic Acid			75.0		%		70-130	02-NOV-21
Dichloroacetic Acid			86.9		%		70-130	02-NOV-21
Trichloroacetic Acid			86.9		%		70-130	02-NOV-21
WG3650532-1	MB							
Bromoacetic Acid			<1.0		ug/L		1	02-NOV-21
Chloroacetic acid			<1.0		ug/L		1	02-NOV-21
Dibromoacetic Acid			<1.0		ug/L		1	02-NOV-21
Dichloroacetic Acid			<1.0		ug/L		1	02-NOV-21
Trichloroacetic Acid			<1.0		ug/L		1	02-NOV-21

Quality Control Report

Workorder: L2656807

Report Date: 30-NOV-21

Page 4 of 14

Client: TOWNSHIP OF CENTRE WELLINGTON
50 Sportsworld Crossing Rd
Kitchener ON N2P 0A4

Contact: Matthew Alexander c/o Centre Wellington

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
HAA-DW-LCMS-WT		Water						
Batch	R5634844							
WG3650532-3 MS		L2655472-2						
Bromoacetic Acid			70.6		%		70-130	02-NOV-21
Chloroacetic acid			N/A	MS-B	%		-	02-NOV-21
Dibromoacetic Acid			86.1		%		70-130	02-NOV-21
Dichloroacetic Acid			N/A	MS-B	%		-	02-NOV-21
Trichloroacetic Acid			N/A	MS-B	%		-	02-NOV-21
WG3650532-4 MSD		WG3650532-3						
Bromoacetic Acid		70.6	76.9		%	8.5	50	02-NOV-21
Dibromoacetic Acid		86.1	89.3		%	3.7	50	02-NOV-21
HG-T-ONT-DW-WT		Water						
Batch	R5634372							
WG3649856-4 DUP		WG3649856-3						
Mercury		<0.10	<0.10	RPD-NA	ug/L	N/A	20	02-NOV-21
WG3649856-2 LCS			104.0		%		80-120	02-NOV-21
WG3649856-1 MB			<0.10		ug/L		0.1	02-NOV-21
WG3649856-6 MS		WG3649856-5						
Mercury			101.0		%		70-130	02-NOV-21
MET-ONT-DW-WT		Water						
Batch	R5634831							
WG3650707-4 DUP		WG3650707-3						
Antimony (Sb)		<0.60	<0.60	RPD-NA	ug/L	N/A	25	02-NOV-21
Arsenic (As)		<1.0	<1.0	RPD-NA	ug/L	N/A	25	02-NOV-21
Barium (Ba)		32	32		ug/L	0.9	25	02-NOV-21
Boron (B)		<50	<50	RPD-NA	ug/L	N/A	25	02-NOV-21
Cadmium (Cd)		<0.10	<0.10	RPD-NA	ug/L	N/A	25	02-NOV-21
Chromium (Cr)		<1.0	<1.0	RPD-NA	ug/L	N/A	25	02-NOV-21
Lead (Pb)		73.9	74.8		ug/L	1.2	25	02-NOV-21
Selenium (Se)		<1.0	<1.0	RPD-NA	ug/L	N/A	25	02-NOV-21
Sodium (Na)		12.0	12.2		mg/L	1.9	25	02-NOV-21
Uranium (U)		<2.0	<2.0	RPD-NA	ug/L	N/A	25	02-NOV-21
WG3650707-2 LCS								
Antimony (Sb)			101.1		%		70-130	02-NOV-21
Arsenic (As)			102.0		%		70-130	02-NOV-21



Environmental

Quality Control Report

Workorder: L2656807

Report Date: 30-NOV-21

Page 6 of 14

Client: TOWNSHIP OF CENTRE WELLINGTON
50 Sportsworld Crossing Rd
Kitchener ON N2P 0A4

Contact: Matthew Alexander c/o Centre Wellington

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
MISC-ONT-DW-WT		Water						
Batch R5637728								
WG3652227-2 LCS								
Alachlor			112.2		%		60-130	08-NOV-21
Atrazine			107.3		%		60-130	08-NOV-21
Atrazine-desethyl			57.1		%		50-130	08-NOV-21
Azinphos-methyl			127.6		%		60-140	08-NOV-21
Carbaryl			129.7		%		50-140	08-NOV-21
Carbofuran			113.4		%		60-140	08-NOV-21
Chlorpyrifos			89.0		%		60-130	08-NOV-21
Diazinon			89.3		%		60-130	08-NOV-21
Diclofop-methyl			77.7		%		60-140	08-NOV-21
Dimethoate			95.9		%		60-130	08-NOV-21
Malathion			111.5		%		60-130	08-NOV-21
Metribuzin			109.0		%		60-130	08-NOV-21
Metolachlor			118.7		%		60-130	08-NOV-21
Phorate			99.8		%		30-140	08-NOV-21
Prometryne			101.0		%		60-130	08-NOV-21
Simazine			107.6		%		60-130	08-NOV-21
Terbufos			92.3		%		60-130	08-NOV-21
Triallate			88.3		%		60-130	08-NOV-21
Trifluralin			88.3		%		60-130	08-NOV-21
WG3652227-1 MB								
Alachlor			<0.10		ug/L		0.1	08-NOV-21
Atrazine			<0.10		ug/L		0.1	08-NOV-21
Atrazine-desethyl			<0.10		ug/L		0.1	08-NOV-21
Azinphos-methyl			<0.10		ug/L		0.1	08-NOV-21
Carbaryl			<0.20		ug/L		0.2	08-NOV-21
Carbofuran			<0.20		ug/L		0.2	08-NOV-21
Chlorpyrifos			<0.10		ug/L		0.1	08-NOV-21
Diazinon			<0.10		ug/L		0.1	08-NOV-21
Diclofop-methyl			<0.20		ug/L		0.2	08-NOV-21
Dimethoate			<0.10		ug/L		0.1	08-NOV-21
Malathion			<0.10		ug/L		0.1	08-NOV-21
Metribuzin			<0.10		ug/L		0.1	08-NOV-21
Metolachlor			<0.10		ug/L		0.1	08-NOV-21
Phorate			<0.10		ug/L		0.1	08-NOV-21

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
MISC-ONT-DW-WT		Water						
Batch	R5637728							
WG3652227-1	MB							
Prometryne			<0.10		ug/L		0.1	08-NOV-21
Simazine			<0.10		ug/L		0.1	08-NOV-21
Terbufos			<0.20		ug/L		0.2	08-NOV-21
Triallate			<0.10		ug/L		0.1	08-NOV-21
Trifluralin			<0.10		ug/L		0.1	08-NOV-21
Surrogate: 2-Fluorobiphenyl			87.1		%		40-130	08-NOV-21
NDMA-ONTDW-WT		Water						
Batch	R5635633							
WG3650285-3	DUP	L2656807-1						
N-Nitrosodimethylamine		<0.00090	<0.00090	RPD-NA	ug/L	N/A	30	03-NOV-21
WG3650285-2	LCS							
N-Nitrosodimethylamine			72.9		%		50-150	03-NOV-21
WG3650285-1	MB							
N-Nitrosodimethylamine			<0.00090		ug/L		0.0009	03-NOV-21
Surrogate: N-Nitrosodimethylamine-d6			69.9		%		50-150	03-NOV-21
NO2-DW-IC-WT		Water						
Batch	R5634301							
WG3649968-9	DUP	WG3649968-8						
Nitrite (as N)		<0.010	<0.010	RPD-NA	mg/L	N/A	20	01-NOV-21
WG3649968-7	LCS							
Nitrite (as N)			97.9		%		90-110	01-NOV-21
WG3649968-6	MB							
Nitrite (as N)			<0.010		mg/L		0.01	01-NOV-21
WG3649968-10	MS	WG3649968-8						
Nitrite (as N)			103.3		%		75-125	01-NOV-21
NO3-DW-IC-WT		Water						
Batch	R5634301							
WG3649968-9	DUP	WG3649968-8						
Nitrate (as N)		1.28	1.28		mg/L	0.1	20	01-NOV-21
WG3649968-7	LCS							
Nitrate (as N)			97.8		%		90-110	01-NOV-21
WG3649968-6	MB							
Nitrate (as N)			<0.020		mg/L		0.02	01-NOV-21
WG3649968-10	MS	WG3649968-8						
Nitrate (as N)			103.2		%		75-125	01-NOV-21
	Water							

Quality Control Report

Workorder: L2656807

Report Date: 30-NOV-21

Page 8 of 14

Client: TOWNSHIP OF CENTRE WELLINGTON
50 Sportsworld Crossing Rd
Kitchener ON N2P 0A4

Contact: Matthew Alexander c/o Centre Wellington

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
OCP-ROUTINE-DW-WT		Water						
Batch	R5634570							
WG3649551-2	LCS							
Aldrin			128.6		%		50-150	02-NOV-21
gamma-hexachlorocyclohexane			118.9		%		50-150	02-NOV-21
a-chlordane			136.4		%		50-150	02-NOV-21
g-chlordane			137.2		%		50-150	02-NOV-21
alpha-BHC			124.1		%		50-150	02-NOV-21
o,p-DDE			121.7		%		50-150	02-NOV-21
op-DDT			69.6		%		50-150	02-NOV-21
pp-DDD			137.7		%		50-150	02-NOV-21
pp-DDE			131.9		%		50-150	02-NOV-21
pp-DDT			53.0		%		50-150	02-NOV-21
Endosulfan I			138.3		%		50-150	02-NOV-21
Endosulfan II			133.4		%		50-150	02-NOV-21
Endosulfan Sulfate			126.4		%		50-150	02-NOV-21
Endrin			54.9		%		50-150	02-NOV-21
Heptachlor			81.1		%		50-150	02-NOV-21
Heptachlor Epoxide			131.4		%		50-150	02-NOV-21
Hexachlorobenzene			118.8		%		50-150	02-NOV-21
Methoxychlor			61.4		%		50-150	02-NOV-21
Mirex			145.2		%		50-150	02-NOV-21
Oxychlordane			117.3		%		50-150	02-NOV-21
WG3649551-1	MB							
Aldrin			<0.0080		ug/L		0.008	02-NOV-21
gamma-hexachlorocyclohexane			<0.0080		ug/L		0.008	02-NOV-21
a-chlordane			<0.0080		ug/L		0.008	02-NOV-21
g-chlordane			<0.0080		ug/L		0.008	02-NOV-21
alpha-BHC			<0.0080		ug/L		0.008	02-NOV-21
o,p-DDE			<0.0040		ug/L		0.004	02-NOV-21
op-DDT			<0.0040		ug/L		0.004	02-NOV-21
pp-DDD			<0.004		ug/L		0.004	02-NOV-21
pp-DDE			<0.004		ug/L		0.004	02-NOV-21
pp-DDT			<0.0040		ug/L		0.004	02-NOV-21
Endosulfan I			<0.0070		ug/L		0.007	02-NOV-21
Endosulfan II			<0.0070		ug/L		0.007	02-NOV-21
Endosulfan Sulfate			<0.0070		ug/L		0.007	02-NOV-21



Environmental

Quality Control Report

Workorder: L2656807

Report Date: 30-NOV-21

Page 9 of 14

Client: TOWNSHIP OF CENTRE WELLINGTON
50 Sportsworld Crossing Rd
Kitchener ON N2P 0A4

Contact: Matthew Alexander c/o Centre Wellington

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
OCP-ROUTINE-DW-WT Water								
Batch	R5634570							
WG3649551-1 MB								
Endrin			<0.010		ug/L		0.01	02-NOV-21
Heptachlor			<0.0080		ug/L		0.008	02-NOV-21
Heptachlor Epoxide			<0.0080		ug/L		0.008	02-NOV-21
Hexachlorobenzene			<0.0080		ug/L		0.008	02-NOV-21
Methoxychlor			<0.0080		ug/L		0.008	02-NOV-21
Mirex			<0.0080		ug/L		0.008	02-NOV-21
Oxychlorodane			<0.0080		ug/L		0.008	02-NOV-21
Surrogate: Decachlorobiphenyl			108.1		%		50-150	02-NOV-21
Surrogate: Tetrachloro-m-xylene			99.5		%		50-150	02-NOV-21
PAHERB-ONT-DW-WT Water								
Batch	R5632959							
WG3647919-13 DUP		WG3647919-15						
Dicamba		<0.20	<0.20	RPD-NA	ug/L	N/A	30	29-OCT-21
Bromoxynil		<0.20	<0.20	RPD-NA	ug/L	N/A	30	29-OCT-21
2,4-D		<0.20	<0.20	RPD-NA	ug/L	N/A	30	29-OCT-21
2,4,5-TP		<0.20	<0.20	RPD-NA	ug/L	N/A	50	29-OCT-21
Dinoseb		<0.20	<0.20	RPD-NA	ug/L	N/A	50	29-OCT-21
Picloram		<0.20	<0.20	RPD-NA	ug/L	N/A	30	29-OCT-21
MCPA		<0.20	<0.20	RPD-NA	ug/L	N/A	30	29-OCT-21
WG3647919-12 LCS								
Dicamba			127.0		%		65-130	29-OCT-21
Dicamba			118.2		%		65-130	30-OCT-21
Bromoxynil			112.0		%		65-130	29-OCT-21
Bromoxynil			88.9		%		65-130	30-OCT-21
2,4-D			134.5	LCS-H	%		65-130	29-OCT-21
2,4-D			114.9		%		65-130	30-OCT-21
2,4,5-TP			159.1	LCS-H	%		50-150	29-OCT-21
2,4,5-TP			116.5		%		50-150	30-OCT-21
Dinoseb			104.7		%		50-150	29-OCT-21
Dinoseb			92.7		%		50-150	30-OCT-21
Picloram			128.0		%		50-150	29-OCT-21
Picloram			95.6		%		50-150	30-OCT-21
MCPA			101.9		%		65-130	29-OCT-21
MCPA			103.2		%		65-130	30-OCT-21



Environmental

Quality Control Report

Workorder: L2656807

Report Date: 30-NOV-21

Page 10 of 14

Client: TOWNSHIP OF CENTRE WELLINGTON
50 Sportsworld Crossing Rd
Kitchener ON N2P 0A4

Contact: Matthew Alexander c/o Centre Wellington

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
PAHERB-ONT-DW-WT Water								
Batch R5632959								
WG3647919-11 MB								
Dicamba			<0.20		ug/L		0.2	29-OCT-21
Bromoxynil			<0.20		ug/L		0.2	29-OCT-21
2,4-D			<0.20		ug/L		0.2	29-OCT-21
2,4,5-TP			<0.20		ug/L		0.2	29-OCT-21
Dinoseb			<0.20		ug/L		0.2	29-OCT-21
Picloram			<0.20		ug/L		0.2	29-OCT-21
MCPA			<0.20		ug/L		0.2	29-OCT-21
Surrogate: 2,4-Dichlorophenylacetic Acid			95.5		%		50-130	29-OCT-21
WG3647919-14 MS WG3647919-15								
Dicamba			112.5		%		50-150	29-OCT-21
Bromoxynil			90.5		%		50-150	29-OCT-21
2,4-D			98.9		%		50-150	29-OCT-21
2,4,5-TP			129.3		%		50-150	29-OCT-21
Dinoseb			105.8		%		50-150	29-OCT-21
Picloram			108.7		%		50-150	29-OCT-21
MCPA			110.3		%		50-150	29-OCT-21
PARAQUAT-ONT-DW-WT Water								
Batch R5633999								
WG3649847-3 DUP WG3649847-5								
Paraquat		<1.0	<1.0	RPD-NA	ug/L	N/A	30	01-NOV-21
WG3649847-2 LCS								
Paraquat			113.4		%		70-130	01-NOV-21
WG3649847-1 MB								
Paraquat			<1.0		ug/L		1	01-NOV-21
WG3649847-4 MS WG3649847-5								
Paraquat			97.1		%		70-130	01-NOV-21
PCB-ONT-DW-WT Water								
Batch R5634507								
WG3649551-2 LCS								
Aroclor 1242			108.3		%		60-140	02-NOV-21
Aroclor 1254			99.0		%		60-140	02-NOV-21
Aroclor 1260			103.7		%		60-140	02-NOV-21
WG3649551-1 MB								
Aroclor 1242			<0.020		ug/L		0.02	02-NOV-21
Aroclor 1254			<0.020		ug/L		0.02	02-NOV-21

Quality Control Report

Workorder: L2656807

Report Date: 30-NOV-21

Page 11 of 14

Client: TOWNSHIP OF CENTRE WELLINGTON
50 Sportsworld Crossing Rd
Kitchener ON N2P 0A4

Contact: Matthew Alexander c/o Centre Wellington

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
PCB-ONT-DW-WT Water								
Batch R5634507								
WG3649551-1 MB								
Aroclor 1260			<0.020		ug/L		0.02	02-NOV-21
Surrogate: Decachlorobiphenyl			107.8		%		50-150	02-NOV-21
Surrogate: Tetrachloro-m-xylene			91.0		%		50-150	02-NOV-21
TC,EC-QT51-DW-WT Water								
Batch R5633162								
WG3648459-3 DUP L2656573-2								
Total Coliforms		0	0		MPN/100mL	0.0	65	29-OCT-21
Escherichia Coli		0	0		MPN/100mL	0.0	65	29-OCT-21
WG3648459-1 MB								
Total Coliforms			0		MPN/100mL		1	29-OCT-21
Escherichia Coli			0		MPN/100mL		1	29-OCT-21
THM-ONT-DW-WT Water								
Batch R5634248								
WG3650010-4 DUP WG3650010-3								
Chloroform		<2.0	<2.0	RPD-NA	ug/L	N/A	30	02-NOV-21
Bromodichloromethane		<2.0	<2.0	RPD-NA	ug/L	N/A	30	02-NOV-21
Dibromochloromethane		<2.0	<2.0	RPD-NA	ug/L	N/A	30	02-NOV-21
Bromoform		<2.0	<2.0	RPD-NA	ug/L	N/A	30	02-NOV-21
WG3650010-1 LCS								
Chloroform			108.6		%		70-130	02-NOV-21
Bromodichloromethane			111.3		%		70-130	02-NOV-21
Dibromochloromethane			100.2		%		70-130	02-NOV-21
Bromoform			97.5		%		70-130	02-NOV-21
WG3650010-2 MB								
Chloroform			<2.0		ug/L		2	02-NOV-21
Bromodichloromethane			<2.0		ug/L		2	02-NOV-21
Dibromochloromethane			<2.0		ug/L		2	02-NOV-21
Bromoform			<2.0		ug/L		2	02-NOV-21
Surrogate: 1,4-Difluorobenzene			98.2		%		50-150	02-NOV-21
WG3650010-5 MS WG3650010-3								
Chloroform			106.7		%		70-130	02-NOV-21
Bromodichloromethane			107.1		%		70-130	02-NOV-21
Dibromochloromethane			92.3		%		70-130	02-NOV-21
Bromoform			85.8		%		70-130	02-NOV-21

Quality Control Report

Workorder: L2656807

Report Date: 30-NOV-21

Page 13 of 14

Client: TOWNSHIP OF CENTRE WELLINGTON
50 Sportsworld Crossing Rd
Kitchener ON N2P 0A4

Contact: Matthew Alexander c/o Centre Wellington

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
VOC-ONT-DW-WT		Water						
Batch	R5634248							
WG3650010-2	MB							
1,2-Dichlorobenzene			<0.50		ug/L		0.5	02-NOV-21
1,2-Dichloroethane			<0.50		ug/L		0.5	02-NOV-21
1,4-Dichlorobenzene			<0.50		ug/L		0.5	02-NOV-21
Surrogate: 1,4-Difluorobenzene			98.2		%		70-130	02-NOV-21
Benzene			<0.50		ug/L		0.5	02-NOV-21
Carbon tetrachloride			<0.20		ug/L		0.2	02-NOV-21
Dichloromethane			<5.0		ug/L		5	02-NOV-21
Ethylbenzene			<0.50		ug/L		0.5	02-NOV-21
Monochlorobenzene			<0.50		ug/L		0.5	02-NOV-21
Tetrachloroethylene (perchloroethylene)			<0.50		ug/L		0.5	02-NOV-21
Toluene			<0.50		ug/L		0.5	02-NOV-21
Trichloroethylene			<0.50		ug/L		0.5	02-NOV-21
m/p-xylene			<1.0		ug/L		1	02-NOV-21
o-xylene			<0.50		ug/L		0.5	02-NOV-21
Vinyl chloride			<0.20		ug/L		0.2	02-NOV-21
Surrogate: 4-Bromofluorobenzene			91.5		%		70-130	02-NOV-21
WG3650010-5	MS	WG3650010-3						
1,1-dichloroethylene (vinylidene chlorid			108.3		%		70-130	02-NOV-21
1,2-Dichlorobenzene			96.6		%		70-130	02-NOV-21
1,2-Dichloroethane			99.3		%		70-130	02-NOV-21
1,4-Dichlorobenzene			99.3		%		70-130	02-NOV-21
Benzene			102.9		%		70-130	02-NOV-21
Carbon tetrachloride			105.6		%		70-130	02-NOV-21
Dichloromethane			108.6		%		70-130	02-NOV-21
Ethylbenzene			97.0		%		70-130	02-NOV-21
Monochlorobenzene			100.8		%		70-130	02-NOV-21
Tetrachloroethylene (perchloroethylene)			96.5		%		70-130	02-NOV-21
Toluene			97.8		%		50-150	02-NOV-21
Trichloroethylene			98.1		%		70-130	02-NOV-21
m/p-xylene			107.7		%		70-130	02-NOV-21
o-xylene			95.5		%		50-150	02-NOV-21
Vinyl chloride			94.1		%		70-130	02-NOV-21

Quality Control Report

Workorder: L2656807

Report Date: 30-NOV-21

Client: TOWNSHIP OF CENTRE WELLINGTON
50 Sportsworld Crossing Rd
Kitchener ON N2P 0A4
Contact: Matthew Alexander c/o Centre Wellington

Page 14 of 14

Legend:

Limit	ALS Control Limit (Data Quality Objectives)
DUP	Duplicate
RPD	Relative Percent Difference
N/A	Not Available
LCS	Laboratory Control Sample
SRM	Standard Reference Material
MS	Matrix Spike
MSD	Matrix Spike Duplicate
ADE	Average Desorption Efficiency
MB	Method Blank
IRM	Internal Reference Material
CRM	Certified Reference Material
CCV	Continuing Calibration Verification
CVS	Calibration Verification Standard
LCSD	Laboratory Control Sample Duplicate

Sample Parameter Qualifier Definitions:

Qualifier	Description
LCS-H	Lab Control Sample recovery was above ALS DQO. Non-detected sample results are considered reliable. Other results, if reported, have been qualified.
MS-B	Matrix Spike recovery could not be accurately calculated due to high analyte background in sample.
RPD-NA	Relative Percent Difference Not Available due to result(s) being less than detection limit.

Hold Time Exceedances:

All test results reported with this submission were conducted within ALS recommended hold times.

ALS recommended hold times may vary by province. They are assigned to meet known provincial and/or federal government requirements. In the absence of regulatory hold times, ALS establishes recommendations based on guidelines published by the US EPA, APHA Standard Methods, or Environment Canada (where available). For more information, please contact ALS.

The ALS Quality Control Report is provided to ALS clients upon request. ALS includes comprehensive QC checks with every analysis to ensure our high standards of quality are met. Each QC result has a known or expected target value, which is compared against pre-determined data quality objectives to provide confidence in the accuracy of associated test results.

Please note that this report may contain QC results from anonymous Sample Duplicates and Matrix Spikes that do not originate from this Work Order.

F2-R Well Certificate of Analysis





TOWNSHIP OF CENTRE WELLINGTON
ATTN: Matthew Alexander c/o Centre
Wellington
50 Sportsworld Crossing Rd
Kitchener ON N2P 0A4

Date Received: 02-SEP-22
Report Date: 03-OCT-22 10:52 (MT)
Version: FINAL

Client Phone: 226-821-4906

Certificate of Analysis

Lab Work Order #: L2731392
Project P.O. #: NOT SUBMITTED
Job Reference:
C of C Numbers: 20-1007481
Legal Site Desc:

Candice Hunter
Account Manager

[This report shall not be reproduced except in full without the written authority of the Laboratory.]

ADDRESS: 60 Northland Road, Unit 1, Waterloo, ON N2V 2B8 Canada | Phone: +1 519 886 6910 | Fax: +1 519 886 9047
ALS CANADA LTD Part of the ALS Group An ALS Limited Company



ANALYTICAL GUIDELINE REPORT

L2731392 CONTD....

Page 2 of 4

03-OCT-22 10:52 (MT)

Sample Details		Result	Qualifier	D.L.	Units	Analyzed	Guideline Limits			
Grouping	Analyte									
L2731392-1	F2-R									
Sampled By: CLIENT on 02-SEP-22 @ 09:35										
Matrix: WATER										
Dioxins and Furans										
	2,3,7,8-TCDD	<0.43	[U]	0.43	pg/L	15-SEP-22				
	1,2,3,7,8-PeCDD	<0.32	[U]	0.32	pg/L	15-SEP-22				
	1,2,3,4,7,8-HxCDD	<0.27	[U]	0.27	pg/L	15-SEP-22				
	1,2,3,6,7,8-HxCDD	<0.25	[U]	0.25	pg/L	15-SEP-22				
	1,2,3,7,8,9-HxCDD	<0.25	[U]	0.25	pg/L	15-SEP-22				
	1,2,3,4,6,7,8-HpCDD	<0.50	M,U	0.50	pg/L	15-SEP-22				
	OCDD	1.9	M,J,B	1.1	pg/L	15-SEP-22				
	Total-TCDD	<0.43	[U]	0.43	pg/L	15-SEP-22				
	Total TCDD # Homologues	0			No Unit	15-SEP-22				
	Total-PeCDD	<0.32	[U]	0.32	pg/L	15-SEP-22				
	Total PeCDD # Homologues	0			No Unit	15-SEP-22				
	Total-HxCDD	<0.27	[U]	0.27	pg/L	15-SEP-22				
	Total HxCDD # Homologues	0			No Unit	15-SEP-22				
	Total-HpCDD	<0.50	[U]	0.50	pg/L	15-SEP-22				
	Total HpCDD # Homologues	0			No Unit	15-SEP-22				
	2,3,7,8-TCDF	<0.32	[U]	0.32	pg/L	15-SEP-22				
	1,2,3,7,8-PeCDF	<0.23	[U]	0.23	pg/L	15-SEP-22				
	2,3,4,7,8-PeCDF	<0.20	[U]	0.20	pg/L	15-SEP-22				
	1,2,3,4,7,8-HxCDF	<0.24	[U]	0.24	pg/L	15-SEP-22				
	1,2,3,6,7,8-HxCDF	<0.23	[U]	0.23	pg/L	15-SEP-22				
	1,2,3,7,8,9-HxCDF	<0.36	[U]	0.36	pg/L	15-SEP-22				
	2,3,4,6,7,8-HxCDF	<0.25	[U]	0.25	pg/L	15-SEP-22				
	1,2,3,4,6,7,8-HpCDF	<0.23	[U]	0.23	pg/L	15-SEP-22				
	1,2,3,4,7,8,9-HpCDF	<0.36	[U]	0.36	pg/L	15-SEP-22				
	OCDF	<0.65	[U]	0.65	pg/L	15-SEP-22				
	Total-TCDF	<0.32	[U]	0.32	pg/L	15-SEP-22				
	Total TCDF # Homologues	0			No Unit	15-SEP-22				
	Total-PeCDF	<0.23	[U]	0.23	pg/L	15-SEP-22				
	Total PeCDF # Homologues	0			No Unit	15-SEP-22				
	Total-HxCDF	<0.36	[U]	0.36	pg/L	15-SEP-22				
	Total HxCDF # Homologues	0			No Unit	15-SEP-22				
	Total-HpCDF	<0.36	[U]	0.36	pg/L	15-SEP-22				
	Total HpCDF # Homologues	0			No Unit	15-SEP-22				
	Surrogate: 13C12-2,3,7,8-TCDD	70.0		20-175	%	15-SEP-22				
	Surrogate: 13C12-1,2,3,7,8-PeCDD	77.0		21-227	%	15-SEP-22				
	Surrogate: 13C12-1,2,3,4,7,8-HxCDD	77.0		21-193	%	15-SEP-22				
	Surrogate: 13C12-1,2,3,6,7,8-HxCDD	90.0		25-163	%	15-SEP-22				
	Surrogate: 13C12-1,2,3,4,6,7,8-HpCDD	80.0		23-166	%	15-SEP-22				
	Surrogate: 13C12-OCDD	75.0		13-138	%	15-SEP-22				
	Surrogate: 13C12-2,3,7,8-TCDF	70.0		22-152	%	15-SEP-22				
	Surrogate: 13C12-1,2,3,7,8-PeCDF	72.0		24-185	%	15-SEP-22				
	Surrogate: 13C12-2,3,4,7,8-PeCDF	72.0		21-178	%	15-SEP-22				
	Surrogate: 13C12-1,2,3,4,7,8-HxCDF	78.0		26-152	%	15-SEP-22				
	Surrogate: 13C12-1,2,3,6,7,8-HxCDF	92.0		21-159	%	15-SEP-22				
	Surrogate: 13C12-2,3,4,6,7,8-HxCDF	80.0		17-205	%	15-SEP-22				
	Surrogate: 13C12-1,2,3,7,8,9-HxCDF	79.0		28-136	%	15-SEP-22				
	Surrogate: 13C12-1,2,3,4,6,7,8-HpCDF	96.0		21-158	%	15-SEP-22				
	Surrogate: 13C12-1,2,3,4,7,8,9-HpCDF	84.0		20-186	%	15-SEP-22				

** Detection Limit for result exceeds Guideline Limit. Assessment against Guideline Limit cannot be made.

* Analytical result for this parameter exceeds Guideline Limit listed on this report. Guideline Limits applied:

= [Suite] - ON-DW-STANDARD+GUIDELINES



L2731392 CONTD....

Page 3 of 4

03-OCT-22 10:52 (MT)

* Detection Limit for result exceeds Guideline Limit. Assessment against Guideline Limit cannot be made.

Analytical result for this parameter exceeds Guideline Limit listed on this report. Guideline Limits applied:

= [Suite] - ON-DW-STANDARD+GUIDELINES

#1: Schedule 1 (Microbiological) and 2 (Chemical) Standards (JAN,2020) #2: Ontario DW Aesthetic and Operational Guidelines (June, 2006)

Reference Information

Sample Parameter Qualifier key listed:

Qualifier	Description
[U]	The analyte was not detected above the EDL.
M,U	A peak has been manually integrated, and the analyte was not detected above the EDL.
M,J,B	A peak has been manually integrated. Target analyte was detected below the calibrated range but above the EDL. Compound was detected in the method blank at >10% of the sample concentration.

Methods Listed (if applicable):

ALS Test Code	Matrix	Test Description	Method Reference***
DX-1613B-HRMS-BU	Water	Dioxins and Furans HR 1613B	USEPA 1613B

Samples are filtered if required. Solids are extracted by Soxhlet using toluene. The liquid portion is extracted by liquid/liquid extraction using dichloromethane. The extracts are prepared using column chromatography, reduced in volume and analyzed by isotope-dilution GC/HRMS

*** ALS test methods may incorporate modifications from specified reference methods to improve performance.

Chain of Custody numbers:

20-1007481

The last two letters of the above test code(s) indicate the laboratory that performed analytical analysis for that test. Refer to the list below:

Laboratory Definition Code	Laboratory Location	Laboratory Definition Code	Laboratory Location
BU	ALS ENVIRONMENTAL - BURLINGTON, ONTARIO, CANADA		

GLOSSARY OF REPORT TERMS

Surrogates are compounds that are similar in behaviour to target analyte(s), but that do not normally occur in environmental samples. For applicable tests, surrogates are added to samples prior to analysis as a check on recovery. In reports that display the D.L. column, laboratory objectives for surrogates are listed there.

mg/kg - milligrams per kilogram based on dry weight of sample

mg/kg ww - milligrams per kilogram based on wet weight of sample

mg/kg lwt - milligrams per kilogram based on lipid-adjusted weight

mg/L - unit of concentration based on volume, parts per million.

< - Less than.

D.L. - The reporting limit.

N/A - Result not available. Refer to qualifier code and definition for explanation.

Test results reported relate only to the samples as received by the laboratory.

UNLESS OTHERWISE STATED, ALL SAMPLES WERE RECEIVED IN ACCEPTABLE CONDITION.

Analytical results in unsigned test reports with the DRAFT watermark are subject to change, pending final QC review.

Application of guidelines is provided "as is" without warranty of any kind, either expressed or implied, including, but not limited to, fitness for a particular purpose, or non-infringement. ALS assumes no responsibility for errors or omissions in the information. Guideline limits are not adjusted for the hardness, pH or temperature of the sample (the most conservative values are used). Measurement uncertainty is not applied to test results prior to comparison with specified criteria values.



Quality Control Report

Workorder: L2731392

Report Date: 03-OCT-22

Page 1 of 2

Client: TOWNSHIP OF CENTRE WELLINGTON
50 Sportsworld Crossing Rd
Kitchener ON N2P 0A4

Contact: Matthew Alexander c/o Centre Wellington

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
DX-1613B-HRMS-BU		Water						
Batch R5859036								
WG3761666-2 LCS								
2,3,7,8-TCDD			86.0		%		67-158	14-SEP-22
1,2,3,7,8-PeCDD			106.0		%		70-142	14-SEP-22
1,2,3,4,7,8-HxCDD			98.0		%		70-164	14-SEP-22
1,2,3,6,7,8-HxCDD			89.0		%		76-134	14-SEP-22
1,2,3,7,8,9-HxCDD			93.0		%		64-162	14-SEP-22
1,2,3,4,6,7,8-HpCDD			102.0		%		70-140	14-SEP-22
OCDD			97.0		%		78-144	14-SEP-22
2,3,7,8-TCDF			98.0		%		75-158	14-SEP-22
1,2,3,7,8-PeCDF			107.0		%		80-134	14-SEP-22
2,3,4,7,8-PeCDF			102.0		%		68-160	14-SEP-22
1,2,3,4,7,8-HxCDF			98.0		%		72-134	14-SEP-22
1,2,3,6,7,8-HxCDF			95.0		%		84-130	14-SEP-22
2,3,4,6,7,8-HxCDF			100.0		%		70-156	14-SEP-22
1,2,3,7,8,9-HxCDF			102.0		%		78-130	14-SEP-22
1,2,3,4,6,7,8-HpCDF			102.0		%		82-122	14-SEP-22
1,2,3,4,7,8,9-HpCDF			106.0		%		78-138	14-SEP-22
OCDF			108.0		%		63-170	14-SEP-22

Quality Control Report

Workorder: L2731392

Report Date: 03-OCT-22

Client: TOWNSHIP OF CENTRE WELLINGTON
50 Sportsworld Crossing Rd
Kitchener ON N2P 0A4

Page 2 of 2

Contact: Matthew Alexander c/o Centre Wellington

Legend:

Limit	ALS Control Limit (Data Quality Objectives)
DUP	Duplicate
RPD	Relative Percent Difference
N/A	Not Available
LCS	Laboratory Control Sample
SRM	Standard Reference Material
MS	Matrix Spike
MSD	Matrix Spike Duplicate
ADE	Average Desorption Efficiency
MB	Method Blank
IRM	Internal Reference Material
CRM	Certified Reference Material
CCV	Continuing Calibration Verification
CVS	Calibration Verification Standard
LCSD	Laboratory Control Sample Duplicate

Hold Time Exceedances:

All test results reported with this submission were conducted within ALS recommended hold times.

ALS recommended hold times may vary by province. They are assigned to meet known provincial and/or federal government requirements. In the absence of regulatory hold times, ALS establishes recommendations based on guidelines published by the US EPA, APHA Standard Methods, or Environment Canada (where available). For more information, please contact ALS.

The ALS Quality Control Report is provided to ALS clients upon request. ALS includes comprehensive QC checks with every analysis to ensure our high standards of quality are met. Each QC result has a known or expected target value, which is compared against pre-determined data quality objectives to provide confidence in the accuracy of associated test results.

Please note that this report may contain QC results from anonymous Sample Duplicates and Matrix Spikes that do not originate from this Work Order.



COC Number: 20 - 1007481

Canada Toll Free: 1 800 668 9878

Page 1 of 1

[illegible]

REFER TO BACK PAGE FOR ALS LOCATIONS AND SAMPLING INFORMATION

WHITE - LABORATORY COPY YELLOW - CLIENT COPY

AUG 20TH FEB

Failure to complete all portions of this form may delay analysis. Please fill in this form LEGIBLY. By the use of this form the user acknowledges and agrees with the Terms and Conditions as specified on the back page of the white - report copy.

If any water samples are taken from a **Regulated Drinking Water (DW) System**, please submit using an **Authorized DW COC form**.



CERTIFICATE OF ANALYSIS (GUIDELINE EVALUATION)

Work Order : **WT2212954**
Client : **Township of Centre Wellington**
Contact : **Matthew Alexander**
Address : **1 MacDonald Square**
Elora ON Canada N0B 1S0
Telephone : **----**
Project : **----**
PO : **----**
C-O-C number : **20-1007481**
Sampler : **----**
Site : **----**
Quote number : **Special Non - Regulated Water**
No. of samples received : **1**
No. of samples analysed : **1**

Page : **1 of 19**
Laboratory : **Waterloo - Environmental**
Account Manager : **Candice Hunter**
Address : **60 Northland Road, Unit 1**
Waterloo, Ontario Canada N2V 2B8
Telephone : **+1 519 886 6910**
Date Samples Received : **02-Sep-2022 11:45**
Date Analysis Commenced : **02-Sep-2022**
Issue Date : **16-Sep-2022 11:04**

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results
- Guideline Comparison

Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QC Interpretive report to assist with Quality Review and Sample Receipt Notification (SRN).

Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is conducted in accordance with US FDA 21 CFR Part 11.

<i>Signatories</i>	<i>Position</i>	<i>Laboratory Department</i>
Adam Boettger	Team Leader - LCMS	LCMS, Waterloo, Ontario
David Tremblett	Team Leader - Volatiles	Air Quality, Waterloo, Ontario
Greg Pokocky	Supervisor - Inorganic	Inorganics, Waterloo, Ontario
Greg Pokocky	Supervisor - Inorganic	Metals, Waterloo, Ontario
Jennifer Siemiernik		Metals, Waterloo, Ontario
Jeremy Gingras	Team Leader - Semi-Volatile Instrumentation	Organics, Waterloo, Ontario
Jihun Jeon	Laboratory Analyst	LCMS, Waterloo, Ontario
Jocelyn Kennedy	Department Manager - Semi-Volatile Organics	Organics, Waterloo, Ontario
Michelle Michalchuk	Analyst	Organics, Winnipeg, Manitoba
Phouvana Chounramany	Analyst	Air Quality, Waterloo, Ontario
Ruby Sujeepan		Microbiology, Waterloo, Ontario
Sarah Birch	Team Leader - Volatiles	Organics, Waterloo, Ontario



General Comments

The analytical methods used by ALS are developed using internationally recognized reference methods (where available), such as those published by US EPA, APHA Standard Methods, ASTM, ISO, Environment Canada, BC MOE, and Ontario MOE. Refer to the ALS Quality Control Interpretive report (QCI) for applicable references and methodology summaries. Reference methods may incorporate modifications to improve performance.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QA/QC Compliance Assessment to assist with Quality Review and Sample Receipt Notification.

When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes.

Application of guidelines is provided "as is" without warranty of any kind, either expressed or implied, including, but not limited to fitness for a particular purpose, or non-infringement. ALS assumes no responsibility for errors or omissions in the information. Guidelines are not adjusted for the hardness, pH or temperature of the sample (the most conservative values are used). Measurement uncertainty is not applied to test results prior to comparison with specified criteria values.

Key : LOR: Limit of Reporting (detection limit).

Unit	Description
µg/L	micrograms per litre
CU	colour units (1 CU = 1 mg/L Pt)
mg/L	milligrams per litre
MPN/100mL	most probable number per 100 mL
NTU	nephelometric turbidity units
pH units	pH units
ppmv	parts per million (volume/volume)

>: greater than.

<: less than.

Red shading is applied where the result is greater than the Guideline Upper Limit or the result is lower than the Guideline Lower Limit.

For drinking water samples, Red shading is applied where the result for E.coli, fecal or total coliforms is greater than or equal to the Guideline Upper Limit.

Workorder Comments

<1 or Not Detected with LOR of 1 equals Zero (0).



Qualifiers

Qualifier	Description
DLDS	Detection Limit Raised: Dilution required due to high Dissolved Solids / Electrical Conductivity.
DLHC	Detection Limit Raised: Dilution required due to high concentration of test analyte(s).
DLM	Detection Limit Adjusted due to sample matrix effects (e.g. chemical interference, colour, turbidity).

Matrix: Water	Client sample ID		F2-R	----	----	----	----	----	----
	Sampling date/time		02-Sep-2022 09:35	----	----	----	----	----	----
	Sub-Matrix		Water	----	----	----	----	----	----
	Analyte	CAS Number	Unit	WT2212954-001	-----	-----	-----	-----	-----
Physical Tests									
colour, true	----	CU	<2.0	----	----	----	----	----	----
hardness (as CaCO3), from total Ca/Mg	----	mg/L	637	----	----	----	----	----	----
pH	----	pH units	8.24	----	----	----	----	----	----
solids, total dissolved [TDS]	----	mg/L	850 <small>DLDS</small>	----	----	----	----	----	----
turbidity	----	NTU	<1.00	----	----	----	----	----	----
alkalinity, total (as CaCO3)	----	mg/L	238	----	----	----	----	----	----
Anions and Nutrients									
chloride	16887-00-6	mg/L	51.7 <small>DLDS</small>	----	----	----	----	----	----
fluoride	16984-48-8	mg/L	0.742 <small>DLDS</small>	----	----	----	----	----	----
nitrate (as N)	14797-55-8	mg/L	<0.100 <small>DLDS</small>	----	----	----	----	----	----
nitrite (as N)	14797-65-0	mg/L	<0.050 <small>DLDS</small>	----	----	----	----	----	----
nitrogen, total organic	----	mg/L	<0.123	----	----	----	----	----	----
sulfate (as SO4)	14808-79-8	mg/L	361 <small>DLDS</small>	----	----	----	----	----	----
ammonia, total (as N)	7664-41-7	mg/L	0.114	----	----	----	----	----	----
Kjeldahl nitrogen, total [TKN]	----	mg/L	0.120	----	----	----	----	----	----
Cyanides									
cyanide, strong acid dissociable (total)	----	mg/L	<0.0050	----	----	----	----	----	----
Organic / Inorganic Carbon									
carbon, dissolved organic [DOC]	----	mg/L	0.93	----	----	----	----	----	----
Total Sulfides									
sulfide, total (as S)	18496-25-8	mg/L	<0.018	----	----	----	----	----	----
Microbiological Tests									
coliforms, total	----	MPN/100mL	Not Detected	----	----	----	----	----	----
coliforms, Escherichia coli [E. coli]	----	MPN/100mL	Not Detected	----	----	----	----	----	----
Total Metals									
aluminum, total	7429-90-5	mg/L	0.0067	----	----	----	----	----	----

Matrix: Water	Client sample ID		F2-R	----	----	----	----	----	----
	Sampling date/time		02-Sep-2022 09:35	----	----	----	----	----	----
	Sub-Matrix		Water	----	----	----	----	----	----
	Analyte	CAS Number	Unit	WT2212954-001	-----	-----	-----	-----	-----
Total Metals									
antimony, total	7440-36-0	µg/L	<0.60	----	----	----	----	----	----
antimony, total	7440-36-0	mg/L	0.00020	----	----	----	----	----	----
arsenic, total	7440-38-2	µg/L	<1.0	----	----	----	----	----	----
arsenic, total	7440-38-2	mg/L	0.00074	----	----	----	----	----	----
barium, total	7440-39-3	µg/L	40	----	----	----	----	----	----
barium, total	7440-39-3	mg/L	0.0372	----	----	----	----	----	----
beryllium, total	7440-41-7	mg/L	<0.000020	----	----	----	----	----	----
bismuth, total	7440-69-9	mg/L	<0.000050	----	----	----	----	----	----
boron, total	7440-42-8	µg/L	<50	----	----	----	----	----	----
boron, total	7440-42-8	mg/L	0.044	----	----	----	----	----	----
cadmium, total	7440-43-9	µg/L	<0.10	----	----	----	----	----	----
cadmium, total	7440-43-9	mg/L	<0.0000050	----	----	----	----	----	----
calcium, total	7440-70-2	mg/L	184	----	----	----	----	----	----
cesium, total	7440-46-2	mg/L	0.000012	----	----	----	----	----	----
chromium, total	7440-47-3	µg/L	<1.0	----	----	----	----	----	----
chromium, total	7440-47-3	mg/L	<0.00050	----	----	----	----	----	----
cobalt, total	7440-48-4	mg/L	<0.00010	----	----	----	----	----	----
copper, total	7440-50-8	mg/L	<0.00050	----	----	----	----	----	----
iron, total	7439-89-6	mg/L	0.089	----	----	----	----	----	----
lead, total	7439-92-1	mg/L	0.000104	----	----	----	----	----	----
lithium, total	7439-93-2	mg/L	0.0065	----	----	----	----	----	----
magnesium, total	7439-95-4	mg/L	43.2	----	----	----	----	----	----
manganese, total	7439-96-5	mg/L	0.00517	----	----	----	----	----	----
mercury, total	7439-97-6	µg/L	<0.100	----	----	----	----	----	----
molybdenum, total	7439-98-7	mg/L	0.00135	----	----	----	----	----	----
nickel, total	7440-02-0	mg/L	0.00099	----	----	----	----	----	----
phosphorus, total	7723-14-0	mg/L	<0.050	----	----	----	----	----	----
potassium, total	7440-09-7	mg/L	1.82	----	----	----	----	----	----
rubidium, total	7440-17-7	mg/L	0.00107	----	----	----	----	----	----
selenium, total	7782-49-2	µg/L	<1.0	----	----	----	----	----	----

Matrix: Water	Client sample ID		F2-R	----	----	----	----	----	----
	Sampling date/time		02-Sep-2022 09:35	----	----	----	----	----	----
	Sub-Matrix		Water	----	----	----	----	----	----
	Analyte	CAS Number	Unit	WT2212954-001	-----	-----	-----	-----	-----
Total Metals									
selenium, total	7782-49-2	mg/L	<0.000050	----	----	----	----	----	----
silicon, total	7440-21-3	mg/L	4.91	----	----	----	----	----	----
silver, total	7440-22-4	mg/L	<0.000010	----	----	----	----	----	----
sodium, total	7440-23-5	mg/L	30.6	----	----	----	----	----	----
strontium, total	7440-24-6	mg/L	5.44 ^{DLHC}	----	----	----	----	----	----
sulfur, total	7704-34-9	mg/L	131	----	----	----	----	----	----
tellurium, total	13494-80-9	mg/L	0.00047	----	----	----	----	----	----
thallium, total	7440-28-0	mg/L	0.000021	----	----	----	----	----	----
thorium, total	7440-29-1	mg/L	<0.00010	----	----	----	----	----	----
tin, total	7440-31-5	mg/L	<0.00010	----	----	----	----	----	----
titanium, total	7440-32-6	mg/L	<0.00030	----	----	----	----	----	----
tungsten, total	7440-33-7	mg/L	<0.00010	----	----	----	----	----	----
uranium, total	7440-61-1	µg/L	<2.0	----	----	----	----	----	----
uranium, total	7440-61-1	mg/L	0.000247	----	----	----	----	----	----
vanadium, total	7440-62-2	mg/L	<0.00050	----	----	----	----	----	----
zinc, total	7440-66-6	mg/L	0.0129	----	----	----	----	----	----
zirconium, total	7440-67-7	mg/L	<0.00020	----	----	----	----	----	----
Aggregate Organics									
nitritotriacetic acid [NTA]	139-13-9	mg/L	<0.20	----	----	----	----	----	----
Dissolved Gases									
methane	74-82-8	µg/L	1.7	----	----	----	----	----	----
methane	74-82-8	ppmv	7.1	----	----	----	----	----	----
Volatile Organic Compounds									
Acetone	67-64-1	µg/L	<20	----	----	----	----	----	----
benzene	71-43-2	µg/L	<0.50	----	----	----	----	----	----
bromodichloromethane	75-27-4	µg/L	<0.50	----	----	----	----	----	----
bromoform	75-25-2	µg/L	<0.50	----	----	----	----	----	----
bromomethane	74-83-9	µg/L	<0.50	----	----	----	----	----	----
carbon tetrachloride	56-23-5	µg/L	<0.20	----	----	----	----	----	----

Analytical Results Evaluation

Matrix: Water

Matrix: Water			Client sample ID	F2-R	----	----	----	----	----	----
			Sampling date/time	02-Sep-2022 09:35	----	----	----	----	----	----
			Sub-Matrix	Water	----	----	----	----	----	----
Analyte	CAS Number	Unit	WT2212954-001	-----	-----	-----	-----	-----	-----	-----
Volatile Organic Compounds										
chlorobenzene	108-90-7	µg/L	<0.50	----	----	----	----	----	----	----
chloroform	67-66-3	µg/L	<0.50	----	----	----	----	----	----	----
dibromochloromethane	124-48-1	µg/L	<0.50	----	----	----	----	----	----	----
dibromoethane, 1,2-	106-93-4	µg/L	<0.20	----	----	----	----	----	----	----
dichlorobenzene, 1,2-	95-50-1	µg/L	<0.50	----	----	----	----	----	----	----
dichlorobenzene, 1,3-	541-73-1	µg/L	<0.50	----	----	----	----	----	----	----
dichlorobenzene, 1,4-	106-46-7	µg/L	<0.50	----	----	----	----	----	----	----
dichlorodifluoromethane	75-71-8	µg/L	<0.50	----	----	----	----	----	----	----
dichloroethane, 1,1-	75-34-3	µg/L	<0.50	----	----	----	----	----	----	----
dichloroethane, 1,2-	107-06-2	µg/L	<0.50	----	----	----	----	----	----	----
dichloroethylene, 1,1-	75-35-4	µg/L	<0.50	----	----	----	----	----	----	----
dichloroethylene, cis-1,2-	156-59-2	µg/L	<0.50	----	----	----	----	----	----	----
dichloroethylene, trans-1,2-	156-60-5	µg/L	<0.50	----	----	----	----	----	----	----
dichloromethane	75-09-2	µg/L	<1.0	----	----	----	----	----	----	----
dichloropropane, 1,2-	78-87-5	µg/L	<0.50	----	----	----	----	----	----	----
dichloropropylene, cis+trans-1,3-	542-75-6	µg/L	<0.50	----	----	----	----	----	----	----
dichloropropylene, cis-1,3-	10061-01-5	µg/L	<0.30	----	----	----	----	----	----	----
dichloropropylene, trans-1,3-	10061-02-6	µg/L	<0.30	----	----	----	----	----	----	----
ethylbenzene	100-41-4	µg/L	<0.50	----	----	----	----	----	----	----
hexane, n-	110-54-3	µg/L	<0.50	----	----	----	----	----	----	----
methyl ethyl ketone [MEK]	78-93-3	µg/L	<20	----	----	----	----	----	----	----
methyl isobutyl ketone [MIBK]	108-10-1	µg/L	<20	----	----	----	----	----	----	----
methyl-tert-butyl ether [MTBE]	1634-04-4	µg/L	<0.50	----	----	----	----	----	----	----
styrene	100-42-5	µg/L	<0.50	----	----	----	----	----	----	----
tetrachloroethane, 1,1,1,2-	630-20-6	µg/L	<0.50	----	----	----	----	----	----	----
tetrachloroethane, 1,1,2,2-	79-34-5	µg/L	<0.50	----	----	----	----	----	----	----
tetrachloroethylene	127-18-4	µg/L	<0.50	----	----	----	----	----	----	----
toluene	108-88-3	µg/L	<0.50	----	----	----	----	----	----	----
trichloroethane, 1,1,1-	71-55-6	µg/L	<0.50	----	----	----	----	----	----	----
trichloroethane, 1,1,2-	79-00-5	µg/L	<0.50	----	----	----	----	----	----	----

Matrix: Water	Client sample ID		F2-R	----	----	----	----	----	----
	Sampling date/time		02-Sep-2022 09:35	----	----	----	----	----	----
	Sub-Matrix		Water	----	----	----	----	----	----
	Analyte	CAS Number	Unit	WT2212954-001	-----	-----	-----	-----	-----
Volatile Organic Compounds									
trichloroethylene	79-01-6	µg/L	<0.50	----	----	----	----	----	----
trichlorofluoromethane	75-69-4	µg/L	<0.50	----	----	----	----	----	----
vinyl chloride	75-01-4	µg/L	<0.50	----	----	----	----	----	----
xylene, m+p-	179601-23-1	µg/L	<0.40	----	----	----	----	----	----
xylene, o-	95-47-6	µg/L	<0.30	----	----	----	----	----	----
xylenes, total	1330-20-7	µg/L	<0.50	----	----	----	----	----	----
BTEX, total	----	µg/L	<1.0	----	----	----	----	----	----
Volatile Organic Compounds [THMs]									
bromodichloromethane	75-27-4	µg/L	<1.0	----	----	----	----	----	----
bromoform	75-25-2	µg/L	<1.0	----	----	----	----	----	----
chloroform	67-66-3	µg/L	<1.0	----	----	----	----	----	----
dibromochloromethane	124-48-1	µg/L	<1.0	----	----	----	----	----	----
trihalomethanes [THMs], total	----	µg/L	<2.0	----	----	----	----	----	----
Volatile Organic Compounds [THMs] Surrogates									
bromofluorobenzene, 4-	460-00-4	%	89.7	----	----	----	----	----	----
difluorobenzene, 1,4-	540-36-3	%	104	----	----	----	----	----	----
Volatile Organic Compounds Surrogates									
bromofluorobenzene, 4-	460-00-4	%	89.7	----	----	----	----	----	----
difluorobenzene, 1,4-	540-36-3	%	104	----	----	----	----	----	----
Polycyclic Aromatic Hydrocarbons									
benzo(a)pyrene	50-32-8	µg/L	<0.0050	----	----	----	----	----	----
Polycyclic Aromatic Hydrocarbons Surrogates									
chrysene-d12	1719-03-5	%	109	----	----	----	----	----	----
naphthalene-d8	1146-65-2	%	91.6	----	----	----	----	----	----
phenanthrene-d10	1517-22-2	%	104	----	----	----	----	----	----
Disinfectant By-Products									
chlorate	14866-68-3	mg/L	<0.010	----	----	----	----	----	----
chlorite	14998-27-7	mg/L	<0.010	----	----	----	----	----	----

Matrix: Water	Client sample ID		F2-R	----	----	----	----	----	----
	Sampling date/time		02-Sep-2022 09:35	----	----	----	----	----	----
	Sub-Matrix		Water	----	----	----	----	----	----
	Analyte	CAS Number	Unit	WT2212954-001	-----	-----	-----	-----	-----
Haloacetic Acids									
dibromoacetic acid	631-64-1	µg/L	<1.00	----	----	----	----	----	----
dichloroacetic acid	79-43-6	µg/L	<1.00	----	----	----	----	----	----
monobromoacetic acid	79-08-3	µg/L	<1.00	----	----	----	----	----	----
monochloroacetic acid	79-11-8	µg/L	<1.00	----	----	----	----	----	----
trichloroacetic acid	76-03-9	µg/L	<1.00	----	----	----	----	----	----
haloacetic acids, total [HAA5]	----	µg/L	<5.00	----	----	----	----	----	----
Semi-Volatile Organics									
nitrosodimethylamine, n- [NDMA]	62-75-9	µg/L	<0.00090	----	----	----	----	----	----
Chlorinated Phenolics									
dichlorophenol, 2,4-	120-83-2	µg/L	<0.30	----	----	----	----	----	----
pentachlorophenol [PCP]	87-86-5	µg/L	<0.50	----	----	----	----	----	----
tetrachlorophenol, 2,3,4,6-	58-90-2	µg/L	<0.50	----	----	----	----	----	----
trichlorophenol, 2,4,6-	88-06-2	µg/L	<0.50	----	----	----	----	----	----
Phenolics Surrogates									
tribromophenol, 2,4,6-	118-79-6	%	94.8	----	----	----	----	----	----
Polychlorinated Biphenyls									
Aroclor 1016	12674-11-2	µg/L	<0.020	----	----	----	----	----	----
Aroclor 1221	11104-28-2	µg/L	<0.020	----	----	----	----	----	----
Aroclor 1232	11141-16-5	µg/L	<0.020	----	----	----	----	----	----
Aroclor 1242	53469-21-9	µg/L	<0.020	----	----	----	----	----	----
Aroclor 1248	12672-29-6	µg/L	<0.020	----	----	----	----	----	----
Aroclor 1254	11097-69-1	µg/L	<0.020	----	----	----	----	----	----
Aroclor 1260	11096-82-5	µg/L	<0.020	----	----	----	----	----	----
Aroclor 1262	37324-23-5	µg/L	<0.020	----	----	----	----	----	----
Aroclor 1268	11100-14-4	µg/L	<0.020	----	----	----	----	----	----
polychlorinated biphenyls [PCBs], total	----	µg/L	<0.060	----	----	----	----	----	----
Polychlorinated Biphenyls Surrogates									
decachlorobiphenyl	2051-24-3	%	87.8	----	----	----	----	----	----

Matrix: Water	Client sample ID		F2-R	----	----	----	----	----	----
	Sampling date/time		02-Sep-2022 09:35	----	----	----	----	----	----
	Sub-Matrix		Water	----	----	----	----	----	----
	Analyte	CAS Number	Unit	WT2212954-001	-----	-----	-----	-----	-----
Polychlorinated Biphenyls Surrogates									
tetrachloro-m-xylene	877-09-8	%	93.4	----	----	----	----	----	----
Carbamate Pesticides									
diuron	330-54-1	µg/L	<1.0	----	----	----	----	----	----
Organochlorine Pesticides									
chlordane, cis- (alpha)	5103-71-9	µg/L	<0.0080	----	----	----	----	----	----
chlordane, trans- (gamma)	5103-74-2	µg/L	<0.0080	----	----	----	----	----	----
DDD, 4,4'-	72-54-8	µg/L	<0.0040	----	----	----	----	----	----
DDE, 4,4'-	72-55-9	µg/L	<0.0040	----	----	----	----	----	----
DDT, 2,4'-	789-02-6	µg/L	<0.0040	----	----	----	----	----	----
DDT, 4,4'-	50-29-3	µg/L	<0.0040	----	----	----	----	----	----
oxychlordane	27304-13-8	µg/L	<0.0080	----	----	----	----	----	----
Organochlorine Pesticides Surrogates									
decachlorobiphenyl	2051-24-3	%	98.4	----	----	----	----	----	----
tetrachloro-m-xylene	877-09-8	%	111	----	----	----	----	----	----
Herbicides									
acetic acid, 2-methyl-4-chlorophenoxy- [MCPA]	94-74-6	µg/L	<0.050	----	----	----	----	----	----
AMPA	74341-63-2	µg/L	<0.50	----	----	----	----	----	----
bromoxynil	1689-84-5	µg/L	<0.050	----	----	----	----	----	----
dicamba	1918-00-9	µg/L	<0.10	----	----	----	----	----	----
dichlorophenoxyacetic acid, 2,4- [2,4-D]	94-75-7	µg/L	<0.050	----	----	----	----	----	----
dinoseb	88-85-7	µg/L	<0.050	----	----	----	----	----	----
diquat (ion)	2764-72-9	µg/L	<1.0	----	----	----	----	----	----
glyphosate	1071-83-6	µg/L	<0.20	----	----	----	----	----	----
paraquat (as dichloride)	1910-42-5	µg/L	<1.0	----	----	----	----	----	----
picloram	1918-02-1	µg/L	<0.10	----	----	----	----	----	----
trichlorophenoxypropionic acid, 2,4,5- [2,4,5-TP]	93-72-1	µg/L	<0.050	----	----	----	----	----	----
Herbicides Surrogates									
dichlorophenylacetic acid, 2,4-	19719-28-9	%	75.2	----	----	----	----	----	----



Analytical Results Evaluation

Matrix: Water			Client sample ID	F2-R	----	----	----	----	----	----
			Sampling date/time	02-Sep-2022 09:35	----	----	----	----	----	----
			Sub-Matrix	Water	----	----	----	----	----	----
Analyte	CAS Number	Unit	WT2212954-001	-----	-----	-----	-----	-----	-----	-----
Pesticides										
alachlor	15972-60-8	µg/L	<0.10	----	----	----	----	----	----	----
atrazine	1912-24-9	µg/L	<0.10	----	----	----	----	----	----	----
atrazine + n-dealkylated metabolites	----	µg/L	<0.20	----	----	----	----	----	----	----
atrazine-desethyl	6190-65-4	µg/L	<0.10	----	----	----	----	----	----	----
azinphos-methyl	86-50-0	µg/L	<0.10	----	----	----	----	----	----	----
carbaryl	63-25-2	µg/L	<0.20	----	----	----	----	----	----	----
carbofuran	1563-66-2	µg/L	<0.20	----	----	----	----	----	----	----
chlorpyrifos	2921-88-2	µg/L	<0.10	----	----	----	----	----	----	----
diazinon	333-41-5	µg/L	<0.10	----	----	----	----	----	----	----
diclofop-methyl	51338-27-3	µg/L	<0.10	----	----	----	----	----	----	----
dimethoate	60-51-5	µg/L	<0.10	----	----	----	----	----	----	----
malathion	121-75-5	µg/L	<0.10	----	----	----	----	----	----	----
metolachlor	51218-45-2	µg/L	<0.10	----	----	----	----	----	----	----
metribuzin	21087-64-9	µg/L	<0.10	----	----	----	----	----	----	----
phorate	298-02-2	µg/L	<0.50 ^{DLM}	----	----	----	----	----	----	----
prometryn	7287-19-6	µg/L	<0.10	----	----	----	----	----	----	----
simazine	122-34-9	µg/L	<0.10	----	----	----	----	----	----	----
terbufos	13071-79-9	µg/L	<0.50 ^{DLM}	----	----	----	----	----	----	----
triallate	2303-17-5	µg/L	<0.10	----	----	----	----	----	----	----
trifluralin	1582-09-8	µg/L	<0.10	----	----	----	----	----	----	----
Pesticides Surrogates										
fluorobiphenyl, 2-	321-60-8	%	77.3	----	----	----	----	----	----	----
terphenyl-d14, p-	1718-51-0	%	90.7	----	----	----	----	----	----	----
Nitrosamines Surrogates										
nitrosodimethylamine-d6, n-	17829-05-9	%	95.9	----	----	----	----	----	----	----
Organic Parameters										
microcystin	101043-37-2	µg/L	<0.20	----	----	----	----	----	----	----

Please refer to the General Comments section for an explanation of any qualifiers detected.



Summary of Guideline Breaches by Sample

SampleID/Client ID	Matrix	Analyte	Analyte Summary	Guideline	Category	Result	Limit
F2-R	Water	solids, total dissolved [TDS]	Based on taste; TDS above 500 mg/L results in excessive scaling in water pipes, water heaters, boilers and appliances; TDS is composed of calcium, magnesium, sodium, potassium, carbonate, bicarbonate, chloride, sulphate and nitrate.	ONDWS	AO/OG	850 mg/L	500 mg/L
	Water	sodium, total	Based on taste; where a sodium-based water softener is used, a separate unsoftened supply for cooking and drinking purposes is recommended.	ONDWS	MAC	30.6 mg/L	20 mg/L



Summary of Guideline Limits

Analyte	CAS Number	Unit	ONDWS AO/OG	ONDWS MAC					
Physical Tests									
alkalinity, total (as CaCO ₃)	----	mg/L	30 - 500 mg/L						
colour, true	----	CU							
hardness (as CaCO ₃), from total Ca/Mg	----	mg/L							
pH	----	pH units	6.5 - 8.5 pH units						
solids, total dissolved [TDS]	----	mg/L	500 mg/L						
turbidity	----	NTU	5 NTU						
Anions and Nutrients									
ammonia, total (as N)	7664-41-7	mg/L							
chloride	16887-00-6	mg/L	250 mg/L						
fluoride	16984-48-8	mg/L		1.5 mg/L					
Kjeldahl nitrogen, total [TKN]	----	mg/L							
nitrate (as N)	14797-55-8	mg/L		10 mg/L					
nitrite (as N)	14797-65-0	mg/L		1 mg/L					
nitrogen, total organic	----	mg/L							
sulfate (as SO ₄)	14808-79-8	mg/L							
Cyanides									
cyanide, strong acid dissociable (total)	----	mg/L		0.2 mg/L					
Organic / Inorganic Carbon									
carbon, dissolved organic [DOC]	----	mg/L	5 mg/L						
Total Sulfides									
sulfide, total (as S)	18496-25-8	mg/L	0.05 mg/L						
Microbiological Tests									
coliforms, Escherichia coli [E. coli]	----	MPN/100mL		1 MPN/100mL					
coliforms, total	----	MPN/100mL		1 MPN/100mL					
Total Metals									
aluminum, total	7429-90-5	mg/L	0.1 mg/L						
antimony, total	7440-36-0	µg/L		0.006 mg/L					
antimony, total	7440-36-0	mg/L		0.006 mg/L					
arsenic, total	7440-38-2	µg/L		0.01 mg/L					
arsenic, total	7440-38-2	mg/L		0.01 mg/L					
barium, total	7440-39-3	µg/L		1 mg/L					
barium, total	7440-39-3	mg/L		1 mg/L					
beryllium, total	7440-41-7	mg/L							
bismuth, total	7440-69-9	mg/L							
boron, total	7440-42-8	µg/L		5 mg/L					
boron, total	7440-42-8	mg/L		5 mg/L					



Analyte	CAS Number	Unit	ONDWS AO/OG	ONDWS MAC					
Total Metals - Continued									
cadmium, total	7440-43-9	µg/L		0.005 mg/L					
cadmium, total	7440-43-9	mg/L		0.005 mg/L					
calcium, total	7440-70-2	mg/L							
cesium, total	7440-46-2	mg/L							
chromium, total	7440-47-3	µg/L		0.05 mg/L					
chromium, total	7440-47-3	mg/L		0.05 mg/L					
cobalt, total	7440-48-4	mg/L							
copper, total	7440-50-8	mg/L	1 mg/L						
iron, total	7439-89-6	mg/L	0.3 mg/L						
lead, total	7439-92-1	mg/L		0.01 mg/L					
lithium, total	7439-93-2	mg/L							
magnesium, total	7439-95-4	mg/L							
manganese, total	7439-96-5	mg/L	0.05 mg/L						
mercury, total	7439-97-6	µg/L		1 µg/L					
molybdenum, total	7439-98-7	mg/L							
nickel, total	7440-02-0	mg/L							
phosphorus, total	7723-14-0	mg/L							
potassium, total	7440-09-7	mg/L							
rubidium, total	7440-17-7	mg/L							
selenium, total	7782-49-2	µg/L		0.05 mg/L					
selenium, total	7782-49-2	mg/L		0.05 mg/L					
silicon, total	7440-21-3	mg/L							
silver, total	7440-22-4	mg/L							
sodium, total	7440-23-5	mg/L	200 mg/L	20 mg/L					
strontium, total	7440-24-6	mg/L							
sulfur, total	7704-34-9	mg/L							
tellurium, total	13494-80-9	mg/L							
thallium, total	7440-28-0	mg/L							
thorium, total	7440-29-1	mg/L							
tin, total	7440-31-5	mg/L							
titanium, total	7440-32-6	mg/L							
tungsten, total	7440-33-7	mg/L							
uranium, total	7440-61-1	µg/L		0.02 mg/L					
uranium, total	7440-61-1	mg/L		0.02 mg/L					
vanadium, total	7440-62-2	mg/L							
zinc, total	7440-66-6	mg/L	5 mg/L						
zirconium, total	7440-67-7	mg/L							
Aggregate Organics									
nitritotriacetic acid [NTA]	139-13-9	mg/L		0.4 mg/L					



Analyte	CAS Number	Unit	ONDWS AO/OG	ONDWS MAC					
Dissolved Gases									
methane	74-82-8	µg/L							
methane	74-82-8	ppmv							
Volatile Organic Compounds									
Acetone	67-64-1	µg/L							
benzene	71-43-2	µg/L		1 µg/L					
bromodichloromethane	75-27-4	µg/L							
bromoform	75-25-2	µg/L							
bromomethane	74-83-9	µg/L							
BTEX, total	----	µg/L							
carbon tetrachloride	56-23-5	µg/L		2 µg/L					
chlorobenzene	108-90-7	µg/L	30 µg/L	80 µg/L					
chloroform	67-66-3	µg/L							
dibromochloromethane	124-48-1	µg/L							
dibromoethane, 1,2-	106-93-4	µg/L							
dichlorobenzene, 1,2-	95-50-1	µg/L	3 µg/L	200 µg/L					
dichlorobenzene, 1,3-	541-73-1	µg/L							
dichlorobenzene, 1,4-	106-46-7	µg/L	1 µg/L	5 µg/L					
dichlorodifluoromethane	75-71-8	µg/L							
dichloroethane, 1,1-	75-34-3	µg/L							
dichloroethane, 1,2-	107-06-2	µg/L		5 µg/L					
dichloroethylene, 1,1-	75-35-4	µg/L		14 µg/L					
dichloroethylene, cis-1,2-	156-59-2	µg/L							
dichloroethylene, trans-1,2-	156-60-5	µg/L							
dichloromethane	75-09-2	µg/L		50 µg/L					
dichloropropane, 1,2-	78-87-5	µg/L							
dichloropropylene, cis+trans-1,3-	542-75-6	µg/L							
dichloropropylene, cis-1,3-	10061-01-5	µg/L							
dichloropropylene, trans-1,3-	10061-02-6	µg/L							
ethylbenzene	100-41-4	µg/L	2.4 µg/L	140 µg/L					
hexane, n-	110-54-3	µg/L							
methyl ethyl ketone [MEK]	78-93-3	µg/L							
methyl isobutyl ketone [MIBK]	108-10-1	µg/L							
methyl-tert-butyl ether [MTBE]	1634-04-4	µg/L		15 µg/L					
styrene	100-42-5	µg/L							
tetrachloroethane, 1,1,1,2-	630-20-6	µg/L							
tetrachloroethane, 1,1,2,2-	79-34-5	µg/L							
tetrachloroethylene	127-18-4	µg/L		10 µg/L					
toluene	108-88-3	µg/L	24 µg/L	60 µg/L					
trichloroethane, 1,1,1-	71-55-6	µg/L							



Analyte	CAS Number	Unit	ONDWS AO/OG	ONDWS MAC					
Volatile Organic Compounds - Continued									
trichloroethane, 1,1,2-	79-00-5	µg/L							
trichloroethylene	79-01-6	µg/L		5 µg/L					
trichlorofluoromethane	75-69-4	µg/L							
vinyl chloride	75-01-4	µg/L		1 µg/L					
xylene, m+p-	179601-23-1	µg/L							
xylene, o-	95-47-6	µg/L							
xylenes, total	1330-20-7	µg/L	300 µg/L	90 µg/L					
bromodichloromethane	75-27-4	µg/L							
bromoform	75-25-2	µg/L							
chloroform	67-66-3	µg/L							
dibromochloromethane	124-48-1	µg/L							
trihalomethanes [THMs], total	----	µg/L		100 µg/L					
Polycyclic Aromatic Hydrocarbons									
benzo(a)pyrene	50-32-8	µg/L		0.01 µg/L					
Disinfectant By-Products									
chlorate	14866-68-3	mg/L		1 mg/L					
chlorite	14998-27-7	mg/L		1 mg/L					
Haloacetic Acids									
dibromoacetic acid	631-64-1	µg/L							
dichloroacetic acid	79-43-6	µg/L							
haloacetic acids, total [HAA5]	----	µg/L		80 µg/L					
monobromoacetic acid	79-08-3	µg/L							
monochloroacetic acid	79-11-8	µg/L							
trichloroacetic acid	76-03-9	µg/L							
Semi-Volatile Organics									
nitrosodimethylamine, n- [NDMA]	62-75-9	µg/L		0.009 µg/L					
Chlorinated Phenolics									
dichlorophenol, 2,4-	120-83-2	µg/L	0.3 µg/L	900 µg/L					
pentachlorophenol [PCP]	87-86-5	µg/L	30 µg/L	60 µg/L					
tetrachlorophenol, 2,3,4,6-	58-90-2	µg/L	1 µg/L	100 µg/L					
trichlorophenol, 2,4,6-	88-06-2	µg/L	2 µg/L	5 µg/L					
Polychlorinated Biphenyls									
Aroclor 1016	12674-11-2	µg/L							
Aroclor 1221	11104-28-2	µg/L							
Aroclor 1232	11141-16-5	µg/L							
Aroclor 1242	53469-21-9	µg/L							
Aroclor 1248	12672-29-6	µg/L							
Aroclor 1254	11097-69-1	µg/L							
Aroclor 1260	11096-82-5	µg/L							



Analyte	CAS Number	Unit	ONDWS AO/OG	ONDWS MAC					
Polychlorinated Biphenyls - Continued									
Aroclor 1262	37324-23-5	µg/L							
Aroclor 1268	11100-14-4	µg/L							
polychlorinated biphenyls [PCBs], total	----	µg/L		3 µg/L					
Carbamate Pesticides									
diuron	330-54-1	µg/L		150 µg/L					
chlordane, cis- (alpha)	5103-71-9	µg/L							
chlordane, trans- (gamma)	5103-74-2	µg/L							
DDD, 4,4'-	72-54-8	µg/L							
DDE, 4,4'-	72-55-9	µg/L							
DDT, 2,4'-	789-02-6	µg/L							
DDT, 4,4'-	50-29-3	µg/L							
oxychlordane	27304-13-8	µg/L							
Herbicides									
acetic acid, 2-methyl-4-chlorophenoxy- [MCPA]	94-74-6	µg/L		100 µg/L					
AMPA	74341-63-2	µg/L							
bromoxynil	1689-84-5	µg/L		5 µg/L					
dicamba	1918-00-9	µg/L		120 µg/L					
dichlorophenoxyacetic acid, 2,4- [2,4-D]	94-75-7	µg/L		100 µg/L					
dinoseb	88-85-7	µg/L		10 µg/L					
diquat (ion)	2764-72-9	µg/L							
glyphosate	1071-83-6	µg/L		280 µg/L					
paraquat (as dichloride)	1910-42-5	µg/L		10 µg/L					
picloram	1918-02-1	µg/L		190 µg/L					
trichlorophenoxypropionic acid, 2,4,5- [2,4,5-TP]	93-72-1	µg/L							
Pesticides									
alachlor	15972-60-8	µg/L		5 µg/L					
atrazine + n-dealkylated metabolites	----	µg/L		5 µg/L					
atrazine	1912-24-9	µg/L							
atrazine-desethyl	6190-65-4	µg/L							
azinphos-methyl	86-50-0	µg/L		20 µg/L					
carbaryl	63-25-2	µg/L		90 µg/L					
carbofuran	1563-66-2	µg/L		90 µg/L					
chlorpyrifos	2921-88-2	µg/L		90 µg/L					
diazinon	333-41-5	µg/L		20 µg/L					
diclofop-methyl	51338-27-3	µg/L		9 µg/L					
dimethoate	60-51-5	µg/L		20 µg/L					
malathion	121-75-5	µg/L		190 µg/L					
metolachlor	51218-45-2	µg/L		50 µg/L					
metribuzin	21087-64-9	µg/L		80 µg/L					



Analyte	CAS Number	Unit	ONDWS AO/OG	ONDWS MAC					
Pesticides - Continued									
phorate	298-02-2	µg/L		2 µg/L					
prometryn	7287-19-6	µg/L		1 µg/L					
simazine	122-34-9	µg/L		10 µg/L					
terbufos	13071-79-9	µg/L		1 µg/L					
triallate	2303-17-5	µg/L		230 µg/L					
trifluralin	1582-09-8	µg/L		45 µg/L					
Organic Parameters									
microcystin	101043-37-2	µg/L		1.5 µg/L					

Please refer to the General Comments section for an explanation of any qualifiers detected.

Key:		
ONDWS		Ontario Drinking Water Regulation (JAN, 2020)
AO/OG		Aesthetic Objective/Operational Guideline
MAC		Schedule 1 (Microbiological) and 2 (Chemical) Standards (JAN,2018)

QUALITY CONTROL INTERPRETIVE REPORT

Work Order	: WT2212954	Page	: 1 of 19
Client	: Township of Centre Wellington	Laboratory	: Waterloo - Environmental
Contact	: Matthew Alexander	Account Manager	: Candice Hunter
Address	: 1 MacDonald Square Elora ON Canada N0B 1S0	Address	: 60 Northland Road, Unit 1 Waterloo, Ontario Canada N2V 2B8
Telephone	: ----	Telephone	: +1 519 886 6910
Project	: ----	Date Samples Received	: 02-Sep-2022 11:45
PO	: ----	Issue Date	: 16-Sep-2022 11:04
C-O-C number	: 20-1007481		
Sampler	: ----		
Site	: ----		
Quote number	: Special Non - Regulated Water		
No. of samples received	: 1		
No. of samples analysed	: 1		

This report is automatically generated by the ALS LIMS (Laboratory Information Management System) through evaluation of Quality Control (QC) results and other QA parameters associated with this submission, and is intended to facilitate rapid data validation by auditors or reviewers. The report highlights any exceptions and outliers to ALS Data Quality Objectives, provides holding time details and exceptions, summarizes QC sample frequencies, and lists applicable methodology references and summaries.

Key

Anonymous: Refers to samples which are not part of this work order, but which formed part of the QC process lot.

CAS Number: Chemical Abstracts Service number is a unique identifier assigned to discrete substances.

DQO: Data Quality Objective.

LOR: Limit of Reporting (detection limit).

RPD: Relative Percent Difference.

Workorder Comments

Holding times are displayed as "----" if no guidance exists from CCME, Canadian provinces, or broadly recognized international references.

Summary of Outliers

Outliers : Quality Control Samples

- No Duplicate outliers occur.
- Method Blank value outliers occur - please see following pages for full details.
- Laboratory Control Sample (LCS) outliers occur - please see following pages for full details.
- Matrix Spike outliers occur - please see following pages for full details.
- No Test sample Surrogate recovery outliers exist.

Outliers: Reference Material (RM) Samples

- No Reference Material (RM) Sample outliers occur.

Outliers : Analysis Holding Time Compliance (Breaches)

- Analysis Holding Time Outliers exist - please see following pages for full details.

Outliers : Frequency of Quality Control Samples

- No Quality Control Sample Frequency Outliers occur.



Outliers : Quality Control Samples

Duplicates, Method Blanks, Laboratory Control Samples and Matrix Spikes

Matrix: Water

Analyte Group	Laboratory sample ID	Client/Ref Sample ID	Analyte	CAS Number	Method	Result	Limits	Comment
Method Blank (MB) Values								
Total Metals	QC-633334-001	----	magnesium, total	7439-95-4	E420	0.0114 ^B mg/L	0.005 mg/L	Blank result exceeds permitted value
Volatile Organic Compounds	QC-MRG2-6378120 01	----	dichloromethane	75-09-2	E611D	1.1 µg/L ^B	1 µg/L	Blank result exceeds permitted value

Result Qualifiers

Qualifier Description

B Method Blank exceeds ALS DQO. Associated sample results which are < Limit of Reporting or > 5 times blank level are considered reliable.

Laboratory Control Sample (LCS) Recoveries								
Pesticides	QC-633345-002	----	alachlor	15972-60-8	E660E-H	155 % ^{LCS-H}	60.0-130%	Recovery greater than upper control limit
Pesticides	QC-633345-002	----	atrazine	1912-24-9	E660E-H	147 % ^{LCS-H}	60.0-130%	Recovery greater than upper control limit
Pesticides	QC-633345-002	----	azinphos-methyl	86-50-0	E660E-H	196 % ^{LCS-H}	60.0-140%	Recovery greater than upper control limit
Pesticides	QC-633345-002	----	carbaryl	63-25-2	E660E-H	145 % ^{LCS-H}	50.0-140%	Recovery greater than upper control limit
Pesticides	QC-633345-002	----	carbofuran	1563-66-2	E660E-H	145 % ^{LCS-H}	60.0-140%	Recovery greater than upper control limit
Pesticides	QC-633345-002	----	chlorpyrifos	2921-88-2	E660E-H	156 % ^{LCS-H}	60.0-130%	Recovery greater than upper control limit
Pesticides	QC-633345-002	----	diclofop-methyl	51338-27-3	E660E-H	156 % ^{LCS-H}	60.0-140%	Recovery greater than upper control limit
Pesticides	QC-633345-002	----	dimethoate	60-51-5	E660E-H	152 % ^{LCS-H}	60.0-130%	Recovery greater than upper control limit
Pesticides	QC-633345-002	----	malathion	121-75-5	E660E-H	191 % ^{LCS-H}	60.0-130%	Recovery greater than upper control limit
Pesticides	QC-633345-002	----	metolachlor	51218-45-2	E660E-H	181 % ^{LCS-H}	60.0-130%	Recovery greater than upper control limit
Pesticides	QC-633345-002	----	metribuzin	21087-64-9	E660E-H	154 % ^{LCS-H}	60.0-130%	Recovery greater than upper control limit
Pesticides	QC-633345-002	----	phorate	298-02-2	E660E-H	13.5 % ^{LCS-L}	60.0-140%	Recovery less than lower control limit
Pesticides	QC-633345-002	----	prometryn	7287-19-6	E660E-H	156 % ^{LCS-H}	60.0-130%	Recovery greater than upper control limit



Matrix: **Water**

Analyte Group	Laboratory sample ID	Client/Ref Sample ID	Analyte	CAS Number	Method	Result	Limits	Comment
Laboratory Control Sample (LCS) Recoveries - Continued								
Pesticides	QC-633345-002	----	simazine	122-34-9	E660E-H	135 % LCS-H	60.0-130%	Recovery greater than upper control limit
Pesticides	QC-633345-002	----	terbufos	13071-79-9	E660E-H	11.5 % LCS-L	60.0-130%	Recovery less than lower control limit
Pesticides	QC-633345-002	----	trifluralin	1582-09-8	E660E-H	146 % LCS-H	60.0-130%	Recovery greater than upper control limit

Result Qualifiers

Qualifier	Description
LCS-H	Lab Control Sample recovery was above ALS DQO. Non-detected sample results are considered reliable. Other results, if reported, have been qualified.
LCS-L	Lab Control Sample recovery was below ALS DQO. Reference Material and/or Matrix Spike results were acceptable. Non-detected sample results are considered reliable. Other results, if reported, have been qualified.

Matrix Spike (MS) Recoveries								
Total Metals	Anonymous	Anonymous	selenium, total	7782-49-2	E432	138 % MES	70.0-130%	Recovery greater than upper data quality objective
Volatile Organic Compounds	WT2212954-001	F2-R	bromomethane	74-83-9	E611D	19.6 % K	60.0-140%	Recovery less than lower data quality objective
Volatile Organic Compounds	WT2212954-001	F2-R	dichloropropylene, cis-1,3-	10061-01-5	E611D	38.3 % K	60.0-140%	Recovery less than lower data quality objective

Result Qualifiers

Qualifier	Description
K	Matrix Spike recovery outside ALS DQO due to sample matrix effects.
MES	Data Quality Objective was marginally exceeded (by < 10% absolute) for < 10% of analytes in a Multi-Element Scan / Multi-Parameter Scan (considered acceptable as per OMOE & CCME).



Analysis Holding Time Compliance

This report summarizes extraction / preparation and analysis times and compares each with ALS recommended holding times, which are selected to meet known provincial and /or federal requirements. In the absence of regulatory hold times, ALS establishes recommendations based on guidelines published by organizations such as CCME, US EPA, APHA Standard Methods, ASTM, or Environment Canada (where available). Dates and holding times reported below represent the first dates of extraction or analysis. If subsequent tests or dilutions exceeded holding times, qualifiers are added (refer to COA).

If samples are identified below as having been analyzed or extracted outside of recommended holding times, measurement uncertainties may be increased, and this should be taken into consideration when interpreting results.

Where actual sampling date is not provided on the chain of custody, the date of receipt with time at 00:00 is used for calculation purposes.

Where only the sample date without time is provided on the chain of custody, the sampling date at 00:00 is used for calculation purposes.

Matrix: **Water**

Evaluation: ✖ = Holding time exceedance ; ✔ = Within Holding Time

Analyte Group Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis			
			Preparation Date	Holding Times		Eval	Analysis Date	Holding Times		Eval
				Rec	Actual			Rec	Actual	
Aggregate Organics : Nitrilotriacetic Acid (NTA) in Water										
HDPE [ON MECP] F2-R	E394	02-Sep-2022	----	----	----		05-Sep-2022	30 days	3 days	✓
Anions and Nutrients : Ammonia by Fluorescence										
Amber glass total (sulfuric acid) F2-R	E298	02-Sep-2022	09-Sep-2022	----	----		12-Sep-2022	28 days	11 days	✓
Anions and Nutrients : Chloride in Water by IC										
HDPE [ON MECP] F2-R	E235.Cl	02-Sep-2022	08-Sep-2022	----	----		08-Sep-2022	28 days	6 days	✓
Anions and Nutrients : Fluoride in Water by IC										
HDPE [ON MECP] F2-R	E235.F	02-Sep-2022	08-Sep-2022	----	----		08-Sep-2022	28 days	6 days	✓
Anions and Nutrients : Nitrate in Water by IC										
HDPE [ON MECP] F2-R	E235.NO3	02-Sep-2022	08-Sep-2022	----	----		08-Sep-2022	7 days	6 days	✓
Anions and Nutrients : Nitrite in Water by IC										
HDPE [ON MECP] F2-R	E235.NO2	02-Sep-2022	08-Sep-2022	----	----		08-Sep-2022	7 days	6 days	✓
Anions and Nutrients : Sulfate in Water by IC										
HDPE [ON MECP] F2-R	E235.SO4	02-Sep-2022	08-Sep-2022	----	----		08-Sep-2022	28 days	6 days	✓



Matrix: **Water** Evaluation: * = Holding time exceedance ; ✓ = Within Holding Time

Analyte Group	Method	Sampling Date	Extraction / Preparation				Analysis			
Container / Client Sample ID(s)			Preparation Date	Holding Times		Eval	Analysis Date	Holding Times		Eval
				Rec	Actual			Rec	Actual	
Anions and Nutrients : Total Kjeldahl Nitrogen by Fluorescence (Low Level)										
Amber glass total (sulfuric acid) F2-R	E318	02-Sep-2022	12-Sep-2022	----	----		13-Sep-2022	28 days	11 days	✓
Carbamate Pesticides : Aldicarb and Diuron in Water by LC-MS/MS										
Amber glass/Teflon lined cap - LCMS F2-R	E712B	02-Sep-2022	09-Sep-2022	20 days	7 days	✓	12-Sep-2022	7 days	3 days	✓
Chlorinated Phenolics : Phenolics (Ontario Chlorophenols List) by GC-MS										
Amber glass/Teflon lined cap F2-R	E651D	02-Sep-2022	06-Sep-2022	7 days	4 days	✓	07-Sep-2022	40 days	1 days	✓
Cyanides : Total Cyanide										
UV-inhibited HDPE - total (sodium hydroxide) F2-R	E333	02-Sep-2022	06-Sep-2022	----	----		06-Sep-2022	14 days	4 days	✓
Disinfectant By-Products : Chlorate (CLO3) in Waters by Ion Chromatography										
HDPE (teflon free) F2-R	E409.CLO3	02-Sep-2022	07-Sep-2022	28 days	5 days	✓	07-Sep-2022	23 days	0 days	✓
Disinfectant By-Products : Chlorite (CLO2) in Waters by Ion Chromatography										
HDPE (teflon free) F2-R	E409.CLO2	02-Sep-2022	07-Sep-2022	14 days	5 days	✓	07-Sep-2022	9 days	0 days	✓
Dissolved Gases : Methane, Ethane, & Ethene by Headspace GC-FID										
Glass vial (sodium bisulfate) F2-R	E614B	02-Sep-2022	----	----	----		07-Sep-2022	14 days	5 days	✓
Haloacetic Acids : Haloacetic Acids in Water by LC-MS/MS										
Glass vial (ammonium chloride+copper sulfate) F2-R	E750	02-Sep-2022	09-Sep-2022	14 days	7 days	✓	11-Sep-2022	14 days	2 days	✓
Herbicides : Diquat and Paraquat in Water by LC-MS-MS										
Amber glass/Teflon lined cap - LCMS F2-R	E723A	02-Sep-2022	08-Sep-2022	7 days	6 days	✓	08-Sep-2022	21 days	0 days	✓



Matrix: **Water** Evaluation: * = Holding time exceedance ; ✓ = Within Holding Time

Analyte Group	Method	Sampling Date	Extraction / Preparation				Analysis			
Container / Client Sample ID(s)			Preparation Date	Holding Times		Eval	Analysis Date	Holding Times		Eval
				Rec	Actual			Rec	Actual	
Herbicides : Glyphosate and AMPA in Water										
Amber glass/Teflon lined cap - LCMS F2-R	E716A	02-Sep-2022	07-Sep-2022	14 days	5 days	✓	07-Sep-2022	40 days	0 days	✓
Herbicides : Phenoxy Acid Herbicides in Water by LC-MS-MS										
Amber glass/Teflon lined cap - LCMS F2-R	E706A	02-Sep-2022	06-Sep-2022	----	----		07-Sep-2022	14 days	5 days	✓
Microbiological Tests : Total Coliforms and E. coli (Enzyme Substrate)										
Sterile HDPE (Sodium thiosulphate) [ON MECP] F2-R	E010	02-Sep-2022	----	----	----		03-Sep-2022	48 hrs	26 hrs	✓
Organic / Inorganic Carbon : Dissolved Organic Carbon by Combustion (Low Level)										
Amber glass dissolved (sulfuric acid) F2-R	E358-L	02-Sep-2022	07-Sep-2022	----	----		14-Sep-2022	28 days	12 days	✓
Organic Parameters : Microcystin by ELISA (Extraction by Sonication)										
Amber glass/Teflon lined cap F2-R	E576	02-Sep-2022	----	----	----		09-Sep-2022	14 days	7 days	✓
Organochlorine Pesticides : OCP Analysis by GC-MS-MS										
Amber glass/Teflon lined cap F2-R	E660F	02-Sep-2022	06-Sep-2022	7 days	4 days	✓	07-Sep-2022	40 days	1 days	✓
Pesticides : Miscellaneous Pesticides by GC-MS										
Amber glass/Teflon lined cap F2-R	E660E-H	02-Sep-2022	05-Sep-2022	14 days	4 days	✓	06-Sep-2022	40 days	1 days	✓
Physical Tests : Alkalinity Species by Titration										
HDPE [ON MECP] F2-R	E290	02-Sep-2022	08-Sep-2022	----	----		09-Sep-2022	14 days	7 days	✓
Physical Tests : Colour (True) by Spectrometer (2 CU)										
HDPE [ON MECP] F2-R	E329-L	02-Sep-2022	03-Sep-2022	----	----		06-Sep-2022	48 hrs	128 hrs	✖ EHT



Matrix: **Water** Evaluation: ✖ = Holding time exceedance ; ✔ = Within Holding Time

Analyte Group Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis			
			Preparation Date	Holding Times		Eval	Analysis Date	Holding Times		Eval
				Rec	Actual			Rec	Actual	
Physical Tests : pH by Meter										
HDPE [ON MECP] F2-R	E108	02-Sep-2022	08-Sep-2022	----	----		09-Sep-2022	14 days	7 days	✓
Physical Tests : TDS by Gravimetry										
HDPE [ON MECP] F2-R	E162	02-Sep-2022	----	----	----		06-Sep-2022	7 days	4 days	✓
Physical Tests : Turbidity by Nephelometry										
HDPE [ON MECP] F2-R	E121	02-Sep-2022	----	----	----		02-Sep-2022	3 days	0 days	✓
Polychlorinated Biphenyls : PCB Aroclors by GC-MS										
Amber glass/Teflon lined cap F2-R	E687	02-Sep-2022	06-Sep-2022	14 days	4 days	✓	07-Sep-2022	40 days	1 days	✓
Polycyclic Aromatic Hydrocarbons : PAHs by Hexane LVI GC-MS										
Amber glass/Teflon lined cap F2-R	E641A	02-Sep-2022	08-Sep-2022	7 days	6 days	✓	12-Sep-2022	40 days	3 days	✓
Semi-Volatile Organics : N-Nitrosodimethylamine (NDMA) by LC-MS-MS (Trace Level)										
Amber glass/Teflon lined cap - LCMS F2-R	E725-T	02-Sep-2022	06-Sep-2022	28 days	4 days	✓	09-Sep-2022	28 days	3 days	✓
Total Metals : Drinking Water Metals [Ontario]										
HDPE total (nitric acid) F2-R	E432	02-Sep-2022	06-Sep-2022	----	----		06-Sep-2022	60 days	4 days	✓
Total Metals : Total Mercury in Water by CVAAS										
Glass vial total (hydrochloric acid) F2-R	E508	02-Sep-2022	06-Sep-2022	----	----		06-Sep-2022	28 days	4 days	✓
Total Metals : Total Metals in Water by CRC ICPMS										
HDPE total (nitric acid) F2-R	E420	02-Sep-2022	06-Sep-2022	----	----		06-Sep-2022	180 days	5 days	✓



Matrix: **Water** Evaluation: ✖ = Holding time exceedance ; ✔ = Within Holding Time

Analyte Group Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis			
			Preparation Date	Holding Times		Eval	Analysis Date	Holding Times		Eval
				Rec	Actual			Rec	Actual	
Total Sulfides : Total Sulfide by Colourimetry (Manual)										
HDPE total (zinc acetate+sodium hydroxide) F2-R	E396	02-Sep-2022	----	----	----		09-Sep-2022	7 days	7 days	✓
Volatile Organic Compounds : VOCs (ON List) by Headspace GC-MS										
Glass vial (sodium bisulfate) F2-R	E611D	02-Sep-2022	08-Sep-2022	----	----		08-Sep-2022	14 days	6 days	✓
Volatile Organic Compounds [THMs] : THMs by Headspace GC-MS										
Glass vial (sodium bisulfate) F2-R	E611B	02-Sep-2022	08-Sep-2022	----	----		08-Sep-2022	14 days	6 days	✓

Legend & Qualifier Definitions

EHT: Exceeded ALS recommended hold time prior to analysis.

Rec. HT: ALS recommended hold time (see units).



Quality Control Parameter Frequency Compliance

The following report summarizes the frequency of laboratory QC samples analyzed within the analytical batches (QC lots) in which the submitted samples were processed. The actual frequency should be greater than or equal to the expected frequency.

Matrix: **Water** Evaluation: ✖ = QC frequency outside specification; ✔ = QC frequency within specification.

Quality Control Sample Type			Count		Frequency (%)		
Analytical Methods	Method	QC Lot #	QC	Regular	Actual	Expected	Evaluation
Laboratory Duplicates (DUP)							
Aldicarb and Diuron in Water by LC-MS/MS	E712B	638961	1	1	100.0	5.0	✔
Alkalinity Species by Titration	E290	637654	1	16	6.2	5.0	✔
Ammonia by Fluorescence	E298	639864	1	15	6.6	5.0	✔
Chlorate (CLO3) in Waters by Ion Chromatography	E409.CLO3	635446	1	5	20.0	5.0	✔
Chloride in Water by IC	E235.Cl	637486	1	12	8.3	5.0	✔
Chlorite (CLO2) in Waters by Ion Chromatography	E409.CLO2	635447	1	4	25.0	5.0	✔
Colour (True) by Spectrometer (2 CU)	E329-L	632380	1	1	100.0	5.0	✔
Diquat and Paraquat in Water by LC-MS-MS	E723A	637025	1	1	100.0	5.0	✔
Dissolved Organic Carbon by Combustion (Low Level)	E358-L	635753	1	9	11.1	5.0	✔
Drinking Water Metals [Ontario]	E432	634512	1	3	33.3	5.0	✔
Fluoride in Water by IC	E235.F	637487	1	5	20.0	5.0	✔
Glyphosate and AMPA in Water	E716A	633946	1	2	50.0	5.0	✔
Haloacetic Acids in Water by LC-MS/MS	E750	638905	1	14	7.1	4.7	✔
Methane, Ethane, & Ethene by Headspace GC-FID	E614B	635471	1	11	9.0	4.5	✔
Microcystin by ELISA (Extraction by Sonication)	E576	639186	1	11	9.0	5.0	✔
Nitrate in Water by IC	E235.NO3	637489	1	13	7.6	5.0	✔
Nitrilotriacetic Acid (NTA) in Water	E394	633331	1	3	33.3	5.0	✔
Nitrite in Water by IC	E235.NO2	637490	1	6	16.6	5.0	✔
N-Nitrosodimethylamine (NDMA) by LC-MS-MS (Trace Level)	E725-T	638901	1	4	25.0	5.0	✔
pH by Meter	E108	637652	1	18	5.5	5.0	✔
Phenoxy Acid Herbicides in Water by LC-MS-MS	E706A	634443	1	16	6.2	5.0	✔
Sulfate in Water by IC	E235.SO4	637488	1	4	25.0	5.0	✔
TDS by Gravimetry	E162	634117	1	20	5.0	5.0	✔
THMs by Headspace GC-MS	E611B	637813	1	1	100.0	5.0	✔
Total Coliforms and E. coli (Enzyme Substrate)	E010	632124	1	11	9.0	5.0	✔
Total Cyanide	E333	634176	1	10	10.0	5.0	✔
Total Kjeldahl Nitrogen by Fluorescence (Low Level)	E318	639862	1	18	5.5	5.0	✔
Total Mercury in Water by CVAAS	E508	634028	1	8	12.5	5.0	✔
Total Metals in Water by CRC ICPMS	E420	633334	1	20	5.0	5.0	✔
Total Sulfide by Colourimetry (Manual)	E396	639357	1	1	100.0	5.0	✔
Turbidity by Nephelometry	E121	631650	1	2	50.0	5.0	✔
VOCs (ON List) by Headspace GC-MS	E611D	637812	1	1	100.0	5.0	✔
Laboratory Control Samples (LCS)							
Aldicarb and Diuron in Water by LC-MS/MS	E712B	638961	1	1	100.0	5.0	✔
Alkalinity Species by Titration	E290	637654	1	16	6.2	5.0	✔
Ammonia by Fluorescence	E298	639864	1	15	6.6	5.0	✔
Chlorate (CLO3) in Waters by Ion Chromatography	E409.CLO3	635446	1	5	20.0	5.0	✔



Matrix: **Water**

Evaluation: * = QC frequency outside specification; ✓ = QC frequency within specification.

Quality Control Sample Type			Count		Frequency (%)		
Analytical Methods	Method	QC Lot #	QC	Regular	Actual	Expected	Evaluation
Laboratory Control Samples (LCS) - Continued							
Chloride in Water by IC	E235.Cl	637486	1	12	8.3	5.0	✓
Chlorite (CLO2) in Waters by Ion Chromatography	E409.CLO2	635447	1	4	25.0	5.0	✓
Colour (True) by Spectrometer (2 CU)	E329-L	632380	1	1	100.0	5.0	✓
Diquat and Paraquat in Water by LC-MS-MS	E723A	637025	1	1	100.0	5.0	✓
Dissolved Organic Carbon by Combustion (Low Level)	E358-L	635753	1	9	11.1	5.0	✓
Drinking Water Metals [Ontario]	E432	634512	1	3	33.3	5.0	✓
Fluoride in Water by IC	E235.F	637487	1	5	20.0	5.0	✓
Glyphosate and AMPA in Water	E716A	633946	1	2	50.0	5.0	✓
Haloacetic Acids in Water by LC-MS/MS	E750	638905	1	14	7.1	4.7	✓
Microcystin by ELISA (Extraction by Sonication)	E576	639186	1	11	9.0	5.0	✓
Miscellaneous Pesticides by GC-MS	E660E-H	633345	1	3	33.3	5.0	✓
Nitrate in Water by IC	E235.NO3	637489	1	13	7.6	5.0	✓
Nitrilotriacetic Acid (NTA) in Water	E394	633331	1	3	33.3	5.0	✓
Nitrite in Water by IC	E235.NO2	637490	1	6	16.6	5.0	✓
N-Nitrosodimethylamine (NDMA) by LC-MS-MS (Trace Level)	E725-T	638901	1	4	25.0	5.0	✓
OCP Analysis by GC-MS-MS	E660F	633430	1	7	14.2	5.0	✓
PAHs by Hexane LVI GC-MS	E641A	638508	1	1	100.0	5.0	✓
PCB Aroclors by GC-MS	E687	633429	1	9	11.1	4.7	✓
pH by Meter	E108	637652	1	18	5.5	5.0	✓
Phenolics (Ontario Chlorophenols List) by GC-MS	E651D	633416	1	3	33.3	5.0	✓
Phenoxy Acid Herbicides in Water by LC-MS-MS	E706A	634443	1	16	6.2	5.0	✓
Sulfate in Water by IC	E235.SO4	637488	1	4	25.0	5.0	✓
TDS by Gravimetry	E162	634117	1	20	5.0	5.0	✓
THMs by Headspace GC-MS	E611B	637813	1	1	100.0	5.0	✓
Total Cyanide	E333	634176	1	10	10.0	5.0	✓
Total Kjeldahl Nitrogen by Fluorescence (Low Level)	E318	639862	1	18	5.5	5.0	✓
Total Mercury in Water by CVAAS	E508	634028	1	8	12.5	5.0	✓
Total Metals in Water by CRC ICPMS	E420	633334	2	20	10.0	5.0	✓
Total Sulfide by Colourimetry (Manual)	E396	639357	1	1	100.0	5.0	✓
Turbidity by Nephelometry	E121	631650	1	2	50.0	5.0	✓
VOCs (ON List) by Headspace GC-MS	E611D	637812	1	1	100.0	5.0	✓
Method Blanks (MB)							
Aldicarb and Diuron in Water by LC-MS/MS	E712B	638961	1	1	100.0	5.0	✓
Alkalinity Species by Titration	E290	637654	1	16	6.2	5.0	✓
Ammonia by Fluorescence	E298	639864	1	15	6.6	5.0	✓
Chlorate (CLO3) in Waters by Ion Chromatography	E409.CLO3	635446	1	5	20.0	5.0	✓
Chloride in Water by IC	E235.Cl	637486	1	12	8.3	5.0	✓
Chlorite (CLO2) in Waters by Ion Chromatography	E409.CLO2	635447	1	4	25.0	5.0	✓
Colour (True) by Spectrometer (2 CU)	E329-L	632380	1	1	100.0	5.0	✓
Diquat and Paraquat in Water by LC-MS-MS	E723A	637025	1	1	100.0	5.0	✓
Dissolved Organic Carbon by Combustion (Low Level)	E358-L	635753	1	9	11.1	5.0	✓



Matrix: **Water**

Evaluation: ✖ = QC frequency outside specification; ✔ = QC frequency within specification.

Quality Control Sample Type			Count		Frequency (%)		
Analytical Methods	Method	QC Lot #	QC	Regular	Actual	Expected	Evaluation
Method Blanks (MB) - Continued							
Drinking Water Metals [Ontario]	E432	634512	1	3	33.3	5.0	✔
Fluoride in Water by IC	E235.F	637487	1	5	20.0	5.0	✔
Glyphosate and AMPA in Water	E716A	633946	1	2	50.0	5.0	✔
Haloacetic Acids in Water by LC-MS/MS	E750	638905	1	14	7.1	4.7	✔
Methane, Ethane, & Ethene by Headspace GC-FID	E614B	635471	1	11	9.0	4.5	✔
Microcystin by ELISA (Extraction by Sonication)	E576	639186	1	11	9.0	5.0	✔
Miscellaneous Pesticides by GC-MS	E660E-H	633345	1	3	33.3	5.0	✔
Nitrate in Water by IC	E235.NO3	637489	1	13	7.6	5.0	✔
Nitrilotriacetic Acid (NTA) in Water	E394	633331	1	3	33.3	5.0	✔
Nitrite in Water by IC	E235.NO2	637490	1	6	16.6	5.0	✔
N-Nitrosodimethylamine (NDMA) by LC-MS-MS (Trace Level)	E725-T	638901	1	4	25.0	5.0	✔
OCP Analysis by GC-MS-MS	E660F	633430	1	7	14.2	5.0	✔
PAHs by Hexane LVI GC-MS	E641A	638508	1	1	100.0	5.0	✔
PCB Aroclors by GC-MS	E687	633429	1	9	11.1	4.7	✔
Phenolics (Ontario Chlorophenols List) by GC-MS	E651D	633416	1	3	33.3	5.0	✔
Phenoxy Acid Herbicides in Water by LC-MS-MS	E706A	634443	1	16	6.2	5.0	✔
Sulfate in Water by IC	E235.SO4	637488	1	4	25.0	5.0	✔
TDS by Gravimetry	E162	634117	1	20	5.0	5.0	✔
THMs by Headspace GC-MS	E611B	637813	1	1	100.0	5.0	✔
Total Coliforms and E. coli (Enzyme Substrate)	E010	632124	1	11	9.0	5.0	✔
Total Cyanide	E333	634176	1	10	10.0	5.0	✔
Total Kjeldahl Nitrogen by Fluorescence (Low Level)	E318	639862	1	18	5.5	5.0	✔
Total Mercury in Water by CVAAS	E508	634028	1	8	12.5	5.0	✔
Total Metals in Water by CRC ICPMS	E420	633334	1	20	5.0	5.0	✔
Total Sulfide by Colourimetry (Manual)	E396	639357	1	1	100.0	5.0	✔
Turbidity by Nephelometry	E121	631650	1	2	50.0	5.0	✔
VOCs (ON List) by Headspace GC-MS	E611D	637812	1	1	100.0	5.0	✔
Matrix Spikes (MS)							
Aldicarb and Diuron in Water by LC-MS/MS	E712B	638961	1	1	100.0	5.0	✔
Ammonia by Fluorescence	E298	639864	1	15	6.6	5.0	✔
Chlorate (CLO3) in Waters by Ion Chromatography	E409.CLO3	635446	1	5	20.0	5.0	✔
Chloride in Water by IC	E235.Cl	637486	1	12	8.3	5.0	✔
Chlorite (CLO2) in Waters by Ion Chromatography	E409.CLO2	635447	1	4	25.0	5.0	✔
Diquat and Paraquat in Water by LC-MS-MS	E723A	637025	1	1	100.0	5.0	✔
Dissolved Organic Carbon by Combustion (Low Level)	E358-L	635753	1	9	11.1	5.0	✔
Drinking Water Metals [Ontario]	E432	634512	1	3	33.3	5.0	✔
Fluoride in Water by IC	E235.F	637487	1	5	20.0	5.0	✔
Glyphosate and AMPA in Water	E716A	633946	1	2	50.0	5.0	✔
Haloacetic Acids in Water by LC-MS/MS	E750	638905	1	14	7.1	4.7	✔
Microcystin by ELISA (Extraction by Sonication)	E576	639186	1	11	9.0	5.0	✔
Nitrate in Water by IC	E235.NO3	637489	1	13	7.6	5.0	✔



Matrix: **Water**

Evaluation: ✖ = QC frequency outside specification; ✔ = QC frequency within specification.

Quality Control Sample Type			Count		Frequency (%)		
Analytical Methods	Method	QC Lot #	QC	Regular	Actual	Expected	Evaluation
Matrix Spikes (MS) - Continued							
Nitritotriacetic Acid (NTA) in Water	E394	633331	1	3	33.3	5.0	✔
Nitrite in Water by IC	E235.NO2	637490	1	6	16.6	5.0	✔
N-Nitrosodimethylamine (NDMA) by LC-MS-MS (Trace Level)	E725-T	638901	1	4	25.0	5.0	✔
Phenoxy Acid Herbicides in Water by LC-MS-MS	E706A	634443	1	16	6.2	5.0	✔
Sulfate in Water by IC	E235.SO4	637488	1	4	25.0	5.0	✔
THMs by Headspace GC-MS	E611B	637813	1	1	100.0	5.0	✔
Total Cyanide	E333	634176	1	10	10.0	5.0	✔
Total Kjeldahl Nitrogen by Fluorescence (Low Level)	E318	639862	1	18	5.5	5.0	✔
Total Mercury in Water by CVAAS	E508	634028	1	8	12.5	5.0	✔
Total Metals in Water by CRC ICPMS	E420	633334	1	20	5.0	5.0	✔
Total Sulfide by Colourimetry (Manual)	E396	639357	1	1	100.0	5.0	✔
VOCs (ON List) by Headspace GC-MS	E611D	637812	1	1	100.0	5.0	✔



Methodology References and Summaries

The analytical methods used by ALS are developed using internationally recognized reference methods (where available), such as those published by US EPA, APHA Standard Methods, ASTM, ISO, Environment Canada, BC MOE, and Ontario MOE. Reference methods may incorporate modifications to improve performance (indicated by "mod").

Analytical Methods	Method / Lab	Matrix	Method Reference	Method Descriptions
Total Coliforms and E. coli (Enzyme Substrate)	E010 Waterloo - Environmental	Water	APHA 9223 (mod)	The enzyme substrate test simultaneously detects Total Coliforms and E. coli in a 100 mL sample after incubation at $35.0 \pm 0.5^\circ\text{C}$ for either 18 or 24 hours (dependent on reagent used).
pH by Meter	E108 Waterloo - Environmental	Water	APHA 4500-H (mod)	pH is determined by potentiometric measurement with a pH electrode, and is conducted at ambient laboratory temperature (normally $20 \pm 5^\circ\text{C}$). For high accuracy test results, pH should be measured in the field within the recommended 15 minute hold time.
Turbidity by Nephelometry	E121 Waterloo - Environmental	Water	APHA 2130 B (mod)	Turbidity is measured by the nephelometric method, by measuring the intensity of light scatter under defined conditions.
TDS by Gravimetry	E162 Waterloo - Environmental	Water	APHA 2540 C (mod)	Total Dissolved Solids (TDS) are determined by filtering a sample through a glass fibre filter, with evaporation of the filtrate at $180 \pm 2^\circ\text{C}$ for 16 hours or to constant weight, with gravimetric measurement of the residue.
Chloride in Water by IC	E235.Cl Waterloo - Environmental	Water	EPA 300.1 (mod)	Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.
Fluoride in Water by IC	E235.F Waterloo - Environmental	Water	EPA 300.1 (mod)	Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.
Nitrite in Water by IC	E235.NO2 Waterloo - Environmental	Water	EPA 300.1 (mod)	Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.
Nitrate in Water by IC	E235.NO3 Waterloo - Environmental	Water	EPA 300.1 (mod)	Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.
Sulfate in Water by IC	E235.SO4 Waterloo - Environmental	Water	EPA 300.1 (mod)	Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.
Alkalinity Species by Titration	E290 Waterloo - Environmental	Water	APHA 2320 B (mod)	Total alkalinity is determined by potentiometric titration to a pH 4.5 endpoint. Bicarbonate, carbonate and hydroxide alkalinity are calculated from phenolphthalein alkalinity and total alkalinity values.



Analytical Methods	Method / Lab	Matrix	Method Reference	Method Descriptions
Ammonia by Fluorescence	E298 Waterloo - Environmental	Water	Method Fialab 100, 2018	Ammonia in water is determined by automated continuous flow analysis with membrane diffusion and fluorescence detection, after reaction with OPA (ortho-phthalaldehyde). This method is approved under US EPA 40 CFR Part 136 (May 2021)
Total Kjeldahl Nitrogen by Fluorescence (Low Level)	E318 Waterloo - Environmental	Water	Method Fialab 100, 2018	TKN in water is determined by automated continuous flow analysis with membrane diffusion and fluorescence detection, after reaction with OPA (ortho-phthalaldehyde). This method is approved under US EPA 40 CFR Part 136 (May 2021).
Colour (True) by Spectrometer (2 CU)	E329-L Waterloo - Environmental	Water	APHA 2120 C (mod)	Colour (True Colour) is determined by filtering a sample through a 0.45 micron membrane filter followed by analysis of the filtrate using the platinum-cobalt colourimetric method. Colour measurements can be highly pH dependent, and apply to the pH of the sample as received (at time of testing), without pH adjustment.
Total Cyanide	E333 Waterloo - Environmental	Water	ISO 14403 (mod)	Total or Strong Acid Dissociable (SAD) Cyanide is determined by Continuous Flow Analyzer (CFA) with in-line UV digestion followed by colourimetric analysis. Method Limitation: High levels of thiocyanate (SCN) may cause positive interference (up to 0.5% of SCN concentration).
Dissolved Organic Carbon by Combustion (Low Level)	E358-L Waterloo - Environmental	Water	APHA 5310 B (mod)	Dissolved Organic Carbon (Non-Purgeable), also known as NPOC (dissolved), is a direct measurement of DOC after a filtered (0.45 micron) sample has been acidified and purged to remove inorganic carbon (IC). Analysis is by high temperature combustion with infrared detection of CO ₂ . NPOC does not include volatile organic species that are purged off with IC. For samples where the majority of DC (dissolved carbon) is comprised of IC (which is common), this method is more accurate and more reliable than the DOC by subtraction method (i.e. DC minus DIC).
Nitrilotriacetic Acid (NTA) in Water	E394 Waterloo - Environmental	Water	EPA 430.1 (mod)	NTA refers to the tri-sodium salt of nitrilotriacetic acid, N(CH ₂ COONa) ₃ . Zinc forms a blue-coloured complex with 2 carboxy-2-hydroxy-5-sulfoformazylbenzene (Zincon) in a solution buffered to pH 9.2. When NTA is added to the sample, the Zinc-Zincon complex is broken which reduces the absorbance in proportion to the amount of NTA present. Samples are filtered with a 0.45 um membrane before analysis.
Total Sulfide by Colourimetry (Manual)	E396 Waterloo - Environmental	Water	APHA 4500-S2 D (mod)	Total Sulfide is determined by spectrophotometer using the methylene blue colourimetric method. Results expressed "as H ₂ S" if reported represent the maximum possible H ₂ S concentration based on the total sulfide concentration in the sample. The H ₂ S calculation converts Total Sulphide as (S ₂ -) and reports it as Total Sulphide as (H ₂ S).
Chlorite (CLO ₂) in Waters by Ion Chromatography	E409.CLO2 Waterloo - Environmental	Water	EPA 300.1 (mod)	Inorganic anions are analyzed by Ion Chromatography with conductivity detection.
Chlorate (CLO ₃) in Waters by Ion Chromatography	E409.CLO3 Waterloo - Environmental	Water	EPA 300.1 (mod)	Inorganic anions are analyzed by Ion Chromatography with conductivity detection.



Analytical Methods	Method / Lab	Matrix	Method Reference	Method Descriptions
Total Metals in Water by CRC ICPMS	E420 Waterloo - Environmental	Water	EPA 200.2/6020B (mod)	Water samples are digested with nitric and hydrochloric acids, and analyzed by Collision/Reaction Cell ICPMS. Method Limitation (re: Sulfur): Sulfide and volatile sulfur species may not be recovered by this method.
Drinking Water Metals [Ontario]	E432 Waterloo - Environmental	Water	APHA 3030E/EPA 6020A	Instrumental analysis is by inductively coupled plasma - mass spectrometry (EPA Method 6020A).
Total Mercury in Water by CVAAS	E508 Waterloo - Environmental	Water	EPA 1631E (mod)	Water samples undergo a cold-oxidation using bromine monochloride prior to reduction with stannous chloride, and analyzed by CVAAS
Microcystin by ELISA (Extraction by Sonication)	E576 Winnipeg - Environmental	Water	ENVIROLOGIX QUANTIPLATE KIT CAT. EP022	Total Microcystins (intracellular and extracellular) in aqueous matrices is determined by the Enzyme-Linked ImmunoSorbent Assay (ELISA) method. Extraction is by sonication
THMs by Headspace GC-MS	E611B Waterloo - Environmental	Water	EPA 8260D (mod)	Volatile Organic Compounds (VOCs) are analyzed by static headspace GC-MS. Samples are prepared in headspace vials and are heated and agitated on the headspace autosampler, causing VOCs to partition between the aqueous phase and the headspace in accordance with Henry's law.
VOCs (ON List) by Headspace GC-MS	E611D Waterloo - Environmental	Water	EPA 8260D (mod)	Volatile Organic Compounds (VOCs) are analyzed by static headspace GC-MS. Samples are prepared in headspace vials and are heated and agitated on the headspace autosampler, causing VOCs to partition between the aqueous phase and the headspace in accordance with Henry's law.
Methane, Ethane, & Ethene by Headspace GC-FID	E614B Waterloo - Environmental	Water	EPA REGION 1, NATATTEN.WPD, REV. 1	Volatile hydrocarbons are analyzed by static headspace GC/FID. Samples are prepared in headspace vials and are heated and agitated on the headspace autosampler, causing the analyte(s) to partition between the aqueous phase and the headspace in accordance with Henry's law.
PAHs by Hexane LVI GC-MS	E641A Waterloo - Environmental	Water	EPA 8270E (mod)	Polycyclic Aromatic Hydrocarbons (PAHs) are analyzed by large volume injection (LVI) GC-MS.
Phenolics (Ontario Chlorophenols List) by GC-MS	E651D Waterloo - Environmental	Water	EPA 8270E (mod)	Phenolics are analyzed by GC-MS.
Miscellaneous Pesticides by GC-MS	E660E-H Waterloo - Environmental	Water	EPA 8270E (mod)	Pesticides are analyzed by GC-MS.
OCP Analysis by GC-MS-MS	E660F Waterloo - Environmental	Water	EPA 8270E (mod)	Pesticides are analyzed by GC-MS-MS



Analytical Methods	Method / Lab	Matrix	Method Reference	Method Descriptions
PCB Aroclors by GC-MS	E687 Waterloo - Environmental	Water	EPA 8270E (mod)	PCB Aroclors are analyzed by GC-MS
Phenoxy Acid Herbicides in Water by LC-MS-MS	E706A Waterloo - Environmental	Water	MOE E3552	Water samples are subjected to 0.2 µM RC filtration and analyzed by direct injection using liquid chromatography tandem mass spectrometry (LC-MS/MS).
Aldicarb and Diuron in Water by LC-MS/MS	E712B Waterloo - Environmental	Water	E3501	An aliquot of water sample is diluted 1:1 using acetonitrile and analyzed using LC/MS/MS
Glyphosate and AMPA in Water	E716A Waterloo - Environmental	Water	E3505	An aliquot of 4.0 ± 0.1 mL of a water sample is spiked with an Internal Standard, Glyphosate-13C2,15N, and derivatized to FMOC-Glyphosate and FMOC-AMPA, then analyzed by LC-MS/MS.
Diquat and Paraquat in Water by LC-MS-MS	E723A Waterloo - Environmental	Water	EPA 549.2	If the sample is not clear filter a portion of the sample using a RC filter. An aliquot of the sample is taken and internal standard is added. The sample is analyzed by LC/MS/MS.
N-Nitrosodimethylamine (NDMA) by LC-MS-MS (Trace Level)	E725-T Waterloo - Environmental	Water	EPA/600/r-05/054. Method 521	Nitrosamines analytes are analyzed via LC/MS/MS in Positive APCI mode.
Haloacetic Acids in Water by LC-MS/MS	E750 Waterloo - Environmental	Water	MOE E3478	An aliquot of sample is fortified with formic acid and internal standards and analyzed via direct injection by LCMSMS
Hardness (Calculated) from Total Ca/Mg	EC100A Waterloo - Environmental	Water	APHA 2340B	"Hardness (as CaCO3), from total Ca/Mg" is calculated from the sum of total Calcium and Magnesium concentrations, expressed in CaCO3 equivalents. "Total Hardness" refers to the sum of Calcium and Magnesium Hardness. Hardness is normally or preferentially calculated from dissolved Calcium and Magnesium concentrations, because it is a property of water due to dissolved divalent cations. Hardness from total Ca/Mg is normally comparable to Dissolved Hardness in non-turbid waters.
Total Organic Nitrogen (Calculation)	EC363 Waterloo - Environmental	Water	APHA 4500-NORG (TKN)/NH3-NITROGEN (NH3)	Total Organic Nitrogen is a calculated parameter. Total Organic Nitrogen = Total Kjeldahl Nitrogen - Ammonia.
Methane, Ethane, & Ethene by Headspace GC-FID	EC614B Waterloo - Environmental	Water	Unit Conversion	Convert ppmV to ug/L
Preparation Methods	Method / Lab	Matrix	Method Reference	Method Descriptions
Preparation for Ammonia	EP298	Water		Sample preparation for Preserved Nutrients Water Quality Analysis.



Preparation Methods	Method / Lab	Matrix	Method Reference	Method Descriptions
	Waterloo - Environmental			
Digestion for TKN in water	EP318 Waterloo - Environmental	Water	APHA 4500-Norg D (mod)	Samples are digested at high temperature using Sulfuric Acid with Copper catalyst, which converts organic nitrogen sources to Ammonia, which is then quantified by the analytical method as TKN. This method is unsuitable for samples containing high levels of nitrate. If nitrate exceeds TKN concentration by ten times or more, results may be biased low.
Preparation for Dissolved Organic Carbon for Combustion	EP358 Waterloo - Environmental	Water	APHA 5310 B (mod)	Preparation for Dissolved Organic Carbon
VOCs Preparation for Headspace Analysis	EP581 Waterloo - Environmental	Water	EPA 5021A (mod)	Samples are prepared in headspace vials and are heated and agitated on the headspace autosampler. An aliquot of the headspace is then injected into the GC/MS-FID system.
PHCs and PAHs Hexane Extraction	EP601 Waterloo - Environmental	Water	EPA 3511 (mod)	Petroleum Hydrocarbons (PHCs) and Polycyclic Aromatic Hydrocarbons (PAHs) are extracted using a hexane liquid-liquid extraction.
Phenolics Extraction	EP651 Waterloo - Environmental	Water	EPA 3511 (mod)	Phenolics are extracted from acidic aqueous sample using DCM liquid-liquid extraction.
Pesticides, PCB, and Neutral Extractable Chlorinated Hydrocarbons Extraction	EP660 Waterloo - Environmental	Water	EPA 3511 (mod)	Samples are extracted from aqueous sample using an organic solvent liquid-liquid extraction.
Pesticides & Toxaphene Extraction by DCM	EP660D Waterloo - Environmental	Water	EPA 1699 (mod)	Samples are extracted from aqueous sample using DCM liquid-liquid extraction.
Preparation of Phenoxy Acid Herbicides in Water by LC-MS-MS	EP706 Waterloo - Environmental	Water	MOE E3552	Water samples are subjected to 0.2 µm RC filtration (drinking water samples are not filtered) and analyzed by direct injection using liquid chromatography tandem mass spectrometry (LC-MS/MS).
Preparation of Aldicarb and Diuron in Water by LC-MS/MS	EP712B Waterloo - Environmental	Water	E3501	An aliquot of water sample is diluted 1:1 using acetonitrile and analyzed using LC/MS/MS
Preparation of Glyphosate and AMPA in Water	EP716 Waterloo - Environmental	Water	MOE E3500	Preparation of Glyphosate and AMPA in Water

Page : 19 of 19
 Work Order : WT2212954
 Client : Township of Centre Wellington
 Project : ----



<i>Preparation Methods</i>	<i>Method / Lab</i>	<i>Matrix</i>	<i>Method Reference</i>	<i>Method Descriptions</i>
Preparation of Diquat and Paraquat in Water	EP723 Waterloo - Environmental	Water	EPA 549.2	If the sample is not clear filter a portion of the sample using a RC filter. An aliquot of the sample is taken and internal standard is added. The sample is analyzed by LC/MS/MS.
Nitrosamines SPE Extraction	EP725 Waterloo - Environmental	Water	EPA/600/r-05/054. Method 521	Nitrosamines analytes are extracted from water samples using SPE (solid phase extraction). The analytes are eluted and evaporated for solvent exchange and then analyzed via LC/MS/MS in Positive APCI mode.
Preparation of Haloacetic acid in Water for LCMSMS	EP750 Waterloo - Environmental	Water	E3478	An aliquot of samples is fortified with formic acid and internal standard to be analyzed by direct injection LCMSMS

QUALITY CONTROL REPORT

Work Order : **WT2212954**

Client : Township of Centre Wellington

Contact : Matthew Alexander

Address : 1 MacDonald Square
Elora ON Canada N0B 1S0

Telephone : ----

Project : ----

PO : ----

C-O-C number : 20-1007481

Sampler : ----

Site : ----

Quote number : Special Non - Regulated Water

No. of samples received : 1

No. of samples analysed : 1

Page : 1 of 26

Laboratory : Waterloo - Environmental

Account Manager : Candice Hunter

Address : 60 Northland Road, Unit 1
Waterloo, Ontario Canada N2V 2B8

Telephone : +1 519 886 6910

Date Samples Received : 02-Sep-2022 11:45

Date Analysis Commenced : 02-Sep-2022

Issue Date : 16-Sep-2022 11:04

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Quality Control Report contains the following information:

- Laboratory Duplicate (DUP) Report; Relative Percent Difference (RPD) and Data Quality Objectives
- Matrix Spike (MS) Report; Recovery and Data Quality Objectives
- Method Blank (MB) Report; Recovery and Data Quality Objectives
- Laboratory Control Sample (LCS) Report; Recovery and Data Quality Objectives

Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is conducted in accordance with US FDA 21 CFR Part 11.

<i>Signatories</i>	<i>Position</i>	<i>Laboratory Department</i>
Adam Boettger	Team Leader - LCMS	Waterloo LCMS, Waterloo, Ontario
David Tremblett	Team Leader - Volatiles	Waterloo Air Quality, Waterloo, Ontario
Greg Pokocky	Supervisor - Inorganic	Waterloo Inorganics, Waterloo, Ontario
Greg Pokocky	Supervisor - Inorganic	Waterloo Metals, Waterloo, Ontario
Jennifer Siemiernik		Waterloo Metals, Waterloo, Ontario
Jeremy Gingras	Team Leader - Semi-Volatile Instrumentation	Waterloo Organics, Waterloo, Ontario
Jihun Jeon	Laboratory Analyst	Waterloo LCMS, Waterloo, Ontario
Jocelyn Kennedy	Department Manager - Semi-Volatile Organics	Waterloo Organics, Waterloo, Ontario
Michelle Michalchuk	Analyst	Winnipeg Organics, Winnipeg, Manitoba
Phouvana Chounramany	Analyst	Waterloo Air Quality, Waterloo, Ontario
Ruby Sujeepan		Waterloo Microbiology, Waterloo, Ontario
Sarah Birch	Team Leader - Volatiles	Waterloo Organics, Waterloo, Ontario

Page : 2 of 26
Work Order : WT2212954
Client : Township of Centre Wellington
Project : ----



General Comments

The ALS Quality Control (QC) report is optionally provided to ALS clients upon request. ALS test methods include comprehensive QC checks with every analysis to ensure our high standards of quality are met. Each QC result has a known or expected target value, which is compared against predetermined Data Quality Objectives (DQOs) to provide confidence in the accuracy of associated test results. This report contains detailed results for all QC results applicable to this sample submission. Please refer to the ALS Quality Control Interpretation report (QCI) for applicable method references and methodology summaries.

Key :

Anonymous = Refers to samples which are not part of this work order, but which formed part of the QC process lot.

CAS Number = Chemical Abstracts Service number is a unique identifier assigned to discrete substances.

DQO = Data Quality Objective.

LOR = Limit of Reporting (detection limit).

RPD = Relative Percent Difference

= Indicates a QC result that did not meet the ALS DQO.

Workorder Comments

Holding times are displayed as "---" if no guidance exists from CCME, Canadian provinces, or broadly recognized international references.



Laboratory Duplicate (DUP) Report

A Laboratory Duplicate (DUP) is a randomly selected intralaboratory replicate sample. Laboratory Duplicates provide information regarding method precision and sample heterogeneity. ALS DQOs for Laboratory Duplicates are expressed as test-specific limits for Relative Percent Difference (RPD), or as an absolute difference limit of 2 times the LOR for low concentration duplicates within ~ 4-10 times the LOR (cut-off is test-specific).

Sub-Matrix: Water					Laboratory Duplicate (DUP) Report						
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	LOR	Unit	Original Result	Duplicate Result	RPD(%) or Difference	Duplicate Limits	Qualifier
Physical Tests (QC Lot: 631650)											
WT2212573-001	Anonymous	turbidity	----	E121	1.00	NTU	<1.00	<1.00	0	Diff <2x LOR	----
Physical Tests (QC Lot: 632380)											
WT2212954-001	F2-R	colour, true	----	E329-L	2.0	CU	<2.0	<2.0	0	Diff <2x LOR	----
Physical Tests (QC Lot: 634117)											
WT2212859-003	Anonymous	solids, total dissolved [TDS]	----	E162	20	mg/L	327	304	7.45%	20%	----
Physical Tests (QC Lot: 637652)											
WT2212938-001	Anonymous	pH	----	E108	0.10	pH units	8.08	8.10	0.247%	4%	----
Physical Tests (QC Lot: 637654)											
WT2212938-001	Anonymous	alkalinity, total (as CaCO ₃)	----	E290	2.0	mg/L	85.0	79.5	6.73%	20%	----
Anions and Nutrients (QC Lot: 637486)											
WT2213026-001	Anonymous	chloride	16887-00-6	E235.Cl	2.50	mg/L	149	151	1.30%	20%	----
Anions and Nutrients (QC Lot: 637487)											
WT2213026-001	Anonymous	fluoride	16984-48-8	E235.F	0.100	mg/L	0.340	0.347	0.007	Diff <2x LOR	----
Anions and Nutrients (QC Lot: 637488)											
WT2213026-001	Anonymous	sulfate (as SO ₄)	14808-79-8	E235.SO ₄	1.50	mg/L	397	403	1.56%	20%	----
Anions and Nutrients (QC Lot: 637489)											
WT2213026-001	Anonymous	nitrate (as N)	14797-55-8	E235.NO ₃	0.100	mg/L	0.185	0.187	0.003	Diff <2x LOR	----
Anions and Nutrients (QC Lot: 637490)											
WT2213026-001	Anonymous	nitrite (as N)	14797-65-0	E235.NO ₂	0.050	mg/L	<0.050	<0.050	0	Diff <2x LOR	----
Anions and Nutrients (QC Lot: 639862)											
WT2212926-001	Anonymous	Kjeldahl nitrogen, total [TKN]	----	E318	0.500	mg/L	7.70	8.10	5.06%	20%	----
Anions and Nutrients (QC Lot: 639864)											
WT2212951-001	Anonymous	ammonia, total (as N)	7664-41-7	E298	0.0050	mg/L	0.0505	0.0504	0.198%	20%	----
Cyanides (QC Lot: 634176)											
SK2204799-001	Anonymous	cyanide, strong acid dissociable (total)	----	E333	0.0100	mg/L	<0.0100	<0.0100	0	Diff <2x LOR	----
Organic / Inorganic Carbon (QC Lot: 635753)											
TY2201174-008	Anonymous	carbon, dissolved organic [DOC]	----	E358-L	0.50	mg/L	<0.50	<0.50	0	Diff <2x LOR	----
Total Sulfides (QC Lot: 639357)											
WT2212954-001	F2-R	sulfide, total (as S)	18496-25-8	E396	0.018	mg/L	<0.018	<0.018	0	Diff <2x LOR	----
Microbiological Tests (QC Lot: 632124)											
WT2212944-002	Anonymous	coliforms, Escherichia coli [E. coli]	----	E010	1	MPN/100mL	<1	<1	0	Diff <2x LOR	----



Sub-Matrix: Water					Laboratory Duplicate (DUP) Report						
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	LOR	Unit	Original Result	Duplicate Result	RPD(%) or Difference	Duplicate Limits	Qualifier
Microbiological Tests (QC Lot: 632124) - continued											
WT2212944-002	Anonymous	coliforms, total	----	E010	1	MPN/100mL	<1	<1	0	Diff <2x LOR	----
Total Metals (QC Lot: 633334)											
WT2212936-001	Anonymous	aluminum, total	7429-90-5	E420	0.0030	mg/L	0.233	0.233	0.0652%	20%	----
		antimony, total	7440-36-0	E420	0.00010	mg/L	0.00022	0.00023	0.000008	Diff <2x LOR	----
		arsenic, total	7440-38-2	E420	0.00010	mg/L	0.00394	0.00394	0.0634%	20%	----
		barium, total	7440-39-3	E420	0.00010	mg/L	0.00772	0.00746	3.43%	20%	----
		beryllium, total	7440-41-7	E420	0.000020	mg/L	<0.000020	<0.000020	0	Diff <2x LOR	----
		bismuth, total	7440-69-9	E420	0.000050	mg/L	0.000068	0.000065	0.000003	Diff <2x LOR	----
		boron, total	7440-42-8	E420	0.010	mg/L	0.039	0.037	0.001	Diff <2x LOR	----
		cadmium, total	7440-43-9	E420	0.0000050	mg/L	0.000153	0.000161	5.10%	20%	----
		calcium, total	7440-70-2	E420	0.050	mg/L	45.6	43.2	5.33%	20%	----
		cesium, total	7440-46-2	E420	0.000010	mg/L	0.000028	0.000028	0.0000004	Diff <2x LOR	----
		chromium, total	7440-47-3	E420	0.00050	mg/L	0.00097	0.00089	0.00007	Diff <2x LOR	----
		cobalt, total	7440-48-4	E420	0.00010	mg/L	0.00431	0.00432	0.236%	20%	----
		copper, total	7440-50-8	E420	0.00050	mg/L	0.0909	0.0904	0.538%	20%	----
		iron, total	7439-89-6	E420	0.010	mg/L	2.30	2.29	0.166%	20%	----
		lead, total	7439-92-1	E420	0.000050	mg/L	1.79 µg/L	0.00181	1.35%	20%	----
		lithium, total	7439-93-2	E420	0.0010	mg/L	0.0014	0.0011	0.0003	Diff <2x LOR	----
		magnesium, total	7439-95-4	E420	0.0050	mg/L	8.69	8.64	0.603%	20%	----
		manganese, total	7439-96-5	E420	0.00010	mg/L	0.200	0.200	0.0186%	20%	----
		molybdenum, total	7439-98-7	E420	0.000050	mg/L	0.000432	0.000441	0.000010	Diff <2x LOR	----
		nickel, total	7440-02-0	E420	0.00050	mg/L	0.00693	0.00697	0.578%	20%	----
		phosphorus, total	7723-14-0	E420	0.050	mg/L	2.07	2.01	2.57%	20%	----
		potassium, total	7440-09-7	E420	0.050	mg/L	9.24	9.34	1.06%	20%	----
		rubidium, total	7440-17-7	E420	0.00020	mg/L	0.00679	0.00706	3.87%	20%	----
		selenium, total	7782-49-2	E420	0.000050	mg/L	0.000140	0.000138	0.000002	Diff <2x LOR	----
		silicon, total	7440-21-3	E420	0.10	mg/L	1.17	1.16	1.15%	20%	----
		silver, total	7440-22-4	E420	0.000010	mg/L	0.000018	0.000018	0.0000005	Diff <2x LOR	----
		sodium, total	7440-23-5	E420	0.050	mg/L	48.1	48.3	0.323%	20%	----
		strontium, total	7440-24-6	E420	0.00020	mg/L	0.0864	0.0876	1.35%	20%	----
		sulfur, total	7704-34-9	E420	0.50	mg/L	5.44	5.30	2.57%	20%	----
		tellurium, total	13494-80-9	E420	0.00020	mg/L	<0.00020	<0.00020	0	Diff <2x LOR	----
		thallium, total	7440-28-0	E420	0.000010	mg/L	<0.000010	<0.000010	0	Diff <2x LOR	----
		thorium, total	7440-29-1	E420	0.00010	mg/L	<0.00010	<0.00010	0	Diff <2x LOR	----
		tin, total	7440-31-5	E420	0.00010	mg/L	0.00224	0.00223	0.448%	20%	----



Sub-Matrix: **Water**

Sub-Matrix: Water					Laboratory Duplicate (DUP) Report						
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	LOR	Unit	Original Result	Duplicate Result	RPD(%) or Difference	Duplicate Limits	Qualifier
Total Metals (QC Lot: 633334) - continued											
WT2212936-001	Anonymous	titanium, total	7440-32-6	E420	0.00240	mg/L	<0.00240	<0.00240	0	Diff <2x LOR	----
		tungsten, total	7440-33-7	E420	0.00010	mg/L	<0.00010	<0.00010	0	Diff <2x LOR	----
		uranium, total	7440-61-1	E420	0.000010	mg/L	0.000209	0.000214	2.65%	20%	----
		vanadium, total	7440-62-2	E420	0.00050	mg/L	<0.00050	<0.00050	0	Diff <2x LOR	----
		zinc, total	7440-66-6	E420	0.0030	mg/L	0.0589	0.0589	0.0593%	20%	----
		zirconium, total	7440-67-7	E420	0.00020	mg/L	0.00086	0.00093	0.00008	Diff <2x LOR	----
Total Metals (QC Lot: 634028)											
WT2212782-006	Anonymous	mercury, total	7439-97-6	E508	0.0000050	mg/L	<0.0000050	<0.0000050	0	Diff <2x LOR	----
Total Metals (QC Lot: 634512)											
WT2212529-002	Anonymous	antimony, total	7440-36-0	E432	0.00060	mg/L	<0.60 µg/L	<0.00060	0	Diff <2x LOR	----
		arsenic, total	7440-38-2	E432	0.0010	mg/L	<1.0 µg/L	<0.0010	0	Diff <2x LOR	----
		barium, total	7440-39-3	E432	0.010	mg/L	<10 µg/L	<0.010	0	Diff <2x LOR	----
		boron, total	7440-42-8	E432	0.05	mg/L	<50 µg/L	<0.05	0	Diff <2x LOR	----
		cadmium, total	7440-43-9	E432	0.00010	mg/L	<0.10 µg/L	<0.00010	0	Diff <2x LOR	----
		chromium, total	7440-47-3	E432	0.0010	mg/L	<1.0 µg/L	<0.0010	0	Diff <2x LOR	----
		selenium, total	7782-49-2	E432	0.0010	mg/L	<1.0 µg/L	<0.0010	0	Diff <2x LOR	----
		uranium, total	7440-61-1	E432	0.0020	mg/L	<2.0 µg/L	<0.0020	0	Diff <2x LOR	----
Aggregate Organics (QC Lot: 633331)											
CG2211713-001	Anonymous	nitrilotriacetic acid [NTA]	139-13-9	E394	0.20	mg/L	<0.20	<0.20	0	Diff <2x LOR	----
Aggregate Organics (QC Lot: 639186)											
CG2212007-001	Anonymous	microcystin	101043-37-2	E576	0.20	µg/L	<0.20	<0.20	0	Diff <2x LOR	----
Dissolved Gases (QC Lot: 635471)											
VA22C0739-002	Anonymous	methane	74-82-8	E614B	4.0	ppmv	17500	20600	16.1%	30%	----
Volatile Organic Compounds (QC Lot: 637812)											
WT2212954-001	F2-R	Acetone	67-64-1	E611D	20	µg/L	<20	<20	0	Diff <2x LOR	----
		benzene	71-43-2	E611D	0.50	µg/L	<0.50	<0.50	0	Diff <2x LOR	----
		bromodichloromethane	75-27-4	E611D	0.50	µg/L	<0.50	<0.50	0	Diff <2x LOR	----
		bromoform	75-25-2	E611D	0.50	µg/L	<0.50	<0.50	0	Diff <2x LOR	----
		bromomethane	74-83-9	E611D	0.50	µg/L	<0.50	<0.50	0	Diff <2x LOR	----
		carbon tetrachloride	56-23-5	E611D	0.20	µg/L	<0.20	<0.20	0	Diff <2x LOR	----
		chlorobenzene	108-90-7	E611D	0.50	µg/L	<0.50	<0.50	0	Diff <2x LOR	----
		chloroform	67-66-3	E611D	0.50	µg/L	<0.50	<0.50	0	Diff <2x LOR	----
		dibromochloromethane	124-48-1	E611D	0.50	µg/L	<0.50	<0.50	0	Diff <2x LOR	----
		dibromoethane, 1,2-	106-93-4	E611D	0.20	µg/L	<0.20	<0.20	0	Diff <2x LOR	----
		dichlorobenzene, 1,2-	95-50-1	E611D	0.50	µg/L	<0.50	<0.50	0	Diff <2x LOR	----

Laboratory Duplicate (DUP) Report

Disinfectant By-Products (QC Lot: 635446)



Sub-Matrix: Water					Laboratory Duplicate (DUP) Report						
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	LOR	Unit	Original Result	Duplicate Result	RPD(%) or Difference	Duplicate Limits	Qualifier
Disinfectant By-Products (QC Lot: 635446) - continued											
EO2207084-001	Anonymous	chlorate	14866-68-3	E409.CLO3	0.010	mg/L	<0.010	<0.010	0	Diff <2x LOR	----
Disinfectant By-Products (QC Lot: 635447)											
EO2207084-001	Anonymous	chlorite	14998-27-7	E409.CLO2	0.010	mg/L	<0.010	<0.010	0	Diff <2x LOR	----
Haloacetic Acids (QC Lot: 638905)											
CG2211691-001	Anonymous	dibromoacetic acid	631-64-1	E750	1.00	µg/L	<1.00	<1.00	0	Diff <2x LOR	----
		dichloroacetic acid	79-43-6	E750	1.00	µg/L	12.7	12.3	3.20%	30%	----
		monobromoacetic acid	79-08-3	E750	1.00	µg/L	<1.00	<1.00	0	Diff <2x LOR	----
		monochloroacetic acid	79-11-8	E750	1.00	µg/L	1.46	1.73	0.27	Diff <2x LOR	----
		trichloroacetic acid	76-03-9	E750	1.00	µg/L	9.49	9.29	2.19%	30%	----
Carbamate Pesticides (QC Lot: 638961)											
WT2212954-001	F2-R	diuron	330-54-1	E712B	1.0	µg/L	<1.0	<1.0	0	Diff <2x LOR	----
Herbicides (QC Lot: 633946)											
CG2211713-001	Anonymous	AMPA	74341-63-2	E716A	0.50	µg/L	<0.50	<0.50	0	Diff <2x LOR	----
		glyphosate	1071-83-6	E716A	0.20	µg/L	<0.20	<0.20	0	Diff <2x LOR	----
Herbicides (QC Lot: 634443)											
CG2211713-001	Anonymous	acetic acid, 2-methyl-4-chlorophenoxy-[MCPA]	94-74-6	E706A	0.050	µg/L	<0.050	<0.050	0	Diff <2x LOR	----
		bromoxynil	1689-84-5	E706A	0.050	µg/L	<0.050	<0.050	0	Diff <2x LOR	----
		dicamba	1918-00-9	E706A	0.10	µg/L	<0.10	<0.10	0	Diff <2x LOR	----
		dichlorophenoxyacetic acid, 2,4-[2,4-D]	94-75-7	E706A	0.050	µg/L	<0.050	<0.050	0	Diff <2x LOR	----
		dinoseb	88-85-7	E706A	0.050	µg/L	<0.050	<0.050	0	Diff <2x LOR	----
		picloram	1918-02-1	E706A	0.10	µg/L	<0.10	<0.10	0	Diff <2x LOR	----
		trichlorophenoxypropionic acid, 2,4,5- [2,4,5-TP]	93-72-1	E706A	0.050	µg/L	<0.050	<0.050	0	Diff <2x LOR	----
Herbicides (QC Lot: 637025)											
WT2212954-001	F2-R	diquat (ion)	2764-72-9	E723A	1.0	µg/L	<1.0	<1.0	0	Diff <2x LOR	----
		paraquat (as dichloride)	1910-42-5	E723A	1.0	µg/L	<1.0	<1.0	0	Diff <2x LOR	----
Nitrosamines (QC Lot: 638901)											
WT2213464-001	Anonymous	nitrosodimethylamine, n- [NDMA]	62-75-9	E725-T	0.00090	µg/L	<0.00090	<0.00090	0	Diff <2x LOR	----



Method Blank (MB) Report

A Method Blank is an analyte-free matrix that undergoes sample processing identical to that carried out for test samples. Method Blank results are used to monitor and control for potential contamination from the laboratory environment and reagents. For most tests, the DQO for Method Blanks is for the result to be < LOR.

Sub-Matrix: Water

Analyte	CAS Number	Method	LOR	Unit	Result	Qualifier
Physical Tests (QCLot: 631650)						
turbidity	----	E121	0.1	NTU	<0.10	B
Physical Tests (QCLot: 632380)						
colour, true	----	E329-L	2	CU	<2.0	----
Physical Tests (QCLot: 634117)						
solids, total dissolved [TDS]	----	E162	10	mg/L	<10	----
Physical Tests (QCLot: 637654)						
alkalinity, total (as CaCO ₃)	----	E290	1	mg/L	<1.0	----
Anions and Nutrients (QCLot: 637486)						
chloride	16887-00-6	E235.Cl	0.5	mg/L	<0.50	----
Anions and Nutrients (QCLot: 637487)						
fluoride	16984-48-8	E235.F	0.02	mg/L	<0.020	----
Anions and Nutrients (QCLot: 637488)						
sulfate (as SO ₄)	14808-79-8	E235.SO ₄	0.3	mg/L	<0.30	----
Anions and Nutrients (QCLot: 637489)						
nitrate (as N)	14797-55-8	E235.NO ₃	0.02	mg/L	<0.020	----
Anions and Nutrients (QCLot: 637490)						
nitrite (as N)	14797-65-0	E235.NO ₂	0.01	mg/L	<0.010	----
Anions and Nutrients (QCLot: 639862)						
Kjeldahl nitrogen, total [TKN]	----	E318	0.05	mg/L	<0.050	----
Anions and Nutrients (QCLot: 639864)						
ammonia, total (as N)	7664-41-7	E298	0.005	mg/L	<0.0050	----
Cyanides (QCLot: 634176)						
cyanide, strong acid dissociable (total)	----	E333	0.002	mg/L	<0.0020	----
Organic / Inorganic Carbon (QCLot: 635753)						
carbon, dissolved organic [DOC]	----	E358-L	0.5	mg/L	<0.50	----
Total Sulfides (QCLot: 639357)						
sulfide, total (as S)	18496-25-8	E396	0.018	mg/L	<0.018	----
Microbiological Tests (QCLot: 632124)						
coliforms, Escherichia coli [E. coli]	----	E010	1	MPN/100mL	<1	----
coliforms, total	----	E010	1	MPN/100mL	<1	----
Total Metals (QCLot: 633334)						
aluminum, total	7429-90-5	E420	0.003	mg/L	<0.0030	----
antimony, total	7440-36-0	E420	0.0001	mg/L	<0.00010	----



Sub-Matrix: Water

Analyte	CAS Number	Method	LOR	Unit	Result	Qualifier
Total Metals (QCLot: 633334) - continued						
arsenic, total	7440-38-2	E420	0.0001	mg/L	<0.00010	----
barium, total	7440-39-3	E420	0.0001	mg/L	<0.00010	----
beryllium, total	7440-41-7	E420	0.00002	mg/L	<0.000020	----
bismuth, total	7440-69-9	E420	0.00005	mg/L	<0.000050	----
boron, total	7440-42-8	E420	0.01	mg/L	<0.010	----
cadmium, total	7440-43-9	E420	0.000005	mg/L	<0.0000050	----
calcium, total	7440-70-2	E420	0.05	mg/L	<0.050	----
cesium, total	7440-46-2	E420	0.00001	mg/L	<0.000010	----
chromium, total	7440-47-3	E420	0.0005	mg/L	<0.00050	----
cobalt, total	7440-48-4	E420	0.0001	mg/L	<0.00010	----
copper, total	7440-50-8	E420	0.0005	mg/L	<0.00050	----
iron, total	7439-89-6	E420	0.01	mg/L	<0.010	----
lead, total	7439-92-1	E420	0.00005	mg/L	<0.000050	----
lithium, total	7439-93-2	E420	0.001	mg/L	<0.0010	----
magnesium, total	7439-95-4	E420	0.005	mg/L	# 0.0114	B
manganese, total	7439-96-5	E420	0.0001	mg/L	<0.00010	----
molybdenum, total	7439-98-7	E420	0.00005	mg/L	<0.000050	----
nickel, total	7440-02-0	E420	0.0005	mg/L	<0.00050	----
phosphorus, total	7723-14-0	E420	0.05	mg/L	<0.050	----
potassium, total	7440-09-7	E420	0.05	mg/L	<0.050	----
rubidium, total	7440-17-7	E420	0.0002	mg/L	<0.00020	----
selenium, total	7782-49-2	E420	0.00005	mg/L	<0.000050	----
silicon, total	7440-21-3	E420	0.1	mg/L	<0.10	----
silver, total	7440-22-4	E420	0.00001	mg/L	<0.000010	----
sodium, total	7440-23-5	E420	0.05	mg/L	<0.050	----
strontium, total	7440-24-6	E420	0.0002	mg/L	<0.00020	----
sulfur, total	7704-34-9	E420	0.5	mg/L	<0.50	----
tellurium, total	13494-80-9	E420	0.0002	mg/L	<0.00020	----
thallium, total	7440-28-0	E420	0.00001	mg/L	<0.000010	----
thorium, total	7440-29-1	E420	0.0001	mg/L	<0.00010	----
tin, total	7440-31-5	E420	0.0001	mg/L	<0.00010	----
titanium, total	7440-32-6	E420	0.0003	mg/L	<0.00030	----
tungsten, total	7440-33-7	E420	0.0001	mg/L	<0.00010	----
uranium, total	7440-61-1	E420	0.00001	mg/L	<0.000010	----
vanadium, total	7440-62-2	E420	0.0005	mg/L	<0.00050	----
zinc, total	7440-66-6	E420	0.003	mg/L	<0.0030	----



Sub-Matrix: Water

Analyte	CAS Number	Method	LOR	Unit	Result	Qualifier
Total Metals (QCLot: 633334) - continued						
zirconium, total	7440-67-7	E420	0.0002	mg/L	<0.00020	----
Total Metals (QCLot: 634028)						
mercury, total	7439-97-6	E508	0.000005	mg/L	<0.0000050	----
Total Metals (QCLot: 634512)						
antimony, total	7440-36-0	E432	0.0006	mg/L	<0.00060	----
arsenic, total	7440-38-2	E432	0.001	mg/L	<0.0010	----
barium, total	7440-39-3	E432	0.01	mg/L	<0.010	----
boron, total	7440-42-8	E432	0.05	mg/L	<0.05	----
cadmium, total	7440-43-9	E432	0.0001	mg/L	<0.00010	----
chromium, total	7440-47-3	E432	0.001	mg/L	<0.0010	----
selenium, total	7782-49-2	E432	0.001	mg/L	<0.0010	----
uranium, total	7440-61-1	E432	0.002	mg/L	<0.0020	----
Aggregate Organics (QCLot: 633331)						
nitrilotriacetic acid [NTA]	139-13-9	E394	0.2	mg/L	<0.20	----
Aggregate Organics (QCLot: 639186)						
microcystin	101043-37-2	E576	0.2	µg/L	<0.20	----
Dissolved Gases (QCLot: 635471)						
methane	74-82-8	E614B	4	ppmv	<4.0	----
Volatile Organic Compounds (QCLot: 637812)						
Acetone	67-64-1	E611D	20	µg/L	<20	----
benzene	71-43-2	E611D	0.5	µg/L	<0.50	----
bromodichloromethane	75-27-4	E611D	0.5	µg/L	<0.50	----
bromoform	75-25-2	E611D	0.5	µg/L	<0.50	----
bromomethane	74-83-9	E611D	0.5	µg/L	<0.50	----
carbon tetrachloride	56-23-5	E611D	0.2	µg/L	<0.20	----
chlorobenzene	108-90-7	E611D	0.5	µg/L	<0.50	----
chloroform	67-66-3	E611D	0.5	µg/L	<0.50	----
dibromochloromethane	124-48-1	E611D	0.5	µg/L	<0.50	----
dibromoethane, 1,2-	106-93-4	E611D	0.2	µg/L	<0.20	----
dichlorobenzene, 1,2-	95-50-1	E611D	0.5	µg/L	<0.50	----
dichlorobenzene, 1,3-	541-73-1	E611D	0.5	µg/L	<0.50	----
dichlorobenzene, 1,4-	106-46-7	E611D	0.5	µg/L	<0.50	----
dichlorodifluoromethane	75-71-8	E611D	0.5	µg/L	<0.50	----
dichloroethane, 1,1-	75-34-3	E611D	0.5	µg/L	<0.50	----
dichloroethane, 1,2-	107-06-2	E611D	0.5	µg/L	<0.50	----
dichloroethylene, 1,1-	75-35-4	E611D	0.5	µg/L	<0.50	----



Sub-Matrix: Water

Analyte	CAS Number	Method	LOR	Unit	Result	Qualifier
Volatile Organic Compounds (QCLot: 637812) - continued						
dichloroethylene, cis-1,2-	156-59-2	E611D	0.5	µg/L	<0.50	----
dichloroethylene, trans-1,2-	156-60-5	E611D	0.5	µg/L	<0.50	----
dichloromethane	75-09-2	E611D	1	µg/L	# 1.1	B
dichloropropane, 1,2-	78-87-5	E611D	0.5	µg/L	<0.50	----
dichloropropylene, cis-1,3-	10061-01-5	E611D	0.3	µg/L	<0.30	----
dichloropropylene, trans-1,3-	10061-02-6	E611D	0.3	µg/L	<0.30	----
ethylbenzene	100-41-4	E611D	0.5	µg/L	<0.50	----
hexane, n-	110-54-3	E611D	0.5	µg/L	<0.50	----
methyl ethyl ketone [MEK]	78-93-3	E611D	20	µg/L	<20	----
methyl isobutyl ketone [MIBK]	108-10-1	E611D	20	µg/L	<20	----
methyl-tert-butyl ether [MTBE]	1634-04-4	E611D	0.5	µg/L	<0.50	----
styrene	100-42-5	E611D	0.5	µg/L	<0.50	----
tetrachloroethane, 1,1,1,2-	630-20-6	E611D	0.5	µg/L	<0.50	----
tetrachloroethane, 1,1,2,2-	79-34-5	E611D	0.5	µg/L	<0.50	----
tetrachloroethylene	127-18-4	E611D	0.5	µg/L	<0.50	----
toluene	108-88-3	E611D	0.5	µg/L	<0.50	----
trichloroethane, 1,1,1-	71-55-6	E611D	0.5	µg/L	<0.50	----
trichloroethane, 1,1,2-	79-00-5	E611D	0.5	µg/L	<0.50	----
trichloroethylene	79-01-6	E611D	0.5	µg/L	<0.50	----
trichlorofluoromethane	75-69-4	E611D	0.5	µg/L	<0.50	----
vinyl chloride	75-01-4	E611D	0.5	µg/L	<0.50	----
xylene, m+p-	179601-23-1	E611D	0.4	µg/L	<0.40	----
xylene, o-	95-47-6	E611D	0.3	µg/L	<0.30	----
Volatile Organic Compounds [THMs] (QCLot: 637813)						
bromodichloromethane	75-27-4	E611B	1	µg/L	<1.0	----
bromoform	75-25-2	E611B	1	µg/L	<1.0	----
chloroform	67-66-3	E611B	1	µg/L	<1.0	----
dibromochloromethane	124-48-1	E611B	1	µg/L	<1.0	----
Polycyclic Aromatic Hydrocarbons (QCLot: 638508)						
benzo(a)pyrene	50-32-8	E641A	0.005	µg/L	<0.0050	----
Disinfectant By-Products (QCLot: 635446)						
chlorate	14866-68-3	E409.CLO3	0.01	mg/L	<0.010	----
Disinfectant By-Products (QCLot: 635447)						
chlorite	14998-27-7	E409.CLO2	0.01	mg/L	<0.010	----
Haloacetic Acids (QCLot: 638905)						
dibromoacetic acid	631-64-1	E750	1	µg/L	<1.00	----



Sub-Matrix: Water

Analyte	CAS Number	Method	LOR	Unit	Result	Qualifier
Haloacetic Acids (QCLot: 638905) - continued						
dichloroacetic acid	79-43-6	E750	1	µg/L	<1.00	----
monobromoacetic acid	79-08-3	E750	0.2	µg/L	<0.20	----
monochloroacetic acid	79-11-8	E750	0.5	µg/L	<0.50	----
trichloroacetic acid	76-03-9	E750	1	µg/L	<1.00	----
Chlorinated Phenolics (QCLot: 633416)						
dichlorophenol, 2,4-	120-83-2	E651D	0.3	µg/L	<0.30	----
pentachlorophenol [PCP]	87-86-5	E651D	0.5	µg/L	<0.50	----
tetrachlorophenol, 2,3,4,6-	58-90-2	E651D	0.5	µg/L	<0.50	----
trichlorophenol, 2,4,6-	88-06-2	E651D	0.5	µg/L	<0.50	----
Polychlorinated Biphenyls (QCLot: 633429)						
Aroclor 1016	12674-11-2	E687	0.02	µg/L	<0.020	----
Aroclor 1221	11104-28-2	E687	0.02	µg/L	<0.020	----
Aroclor 1232	11141-16-5	E687	0.02	µg/L	<0.020	----
Aroclor 1242	53469-21-9	E687	0.02	µg/L	<0.020	----
Aroclor 1248	12672-29-6	E687	0.02	µg/L	<0.020	----
Aroclor 1254	11097-69-1	E687	0.02	µg/L	<0.020	----
Aroclor 1260	11096-82-5	E687	0.02	µg/L	<0.020	----
Aroclor 1262	37324-23-5	E687	0.02	µg/L	<0.020	----
Aroclor 1268	11100-14-4	E687	0.02	µg/L	<0.020	----
Carbamate Pesticides (QCLot: 638961)						
diuron	330-54-1	E712B	1	µg/L	<1.0	----
Organochlorine Pesticides (QCLot: 633430)						
chlordane, cis- (alpha)	5103-71-9	E660F	0.008	µg/L	<0.0080	----
chlordane, trans- (gamma)	5103-74-2	E660F	0.008	µg/L	<0.0080	----
DDD, 4,4'-	72-54-8	E660F	0.004	µg/L	<0.0040	----
DDE, 4,4'-	72-55-9	E660F	0.004	µg/L	<0.0040	----
DDT, 2,4'-	789-02-6	E660F	0.004	µg/L	<0.0040	----
DDT, 4,4'-	50-29-3	E660F	0.004	µg/L	<0.0040	----
oxychlordane	27304-13-8	E660F	0.008	µg/L	<0.0080	----
Herbicides (QCLot: 633946)						
AMPA	74341-63-2	E716A	0.5	µg/L	<0.50	----
glyphosate	1071-83-6	E716A	0.2	µg/L	<0.20	----
Herbicides (QCLot: 634443)						
acetic acid, 2-methyl-4-chlorophenoxy- [MCPA]	94-74-6	E706A	0.05	µg/L	<0.050	----
bromoxynil	1689-84-5	E706A	0.05	µg/L	<0.050	----
dicamba	1918-00-9	E706A	0.1	µg/L	<0.10	----



Sub-Matrix: Water

Analyte	CAS Number	Method	LOR	Unit	Result	Qualifier
Herbicides (QCLot: 634443) - continued						
dichlorophenoxyacetic acid, 2,4- [2,4-D]	94-75-7	E706A	0.05	µg/L	<0.050	----
dinoseb	88-85-7	E706A	0.05	µg/L	<0.050	----
picloram	1918-02-1	E706A	0.1	µg/L	<0.10	----
trichlorophenoxypropionic acid, 2,4,5- [2,4,5-TP]	93-72-1	E706A	0.05	µg/L	<0.050	----
Herbicides (QCLot: 637025)						
diquat (ion)	2764-72-9	E723A	1	µg/L	<1.0	----
paraquat (as dichloride)	1910-42-5	E723A	1	µg/L	<1.0	----
Pesticides (QCLot: 633345)						
alachlor	15972-60-8	E660E-H	0.1	µg/L	<0.10	----
atrazine	1912-24-9	E660E-H	0.1	µg/L	<0.10	----
atrazine-desethyl	6190-65-4	E660E-H	0.1	µg/L	<0.10	----
azinphos-methyl	86-50-0	E660E-H	0.1	µg/L	<0.10	----
carbaryl	63-25-2	E660E-H	0.2	µg/L	<0.20	----
carbofuran	1563-66-2	E660E-H	0.2	µg/L	<0.20	----
chlorpyrifos	2921-88-2	E660E-H	0.1	µg/L	<0.10	----
diazinon	333-41-5	E660E-H	0.1	µg/L	<0.10	----
diclofop-methyl	51338-27-3	E660E-H	0.1	µg/L	<0.10	----
dimethoate	60-51-5	E660E-H	0.1	µg/L	<0.10	----
malathion	121-75-5	E660E-H	0.1	µg/L	<0.10	----
metolachlor	51218-45-2	E660E-H	0.1	µg/L	<0.10	----
metribuzin	21087-64-9	E660E-H	0.1	µg/L	<0.10	----
phorate	298-02-2	E660E-H	0.1	µg/L	<0.10	----
prometryn	7287-19-6	E660E-H	0.1	µg/L	<0.10	----
simazine	122-34-9	E660E-H	0.1	µg/L	<0.10	----
terbufos	13071-79-9	E660E-H	0.1	µg/L	<0.10	----
triallate	2303-17-5	E660E-H	0.1	µg/L	<0.10	----
trifluralin	1582-09-8	E660E-H	0.1	µg/L	<0.10	----
Nitrosamines (QCLot: 638901)						
nitrosodimethylamine, n- [NDMA]	62-75-9	E725-T	0.0009	µg/L	<0.00090	----

Qualifiers

Qualifier	Description
B	Method Blank exceeds ALS DQO. Associated sample results which are < Limit of Reporting or > 5 times blank level are considered reliable.



Laboratory Control Sample (LCS) Report

A Laboratory Control Sample (LCS) is an analyte-free matrix that has been fortified (spiked) with test analytes at known concentration and processed in an identical manner to test samples. LCS results are expressed as percent recovery, and are used to monitor and control test method accuracy and precision, independent of test sample matrix.

Sub-Matrix: Water

					Laboratory Control Sample (LCS) Report				
					Spike	Recovery (%)	Recovery Limits (%)		
Analyte	CAS Number	Method	LOR	Unit	Concentration	LCS	Low	High	Qualifier
Physical Tests (QCLot: 631650)									
turbidity	----	E121	0.1	NTU	200 NTU	99.4	85.0	115	----
Physical Tests (QCLot: 632380)									
colour, true	----	E329-L	2	CU	25 CU	105	85.0	115	----
Physical Tests (QCLot: 634117)									
solids, total dissolved [TDS]	----	E162	10	mg/L	1000 mg/L	100	85.0	115	----
Physical Tests (QCLot: 637652)									
pH	----	E108	----	pH units	7 pH units	101	98.0	102	----
Physical Tests (QCLot: 637654)									
alkalinity, total (as CaCO3)	----	E290	1	mg/L	150 mg/L	100	85.0	115	----
Anions and Nutrients (QCLot: 637486)									
chloride	16887-00-6	E235.Cl	0.5	mg/L	100 mg/L	102	90.0	110	----
Anions and Nutrients (QCLot: 637487)									
fluoride	16984-48-8	E235.F	0.02	mg/L	1 mg/L	100	90.0	110	----
Anions and Nutrients (QCLot: 637488)									
sulfate (as SO4)	14808-79-8	E235.SO4	0.3	mg/L	100 mg/L	102	90.0	110	----
Anions and Nutrients (QCLot: 637489)									
nitrate (as N)	14797-55-8	E235.NO3	0.02	mg/L	2.5 mg/L	100	90.0	110	----
Anions and Nutrients (QCLot: 637490)									
nitrite (as N)	14797-65-0	E235.NO2	0.01	mg/L	0.5 mg/L	102	90.0	110	----
Anions and Nutrients (QCLot: 639862)									
Kjeldahl nitrogen, total [TKN]	----	E318	0.05	mg/L	4 mg/L	97.8	75.0	125	----
Anions and Nutrients (QCLot: 639864)									
ammonia, total (as N)	7664-41-7	E298	0.005	mg/L	0.2 mg/L	95.6	85.0	115	----
Cyanides (QCLot: 634176)									
cyanide, strong acid dissociable (total)	----	E333	0.002	mg/L	0.25 mg/L	88.8	80.0	120	----
Organic / Inorganic Carbon (QCLot: 635753)									
carbon, dissolved organic [DOC]	----	E358-L	0.5	mg/L	8.57 mg/L	107	80.0	120	----
Total Sulfides (QCLot: 639357)									
sulfide, total (as S)	18496-25-8	E396	0.018	mg/L	0.1244 mg/L	97.3	75.0	125	----



Sub-Matrix: Water

					Laboratory Control Sample (LCS) Report				
					Spike	Recovery (%)	Recovery Limits (%)		
Analyte	CAS Number	Method	LOR	Unit	Concentration	LCS	Low	High	Qualifier
Total Metals (QCLot: 633334)									
aluminum, total	7429-90-5	E420	0.003	mg/L	0.1 mg/L	107	80.0	120	----
antimony, total	7440-36-0	E420	0.0001	mg/L	0.05 mg/L	104	80.0	120	----
arsenic, total	7440-38-2	E420	0.0001	mg/L	0.05 mg/L	107	80.0	120	----
barium, total	7440-39-3	E420	0.0001	mg/L	0.0125 mg/L	106	80.0	120	----
beryllium, total	7440-41-7	E420	0.00002	mg/L	0.005 mg/L	108	80.0	120	----
bismuth, total	7440-69-9	E420	0.00005	mg/L	0.05 mg/L	104	80.0	120	----
boron, total	7440-42-8	E420	0.01	mg/L	0.05 mg/L	106	80.0	120	----
cadmium, total	7440-43-9	E420	0.000005	mg/L	0.005 mg/L	107	80.0	120	----
calcium, total	7440-70-2	E420	0.05	mg/L	2.5 mg/L	106	80.0	120	----
cesium, total	7440-46-2	E420	0.00001	mg/L	0.0025 mg/L	108	80.0	120	----
chromium, total	7440-47-3	E420	0.0005	mg/L	0.0125 mg/L	105	80.0	120	----
cobalt, total	7440-48-4	E420	0.0001	mg/L	0.0125 mg/L	103	80.0	120	----
copper, total	7440-50-8	E420	0.0005	mg/L	0.0125 mg/L	103	80.0	120	----
iron, total	7439-89-6	E420	0.01	mg/L	0.05 mg/L	107	80.0	120	----
lead, total	7439-92-1	E420	0.00005	mg/L	0.025 mg/L	108	80.0	120	----
lithium, total	7439-93-2	E420	0.001	mg/L	0.0125 mg/L	111	80.0	120	----
magnesium, total	7439-95-4	E420	0.005	mg/L	2.5 mg/L	118	80.0	120	----
manganese, total	7439-96-5	E420	0.0001	mg/L	0.0125 mg/L	107	80.0	120	----
molybdenum, total	7439-98-7	E420	0.00005	mg/L	0.0125 mg/L	98.2	80.0	120	----
nickel, total	7440-02-0	E420	0.0005	mg/L	0.025 mg/L	105	80.0	120	----
phosphorus, total	7723-14-0	E420	0.05	mg/L	0.5 mg/L	105	80.0	120	----
potassium, total	7440-09-7	E420	0.05	mg/L	2.5 mg/L	100	80.0	120	----
rubidium, total	7440-17-7	E420	0.0002	mg/L	0.005 mg/L	106	80.0	120	----
selenium, total	7782-49-2	E420	0.00005	mg/L	0.05 mg/L	110	80.0	120	----
silicon, total	7440-21-3	E420	0.1	mg/L	0.5 mg/L	108	80.0	120	----
silver, total	7440-22-4	E420	0.00001	mg/L	0.005 mg/L	99.4	80.0	120	----
sodium, total	7440-23-5	E420	0.05	mg/L	2.5 mg/L	107	80.0	120	----
strontium, total	7440-24-6	E420	0.0002	mg/L	0.0125 mg/L	102	80.0	120	----
sulfur, total	7704-34-9	E420	0.5	mg/L	2.5 mg/L	102	80.0	120	----
tellurium, total	13494-80-9	E420	0.0002	mg/L	0.005 mg/L	104	80.0	120	----
thallium, total	7440-28-0	E420	0.00001	mg/L	0.05 mg/L	104	80.0	120	----
thorium, total	7440-29-1	E420	0.0001	mg/L	0.005 mg/L	102	80.0	120	----
tin, total	7440-31-5	E420	0.0001	mg/L	0.025 mg/L	104	80.0	120	----
titanium, total	7440-32-6	E420	0.0003	mg/L	0.0125 mg/L	100	80.0	120	----
tungsten, total	7440-33-7	E420	0.0001	mg/L	0.005 mg/L	102	80.0	120	----
uranium, total	7440-61-1	E420	0.00001	mg/L	0.00025 mg/L	109	80.0	120	----
vanadium, total	7440-62-2	E420	0.0005	mg/L	0.025 mg/L	105	80.0	120	----
zinc, total	7440-66-6	E420	0.003	mg/L	0.025 mg/L	106	80.0	120	----



Sub-Matrix: Water

					Laboratory Control Sample (LCS) Report				
					Spike	Recovery (%)	Recovery Limits (%)		
Analyte	CAS Number	Method	LOR	Unit	Concentration	LCS	Low	High	Qualifier
Total Metals (QCLot: 633334) - continued									
zirconium, total	7440-67-7	E420	0.0002	mg/L	0.005 mg/L	102	80.0	120	----
Total Metals (QCLot: 634028)									
mercury, total	7439-97-6	E508	0.000005	mg/L	0.0001 mg/L	100	80.0	120	----
Total Metals (QCLot: 634512)									
antimony, total	7440-36-0	E432	0.0006	mg/L	0.05 mg/L	102	80.0	120	----
arsenic, total	7440-38-2	E432	0.001	mg/L	0.05 mg/L	105	80.0	120	----
barium, total	7440-39-3	E432	0.01	mg/L	0.0125 mg/L	104	80.0	120	----
boron, total	7440-42-8	E432	0.05	mg/L	0.05 mg/L	92.3	80.0	120	----
cadmium, total	7440-43-9	E432	0.0001	mg/L	0.005 mg/L	102	80.0	120	----
chromium, total	7440-47-3	E432	0.001	mg/L	0.0125 mg/L	99.3	80.0	120	----
selenium, total	7782-49-2	E432	0.001	mg/L	0.05 mg/L	103	80.0	120	----
uranium, total	7440-61-1	E432	0.002	mg/L	0.00025 mg/L	107	80.0	120	----
Total Metals (QCLot: 635062)									
aluminum, total	7429-90-5	E420	----	mg/L	0.1 mg/L	105	80.0	120	----
antimony, total	7440-36-0	E420	----	mg/L	0.05 mg/L	107	80.0	120	----
arsenic, total	7440-38-2	E420	----	mg/L	0.05 mg/L	104	80.0	120	----
barium, total	7440-39-3	E420	----	mg/L	0.0125 mg/L	101	80.0	120	----
beryllium, total	7440-41-7	E420	----	mg/L	0.005 mg/L	103	80.0	120	----
bismuth, total	7440-69-9	E420	----	mg/L	0.05 mg/L	100	80.0	120	----
boron, total	7440-42-8	E420	----	mg/L	0.05 mg/L	103	80.0	120	----
cadmium, total	7440-43-9	E420	----	mg/L	0.005 mg/L	103	80.0	120	----
calcium, total	7440-70-2	E420	----	mg/L	2.5 mg/L	103	80.0	120	----
cesium, total	7440-46-2	E420	----	mg/L	0.0025 mg/L	106	80.0	120	----
chromium, total	7440-47-3	E420	----	mg/L	0.0125 mg/L	103	80.0	120	----
cobalt, total	7440-48-4	E420	----	mg/L	0.0125 mg/L	101	80.0	120	----
copper, total	7440-50-8	E420	----	mg/L	0.0125 mg/L	99.9	80.0	120	----
iron, total	7439-89-6	E420	----	mg/L	0.05 mg/L	103	80.0	120	----
lead, total	7439-92-1	E420	----	mg/L	0.025 mg/L	104	80.0	120	----
lithium, total	7439-93-2	E420	----	mg/L	0.0125 mg/L	98.8	80.0	120	----
magnesium, total	7439-95-4	E420	----	mg/L	2.5 mg/L	110	80.0	120	----
manganese, total	7439-96-5	E420	----	mg/L	0.0125 mg/L	103	80.0	120	----
molybdenum, total	7439-98-7	E420	----	mg/L	0.0125 mg/L	103	80.0	120	----
nickel, total	7440-02-0	E420	----	mg/L	0.025 mg/L	101	80.0	120	----
phosphorus, total	7723-14-0	E420	----	mg/L	0.5 mg/L	115	80.0	120	----
potassium, total	7440-09-7	E420	----	mg/L	2.5 mg/L	100	80.0	120	----
rubidium, total	7440-17-7	E420	----	mg/L	0.005 mg/L	107	80.0	120	----
selenium, total	7782-49-2	E420	----	mg/L	0.05 mg/L	106	80.0	120	----



Sub-Matrix: Water

					Laboratory Control Sample (LCS) Report				
					Spike	Recovery (%)	Recovery Limits (%)		
Analyte	CAS Number	Method	LOR	Unit	Concentration	LCS	Low	High	Qualifier
Total Metals (QCLot: 635062) - continued									
silicon, total	7440-21-3	E420	----	mg/L	0.5 mg/L	106	80.0	120	----
silver, total	7440-22-4	E420	----	mg/L	0.005 mg/L	96.5	80.0	120	----
sodium, total	7440-23-5	E420	----	mg/L	2.5 mg/L	102	80.0	120	----
strontium, total	7440-24-6	E420	----	mg/L	0.0125 mg/L	107	80.0	120	----
sulfur, total	7704-34-9	E420	----	mg/L	2.5 mg/L	108	80.0	120	----
tellurium, total	13494-80-9	E420	----	mg/L	0.005 mg/L	105	80.0	120	----
thallium, total	7440-28-0	E420	----	mg/L	0.05 mg/L	102	80.0	120	----
thorium, total	7440-29-1	E420	----	mg/L	0.005 mg/L	102	80.0	120	----
tin, total	7440-31-5	E420	----	mg/L	0.025 mg/L	103	80.0	120	----
titanium, total	7440-32-6	E420	----	mg/L	0.0125 mg/L	103	80.0	120	----
tungsten, total	7440-33-7	E420	----	mg/L	0.005 mg/L	102	80.0	120	----
uranium, total	7440-61-1	E420	----	mg/L	0.00025 mg/L	107	80.0	120	----
vanadium, total	7440-62-2	E420	----	mg/L	0.025 mg/L	102	80.0	120	----
zinc, total	7440-66-6	E420	----	mg/L	0.025 mg/L	103	80.0	120	----
zirconium, total	7440-67-7	E420	----	mg/L	0.005 mg/L	98.1	80.0	120	----
Aggregate Organics (QCLot: 633331)									
nitritotriacetic acid [NTA]	139-13-9	E394	0.2	mg/L	1 mg/L	93.7	75.0	125	----
Aggregate Organics (QCLot: 639186)									
microcystin	101043-37-2	E576	0.2	µg/L	0.5 µg/L	102	70.0	130	----
Volatile Organic Compounds (QCLot: 637812)									
Acetone	67-64-1	E611D	20	µg/L	100 µg/L	125	70.0	130	----
benzene	71-43-2	E611D	0.5	µg/L	100 µg/L	112	70.0	130	----
bromodichloromethane	75-27-4	E611D	0.5	µg/L	100 µg/L	121	70.0	130	----
bromoform	75-25-2	E611D	0.5	µg/L	100 µg/L	117	70.0	130	----
bromomethane	74-83-9	E611D	0.5	µg/L	100 µg/L	121	60.0	140	----
carbon tetrachloride	56-23-5	E611D	0.2	µg/L	100 µg/L	109	70.0	130	----
chlorobenzene	108-90-7	E611D	0.5	µg/L	100 µg/L	105	70.0	130	----
chloroform	67-66-3	E611D	0.5	µg/L	100 µg/L	112	70.0	130	----
dibromochloromethane	124-48-1	E611D	0.5	µg/L	100 µg/L	106	70.0	130	----
dibromoethane, 1,2-	106-93-4	E611D	0.2	µg/L	100 µg/L	112	70.0	130	----
dichlorobenzene, 1,2-	95-50-1	E611D	0.5	µg/L	100 µg/L	106	70.0	130	----
dichlorobenzene, 1,3-	541-73-1	E611D	0.5	µg/L	100 µg/L	102	70.0	130	----
dichlorobenzene, 1,4-	106-46-7	E611D	0.5	µg/L	100 µg/L	103	70.0	130	----
dichlorodifluoromethane	75-71-8	E611D	0.5	µg/L	100 µg/L	104	60.0	140	----
dichloroethane, 1,1-	75-34-3	E611D	0.5	µg/L	100 µg/L	109	70.0	130	----
dichloroethane, 1,2-	107-06-2	E611D	0.5	µg/L	100 µg/L	116	70.0	130	----



Sub-Matrix: Water

					Laboratory Control Sample (LCS) Report				
					Spike	Recovery (%)	Recovery Limits (%)		
Analyte	CAS Number	Method	LOR	Unit	Concentration	LCS	Low	High	Qualifier
Volatile Organic Compounds (QCLot: 637812) - continued									
dichloroethylene, 1,1-	75-35-4	E611D	0.5	µg/L	100 µg/L	101	70.0	130	----
dichloroethylene, cis-1,2-	156-59-2	E611D	0.5	µg/L	100 µg/L	122	70.0	130	----
dichloroethylene, trans-1,2-	156-60-5	E611D	0.5	µg/L	100 µg/L	105	70.0	130	----
dichloromethane	75-09-2	E611D	1	µg/L	100 µg/L	118	70.0	130	----
dichloropropane, 1,2-	78-87-5	E611D	0.5	µg/L	100 µg/L	114	70.0	130	----
dichloropropylene, cis-1,3-	10061-01-5	E611D	0.3	µg/L	100 µg/L	128	70.0	130	----
dichloropropylene, trans-1,3-	10061-02-6	E611D	0.3	µg/L	100 µg/L	117	70.0	130	----
ethylbenzene	100-41-4	E611D	0.5	µg/L	100 µg/L	96.1	70.0	130	----
hexane, n-	110-54-3	E611D	0.5	µg/L	100 µg/L	101	70.0	130	----
methyl ethyl ketone [MEK]	78-93-3	E611D	20	µg/L	100 µg/L	125	70.0	130	----
methyl isobutyl ketone [MIBK]	108-10-1	E611D	20	µg/L	100 µg/L	111	70.0	130	----
methyl-tert-butyl ether [MTBE]	1634-04-4	E611D	0.5	µg/L	100 µg/L	102	70.0	130	----
styrene	100-42-5	E611D	0.5	µg/L	100 µg/L	101	70.0	130	----
tetrachloroethane, 1,1,1,2-	630-20-6	E611D	0.5	µg/L	100 µg/L	108	70.0	130	----
tetrachloroethane, 1,1,2,2-	79-34-5	E611D	0.5	µg/L	100 µg/L	122	70.0	130	----
tetrachloroethylene	127-18-4	E611D	0.5	µg/L	100 µg/L	104	70.0	130	----
toluene	108-88-3	E611D	0.5	µg/L	100 µg/L	99.5	70.0	130	----
trichloroethane, 1,1,1-	71-55-6	E611D	0.5	µg/L	100 µg/L	110	70.0	130	----
trichloroethane, 1,1,2-	79-00-5	E611D	0.5	µg/L	100 µg/L	107	70.0	130	----
trichloroethylene	79-01-6	E611D	0.5	µg/L	100 µg/L	113	70.0	130	----
trichlorofluoromethane	75-69-4	E611D	0.5	µg/L	100 µg/L	107	60.0	140	----
vinyl chloride	75-01-4	E611D	0.5	µg/L	100 µg/L	94.8	60.0	140	----
xylene, m+p-	179601-23-1	E611D	0.4	µg/L	200 µg/L	99.3	70.0	130	----
xylene, o-	95-47-6	E611D	0.3	µg/L	100 µg/L	96.7	70.0	130	----
Volatile Organic Compounds [THMs] (QCLot: 637813)									
bromodichloromethane	75-27-4	E611B	1	µg/L	100 µg/L	121	70.0	130	----
bromoform	75-25-2	E611B	1	µg/L	100 µg/L	117	70.0	130	----
chloroform	67-66-3	E611B	1	µg/L	100 µg/L	112	70.0	130	----
dibromochloromethane	124-48-1	E611B	1	µg/L	100 µg/L	106	70.0	130	----
Polycyclic Aromatic Hydrocarbons (QCLot: 638508)									
benzo(a)pyrene	50-32-8	E641A	0.005	µg/L	0.5263 µg/L	110	50.0	140	----
Disinfectant By-Products (QCLot: 635446)									
chlorate	14866-68-3	E409.CLO3	0.01	mg/L	1 mg/L	103	85.0	115	----
Disinfectant By-Products (QCLot: 635447)									
chlorite	14998-27-7	E409.CLO2	0.01	mg/L	1 mg/L	102	85.0	115	----

Sub-Matrix: Water					Laboratory Control Sample (LCS) Report				
					Spike	Recovery (%)	Recovery Limits (%)		
Analyte	CAS Number	Method	LOR	Unit	Concentration	LCS	Low	High	Qualifier
Haloacetic Acids (QCLot: 638905)									
dibromoacetic acid	631-64-1	E750	1	µg/L	5 µg/L	119	70.0	130	----
dichloroacetic acid	79-43-6	E750	1	µg/L	5 µg/L	124	70.0	130	----
monobromoacetic acid	79-08-3	E750	0.2	µg/L	1 µg/L	83.7	70.0	130	----
monochloroacetic acid	79-11-8	E750	0.5	µg/L	2.5 µg/L	106	70.0	130	----
trichloroacetic acid	76-03-9	E750	1	µg/L	5 µg/L	111	70.0	130	----
Chlorinated Phenolics (QCLot: 633416)									
dichlorophenol, 2,4-	120-83-2	E651D	0.3	µg/L	4.8 µg/L	103	50.0	140	----
pentachlorophenol [PCP]	87-86-5	E651D	0.5	µg/L	4.8 µg/L	140	50.0	140	----
tetrachlorophenol, 2,3,4,6-	58-90-2	E651D	0.5	µg/L	4.8 µg/L	100	50.0	140	----
trichlorophenol, 2,4,6-	88-06-2	E651D	0.5	µg/L	4.8 µg/L	104	50.0	140	----
Polychlorinated Biphenyls (QCLot: 633429)									
Aroclor 1016	12674-11-2	E687	0.02	µg/L	0.2 µg/L	118	60.0	140	----
Aroclor 1221	11104-28-2	E687	0.02	µg/L	0.2 µg/L	118	60.0	140	----
Aroclor 1232	11141-16-5	E687	0.02	µg/L	0.2 µg/L	118	60.0	140	----
Aroclor 1242	53469-21-9	E687	0.02	µg/L	0.2 µg/L	118	60.0	140	----
Aroclor 1248	12672-29-6	E687	0.02	µg/L	0.2 µg/L	91.3	60.0	140	----
Aroclor 1254	11097-69-1	E687	0.02	µg/L	0.2 µg/L	118	60.0	140	----
Aroclor 1260	11096-82-5	E687	0.02	µg/L	0.2 µg/L	108	60.0	140	----
Aroclor 1262	37324-23-5	E687	0.02	µg/L	0.2 µg/L	108	60.0	140	----
Aroclor 1268	11100-14-4	E687	0.02	µg/L	0.2 µg/L	108	60.0	140	----
Carbamate Pesticides (QCLot: 638961)									
diuron	330-54-1	E712B	1	µg/L	10 µg/L	106	80.0	120	----
Organochlorine Pesticides (QCLot: 633430)									
chlordane, cis- (alpha)	5103-71-9	E660F	0.008	µg/L	0.2 µg/L	105	50.0	150	----
chlordane, trans- (gamma)	5103-74-2	E660F	0.008	µg/L	0.2 µg/L	123	50.0	150	----
DDD, 4,4'-	72-54-8	E660F	0.004	µg/L	0.2 µg/L	96.4	50.0	150	----
DDE, 4,4'-	72-55-9	E660F	0.004	µg/L	0.2 µg/L	107	50.0	150	----
DDT, 2,4'-	789-02-6	E660F	0.004	µg/L	0.2 µg/L	116	50.0	150	----
DDT, 4,4'-	50-29-3	E660F	0.004	µg/L	0.2 µg/L	114	50.0	150	----
oxychlordane	27304-13-8	E660F	0.008	µg/L	0.2 µg/L	89.6	50.0	150	----
Herbicides (QCLot: 633946)									
AMPA	74341-63-2	E716A	0.5	µg/L	5 µg/L	94.0	70.0	130	----
glyphosate	1071-83-6	E716A	0.2	µg/L	5 µg/L	100	70.0	130	----
Herbicides (QCLot: 634443)									



Sub-Matrix: Water

					Laboratory Control Sample (LCS) Report				
					Spike	Recovery (%)	Recovery Limits (%)		
Analyte	CAS Number	Method	LOR	Unit	Concentration	LCS	Low	High	Qualifier
Herbicides (QCLot: 634443) - continued									
acetic acid, 2-methyl-4-chlorophenoxy- [MCPA]	94-74-6	E706A	0.05	µg/L	1 µg/L	76.1	65.0	130	----
bromoxynil	1689-84-5	E706A	0.05	µg/L	1 µg/L	112	65.0	130	----
dicamba	1918-00-9	E706A	0.1	µg/L	2 µg/L	81.5	50.0	150	----
dichlorophenoxyacetic acid, 2,4- [2,4-D]	94-75-7	E706A	0.05	µg/L	1 µg/L	76.0	65.0	130	----
dinoseb	88-85-7	E706A	0.05	µg/L	1 µg/L	88.7	65.0	130	----
picloram	1918-02-1	E706A	0.1	µg/L	2 µg/L	94.5	50.0	150	----
trichlorophenoxypropionic acid, 2,4,5- [2,4,5-TP]	93-72-1	E706A	0.05	µg/L	1 µg/L	105	65.0	130	----
Herbicides (QCLot: 637025)									
diquat (ion)	2764-72-9	E723A	1	µg/L	25 µg/L	105	70.0	130	----
paraquat (as dichloride)	1910-42-5	E723A	1	µg/L	25 µg/L	83.8	70.0	130	----
Pesticides (QCLot: 633345)									
alachlor	15972-60-8	E660E-H	0.1	µg/L	0.2 µg/L	# 155	60.0	130	LCS-H
atrazine	1912-24-9	E660E-H	0.1	µg/L	0.2 µg/L	# 147	60.0	130	LCS-H
atrazine-desethyl	6190-65-4	E660E-H	0.1	µg/L	0.2 µg/L	88.8	50.0	130	----
azinphos-methyl	86-50-0	E660E-H	0.1	µg/L	0.2 µg/L	# 196	60.0	140	LCS-H
carbaryl	63-25-2	E660E-H	0.2	µg/L	0.2 µg/L	# 145	50.0	140	LCS-H
carbofuran	1563-66-2	E660E-H	0.2	µg/L	0.2 µg/L	# 145	60.0	140	LCS-H
chlorpyrifos	2921-88-2	E660E-H	0.1	µg/L	0.2 µg/L	# 156	60.0	130	LCS-H
diazinon	333-41-5	E660E-H	0.1	µg/L	0.2 µg/L	111	60.0	130	----
diclofop-methyl	51338-27-3	E660E-H	0.1	µg/L	0.2 µg/L	# 156	60.0	140	LCS-H
dimethoate	60-51-5	E660E-H	0.1	µg/L	0.2 µg/L	# 152	60.0	130	LCS-H
malathion	121-75-5	E660E-H	0.1	µg/L	0.2 µg/L	# 191	60.0	130	LCS-H
metolachlor	51218-45-2	E660E-H	0.1	µg/L	0.2 µg/L	# 181	60.0	130	LCS-H
metribuzin	21087-64-9	E660E-H	0.1	µg/L	0.2 µg/L	# 154	60.0	130	LCS-H
phorate	298-02-2	E660E-H	0.1	µg/L	0.2 µg/L	# 13.5	60.0	140	LCS-L
prometryn	7287-19-6	E660E-H	0.1	µg/L	0.2 µg/L	# 156	60.0	130	LCS-H
simazine	122-34-9	E660E-H	0.1	µg/L	0.2 µg/L	# 135	60.0	130	LCS-H
terbufos	13071-79-9	E660E-H	0.1	µg/L	0.2 µg/L	# 11.5	60.0	130	LCS-L
triallate	2303-17-5	E660E-H	0.1	µg/L	0.2 µg/L	126	60.0	130	----
trifluralin	1582-09-8	E660E-H	0.1	µg/L	0.2 µg/L	# 146	60.0	130	LCS-H
Nitrosamines (QCLot: 638901)									
nitrosodimethylamine, n- [NDMA]	62-75-9	E725-T	0.0009	µg/L	0.005 µg/L	105	50.0	150	----



Qualifiers

Qualifier	Description
LCS-H	Lab Control Sample recovery was above ALS DQO. Non-detected sample results are considered reliable. Other results, if reported, have been qualified.
LCS-L	Lab Control Sample recovery was below ALS DQO. Reference Material and/or Matrix Spike results were acceptable. Non-detected sample results are considered reliable. Other results, if reported, have been qualified.

A Matrix Spike (MS) is a randomly selected intra-laboratory replicate sample that has been fortified (spiked) with test analytes at known concentration, and processed in an identical manner to test samples. Matrix Spikes provide information regarding analyte recovery and potential matrix effects. MS DQO exceedances due to sample matrix may sometimes be unavoidable; in such cases, test results for the associated sample (or similar samples) may be subject to bias. ND – Recovery not determined, background level $\geq 1 \times$ spike level.

Matrix Spike (MS) Report					
Spike		Recovery (%)	Recovery Limits (%)		
Concentration	Target	MS	Low	High	Qualifier

Anions and Nutrients (QCLot: 637486)										
WT2213026-001	Anonymous	chloride	16887-00-6	E235.Cl	478 mg/L	500 mg/L	95.6	75.0	125	----
Anions and Nutrients (QCLot: 637487)										
WT2213026-001	Anonymous	fluoride	16984-48-8	E235.F	4.93 mg/L	5 mg/L	98.6	75.0	125	----
Anions and Nutrients (QCLot: 637488)										
WT2213026-001	Anonymous	sulfate (as SO4)	14808-79-8	E235.SO4	462 mg/L	500 mg/L	92.4	75.0	125	----
Anions and Nutrients (QCLot: 637489)										
WT2213026-001	Anonymous	nitrate (as N)	14797-55-8	E235.NO3	11.7 mg/L	12.5 mg/L	94.0	75.0	125	----
Anions and Nutrients (QCLot: 637490)										
WT2213026-001	Anonymous	nitrite (as N)	14797-65-0	E235.NO2	2.39 mg/L	2.5 mg/L	95.6	75.0	125	----
Anions and Nutrients (QCLot: 639862)										
WT2212926-001	Anonymous	Kjeldahl nitrogen, total [TKN]	----	E318	25.4 mg/L	2.5 mg/L	102	70.0	130	----
Anions and Nutrients (QCLot: 639864)										
WT2212951-001	Anonymous	ammonia, total (as N)	7664-41-7	E298	0.0970 mg/L	0.1 mg/L	97.0	75.0	125	----
Cyanides (QCLot: 634176)										
SK2204799-001	Anonymous	cyanide, strong acid dissociable (total)	----	E333	0.224 mg/L	0.25 mg/L	89.7	75.0	125	----
Organic / Inorganic Carbon (QCLot: 635753)										
TY2201174-008	Anonymous	carbon, dissolved organic [DOC]	----	E358-L	5.93 mg/L	5 mg/L	118	70.0	130	----
Total Sulfides (QCLot: 639357)										
WT2212954-001	F2-R	sulfide, total (as S)	18496-25-8	E396	0.102 mg/L	0.1244 mg/L	82.0	65.0	135	----
Total Metals (QCLot: 633334)										
WT2212936-002	Anonymous	aluminum, total	7429-90-5	E420	0.0990 mg/L	0.1 mg/L	99.0	70.0	130	----
		antimony, total	7440-36-0	E420	0.0531 mg/L	0.05 mg/L	106	70.0	130	----
		arsenic, total	7440-38-2	E420	0.0515 mg/L	0.05 mg/L	103	70.0	130	----
		barium, total	7440-39-3	E420	ND mg/L	0.0125 mg/L	ND	70.0	130	----
		beryllium, total	7440-41-7	E420	0.00510 mg/L	0.005 mg/L	102	70.0	130	----
		bismuth, total	7440-69-9	E420	0.0475 mg/L	0.05 mg/L	95.1	70.0	130	----
		boron, total	7440-42-8	E420	ND mg/L	0.05 mg/L	ND	70.0	130	----
		cadmium, total	7440-43-9	E420	0.00512 mg/L	0.005 mg/L	102	70.0	130	----
		calcium, total	7440-70-2	E420	ND mg/L	2.5 mg/L	ND	70.0	130	----



Sub-Matrix: Water					Matrix Spike (MS) Report					
					Spike		Recovery (%)	Recovery Limits (%)		
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	Concentration	Target	MS	Low	High	Qualifier
Total Metals (QCLot: 633334) - continued										
WT2212936-002	Anonymous	cesium, total	7440-46-2	E420	0.00264 mg/L	0.0025 mg/L	106	70.0	130	----
		chromium, total	7440-47-3	E420	0.0128 mg/L	0.0125 mg/L	102	70.0	130	----
		cobalt, total	7440-48-4	E420	ND mg/L	0.0125 mg/L	ND	70.0	130	----
		copper, total	7440-50-8	E420	0.0120 mg/L	0.0125 mg/L	96.0	70.0	130	----
		iron, total	7439-89-6	E420	ND mg/L	0.05 mg/L	ND	70.0	130	----
		lead, total	7439-92-1	E420	0.0249 mg/L	0.025 mg/L	99.6	70.0	130	----
		lithium, total	7439-93-2	E420	0.0132 mg/L	0.0125 mg/L	105	70.0	130	----
		magnesium, total	7439-95-4	E420	ND mg/L	2.5 mg/L	ND	70.0	130	----
		manganese, total	7439-96-5	E420	ND mg/L	0.0125 mg/L	ND	70.0	130	----
		molybdenum, total	7439-98-7	E420	0.0124 mg/L	0.0125 mg/L	99.1	70.0	130	----
		nickel, total	7440-02-0	E420	ND mg/L	0.025 mg/L	ND	70.0	130	----
		phosphorus, total	7723-14-0	E420	0.497 mg/L	0.5 mg/L	99.4	70.0	130	----
		potassium, total	7440-09-7	E420	ND mg/L	2.5 mg/L	ND	70.0	130	----
		rubidium, total	7440-17-7	E420	0.00515 mg/L	0.005 mg/L	103	70.0	130	----
		selenium, total	7782-49-2	E420	0.0520 mg/L	0.05 mg/L	104	70.0	130	----
		silicon, total	7440-21-3	E420	ND mg/L	0.5 mg/L	ND	70.0	130	----
		silver, total	7440-22-4	E420	0.00470 mg/L	0.005 mg/L	93.9	70.0	130	----
		sodium, total	7440-23-5	E420	ND mg/L	2.5 mg/L	ND	70.0	130	----
		strontium, total	7440-24-6	E420	ND mg/L	0.0125 mg/L	ND	70.0	130	----
		sulfur, total	7704-34-9	E420	ND mg/L	2.5 mg/L	ND	70.0	130	----
		tellurium, total	13494-80-9	E420	0.00478 mg/L	0.005 mg/L	95.6	70.0	130	----
		thallium, total	7440-28-0	E420	0.0486 mg/L	0.05 mg/L	97.2	70.0	130	----
		thorium, total	7440-29-1	E420	0.00459 mg/L	0.005 mg/L	91.8	70.0	130	----
		tin, total	7440-31-5	E420	0.0249 mg/L	0.025 mg/L	99.5	70.0	130	----
		titanium, total	7440-32-6	E420	0.0124 mg/L	0.0125 mg/L	99.6	70.0	130	----
		tungsten, total	7440-33-7	E420	0.00504 mg/L	0.005 mg/L	101	70.0	130	----
		uranium, total	7440-61-1	E420	ND mg/L	0.00025 mg/L	ND	70.0	130	----
		vanadium, total	7440-62-2	E420	0.0263 mg/L	0.025 mg/L	105	70.0	130	----
		zinc, total	7440-66-6	E420	0.0231 mg/L	0.025 mg/L	92.3	70.0	130	----
		zirconium, total	7440-67-7	E420	0.00476 mg/L	0.005 mg/L	95.1	70.0	130	----
Total Metals (QCLot: 634028)										
WT2212938-001	Anonymous	mercury, total	7439-97-6	E508	0.0000830 mg/L	0.0001 mg/L	83.0	70.0	130	----
Total Metals (QCLot: 634512)										
WT2212529-003	Anonymous	antimony, total	7440-36-0	E432	0.0567 mg/L	0.05 mg/L	113	70.0	130	----
		arsenic, total	7440-38-2	E432	0.0644 mg/L	0.05 mg/L	129	70.0	130	----
		barium, total	7440-39-3	E432	ND mg/L	0.0125 mg/L	ND	70.0	130	----



Sub-Matrix: Water					Matrix Spike (MS) Report					
					Spike		Recovery (%)	Recovery Limits (%)		
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	Concentration	Target	MS	Low	High	Qualifier
Total Metals (QCLot: 634512) - continued										
WT2212529-003	Anonymous	boron, total	7440-42-8	E432	0.05 mg/L	0.05 mg/L	98.1	70.0	130	----
		cadmium, total	7440-43-9	E432	0.00583 mg/L	0.005 mg/L	117	70.0	130	----
		chromium, total	7440-47-3	E432	0.0135 mg/L	0.0125 mg/L	108	70.0	130	----
		selenium, total	7782-49-2	E432	0.0692 mg/L	0.05 mg/L	138	70.0	130	MES
		uranium, total	7440-61-1	E432	0.0003 mg/L	0.00025 mg/L	111	70.0	130	----
Aggregate Organics (QCLot: 633331)										
CG2211713-001	Anonymous	nitritotriacetic acid [NTA]	139-13-9	E394	0.82 mg/L	1 mg/L	82.2	50.0	150	----
Aggregate Organics (QCLot: 639186)										
CG2212007-001	Anonymous	microcystin	101043-37-2	E576	0.51 µg/L	1 µg/L	50.8	50.0	150	----
Volatile Organic Compounds (QCLot: 637812)										
WT2212954-001	F2-R	Acetone	67-64-1	E611D	100 µg/L	100 µg/L	99.5	60.0	140	----
		benzene	71-43-2	E611D	113 µg/L	100 µg/L	113	60.0	140	----
		bromodichloromethane	75-27-4	E611D	119 µg/L	100 µg/L	119	60.0	140	----
		bromoform	75-25-2	E611D	106 µg/L	100 µg/L	106	60.0	140	----
		bromomethane	74-83-9	E611D	19.6 µg/L	100 µg/L	19.6	60.0	140	K
		carbon tetrachloride	56-23-5	E611D	115 µg/L	100 µg/L	115	60.0	140	----
		chlorobenzene	108-90-7	E611D	106 µg/L	100 µg/L	106	60.0	140	----
		chloroform	67-66-3	E611D	113 µg/L	100 µg/L	113	60.0	140	----
		dibromochloromethane	124-48-1	E611D	102 µg/L	100 µg/L	102	60.0	140	----
		dibromoethane, 1,2-	106-93-4	E611D	99.1 µg/L	100 µg/L	99.1	60.0	140	----
		dichlorobenzene, 1,2-	95-50-1	E611D	107 µg/L	100 µg/L	107	60.0	140	----
		dichlorobenzene, 1,3-	541-73-1	E611D	106 µg/L	100 µg/L	106	60.0	140	----
		dichlorobenzene, 1,4-	106-46-7	E611D	106 µg/L	100 µg/L	106	60.0	140	----
		dichlorodifluoromethane	75-71-8	E611D	100 µg/L	100 µg/L	100	60.0	140	----
		dichloroethane, 1,1-	75-34-3	E611D	111 µg/L	100 µg/L	111	60.0	140	----
		dichloroethane, 1,2-	107-06-2	E611D	108 µg/L	100 µg/L	108	60.0	140	----
		dichloroethylene, 1,1-	75-35-4	E611D	105 µg/L	100 µg/L	105	60.0	140	----
		dichloroethylene, cis-1,2-	156-59-2	E611D	113 µg/L	100 µg/L	113	60.0	140	----
		dichloroethylene, trans-1,2-	156-60-5	E611D	109 µg/L	100 µg/L	109	60.0	140	----
		dichloromethane	75-09-2	E611D	112 µg/L	100 µg/L	112	60.0	140	----
		dichloropropane, 1,2-	78-87-5	E611D	111 µg/L	100 µg/L	111	60.0	140	----
		dichloropropylene, cis-1,3-	10061-01-5	E611D	38.3 µg/L	100 µg/L	38.3	60.0	140	K
		dichloropropylene, trans-1,3-	10061-02-6	E611D	64.2 µg/L	100 µg/L	64.2	60.0	140	----
		ethylbenzene	100-41-4	E611D	101 µg/L	100 µg/L	101	60.0	140	----
		hexane, n-	110-54-3	E611D	106 µg/L	100 µg/L	106	60.0	140	----
		methyl ethyl ketone [MEK]	78-93-3	E611D	100 µg/L	100 µg/L	99.8	60.0	140	----



Sub-Matrix: **Water**

Sub-Matrix: Water					Matrix Spike (MS) Report					
					Spike		Recovery (%)	Recovery Limits (%)		
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	Concentration	Target	MS	Low	High	Qualifier
Volatile Organic Compounds (QCLot: 637812) - continued										
WT2212954-001	F2-R	methyl isobutyl ketone [MIBK]	108-10-1	E611D	92 µg/L	100 µg/L	92.3	60.0	140	----
		methyl-tert-butyl ether [MTBE]	1634-04-4	E611D	104 µg/L	100 µg/L	104	60.0	140	----
		styrene	100-42-5	E611D	95.6 µg/L	100 µg/L	95.6	60.0	140	----
		tetrachloroethane, 1,1,1,2-	630-20-6	E611D	109 µg/L	100 µg/L	109	60.0	140	----
		tetrachloroethane, 1,1,2,2-	79-34-5	E611D	106 µg/L	100 µg/L	106	60.0	140	----
		tetrachloroethylene	127-18-4	E611D	111 µg/L	100 µg/L	111	60.0	140	----
		toluene	108-88-3	E611D	104 µg/L	100 µg/L	104	60.0	140	----
		trichloroethane, 1,1,1-	71-55-6	E611D	115 µg/L	100 µg/L	115	60.0	140	----
		trichloroethane, 1,1,2-	79-00-5	E611D	100 µg/L	100 µg/L	100	60.0	140	----
		trichloroethylene	79-01-6	E611D	118 µg/L	100 µg/L	118	60.0	140	----
		trichlorofluoromethane	75-69-4	E611D	112 µg/L	100 µg/L	112	60.0	140	----
		vinyl chloride	75-01-4	E611D	95.6 µg/L	100 µg/L	95.6	60.0	140	----
		xylene, m+p-	179601-23-1	E611D	209 µg/L	200 µg/L	104	60.0	140	----
		xylene, o-	95-47-6	E611D	100 µg/L	100 µg/L	100	60.0	140	----
Volatile Organic Compounds [THMs] (QCLot: 637813)										
WT2212954-001	F2-R	bromodichloromethane	75-27-4	E611B	119 µg/L	100 µg/L	119	60.0	140	----
		bromoform	75-25-2	E611B	106 µg/L	100 µg/L	106	60.0	140	----
		chloroform	67-66-3	E611B	113 µg/L	100 µg/L	113	60.0	140	----
		dibromochloromethane	124-48-1	E611B	102 µg/L	100 µg/L	102	60.0	140	----
Disinfectant By-Products (QCLot: 635446)										
EO2207084-001	Anonymous	chlorate	14866-68-3	E409.CLO3	0.966 mg/L	1 mg/L	96.6	75.0	125	----
Disinfectant By-Products (QCLot: 635447)										
EO2207084-001	Anonymous	chlorite	14998-27-7	E409.CLO2	0.974 mg/L	1 mg/L	97.4	75.0	125	----
Haloacetic Acids (QCLot: 638905)										
CG2211691-001	Anonymous	dibromoacetic acid	631-64-1	E750	5.91 µg/L	5 µg/L	118	50.0	150	----
		dichloroacetic acid	79-43-6	E750	ND µg/L	5 µg/L	ND	50.0	150	----
		monobromoacetic acid	79-08-3	E750	0.75 µg/L	1 µg/L	75.4	50.0	150	----
		monochloroacetic acid	79-11-8	E750	2.78 µg/L	2.5 µg/L	111	50.0	150	----
		trichloroacetic acid	76-03-9	E750	ND µg/L	5 µg/L	ND	50.0	150	----
Carbamate Pesticides (QCLot: 638961)										
WT2212954-001	F2-R	diuron	330-54-1	E712B	9.8 µg/L	10 µg/L	97.9	70.0	130	----
Herbicides (QCLot: 633946)										
CG2211713-001	Anonymous	AMPA	74341-63-2	E716A	4.90 µg/L	5 µg/L	98.0	70.0	130	----
		glyphosate	1071-83-6	E716A	4.98 µg/L	5 µg/L	99.7	70.0	130	----



Sub-Matrix: Water					Matrix Spike (MS) Report					
					Spike		Recovery (%)	Recovery Limits (%)		
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	Concentration	Target	MS	Low	High	Qualifier
Herbicides (QCLot: 634443)										
CG2211713-001	Anonymous	acetic acid, 2-methyl-4-chlorophenoxy-[MCPA]	94-74-6	E706A	1.14 µg/L	1 µg/L	114	50.0	130	----
		bromoxynil	1689-84-5	E706A	0.664 µg/L	1 µg/L	66.4	50.0	130	----
		dicamba	1918-00-9	E706A	1.65 µg/L	2 µg/L	82.3	50.0	150	----
		dichlorophenoxyacetic acid, 2,4- [2,4-D]	94-75-7	E706A	0.901 µg/L	1 µg/L	90.1	50.0	130	----
		dinoseb	88-85-7	E706A	0.704 µg/L	1 µg/L	70.4	50.0	130	----
		picloram	1918-02-1	E706A	1.75 µg/L	2 µg/L	87.7	50.0	150	----
		trichlorophenoxypropionic acid, 2,4,5-[2,4,5-TP]	93-72-1	E706A	0.939 µg/L	1 µg/L	93.9	50.0	130	----
Herbicides (QCLot: 637025)										
WT2212954-001	F2-R	diquat (ion)	2764-72-9	E723A	25.2 µg/L	25 µg/L	101	70.0	130	----
		paraquat (as dichloride)	1910-42-5	E723A	20.7 µg/L	25 µg/L	83.0	70.0	130	----
Nitrosamines (QCLot: 638901)										
WT2213464-002	Anonymous	nitrosodimethylamine, n- [NDMA]	62-75-9	E725-T	0.00437 µg/L	0.005 µg/L	81.2	50.0	150	----

Qualifiers

Qualifier	Description
K	Matrix Spike recovery outside ALS DQO due to sample matrix effects.
MES	Data Quality Objective was marginally exceeded (by < 10% absolute) for < 10% of analytes in a Multi-Element Scan / Multi-Parameter Scan (considered acceptable as per OMOE & CCME).



www.alsglobal.com

Chain of Custody (COC) / Analytical Request Form

Canada Toll Free: 1 800 668 9878

COC Number: 21

Environmental Division
Waterloo
Work Order Reference
WT2212954

Page

Contact and company name below will appear on the final report

Port To

Company: Aecom

Project: Matthew Alexander

Company address below will appear on the final report

505 Sportsworld Crossing

Kitchener, ON

N2P 0A4

Same as Report To

Copy of Invoice with Report

Township of Centre Wellington

Adam Gilmore

Project Information

ALS Account # / Quote # Q87626 + Q89943

Job #:

PO / AFE:

LSI:

ALS Lab Work Order # (ALS use only):

Sample Identification and/or Coordinates

(This description will appear on the report)

FL-R

02-09-22

09:35

6w

32

Q87626 + Q89943

Indicate Filtered (F), Preserved (P) or Filtered and Preserved (FP) below

SAMPLES ON HOLD

EXTENDED STORAGE REQUIRED

SUSPECTED HAZARD (see notes)

Reports / Recipients

Select Report Format:

PDF EXCEL EDO (DIGITAL)

Merge QC/QCI Reports with COA

Compare Results to Criteria on Report - provide details below if box checked

Select Distribution:

Email 1 or Fax: Matthew.Alexander@aecom.com

Email 2: A.Gilmore@centrewellington.ca

Email 3:

Invoice Recipients

Select Invoice Distribution:

Email 1 or Fax

Oil and Gas Required Fields (client use)

Turnaround Time (TAT) Requested

Indicate Filtered (F), Preserved (P) or Filtered and Preserved (FP) below

For all tests with rush TATs requested, please contact your Ad to confirm availability.

Analysis Request

Indicate Filtered (F), Preserved (P) or Filtered and Preserved (FP) below

For all tests with rush TATs requested, please contact your Ad to confirm availability.

Analysis Request

Indicate Filtered (F), Preserved (P) or Filtered and Preserved (FP) below

For all tests with rush TATs requested, please contact your Ad to confirm availability.

Analysis Request

Indicate Filtered (F), Preserved (P) or Filtered and Preserved (FP) below

For all tests with rush TATs requested, please contact your Ad to confirm availability.

Analysis Request

Indicate Filtered (F), Preserved (P) or Filtered and Preserved (FP) below

For all tests with rush TATs requested, please contact your Ad to confirm availability.

Analysis Request

Indicate Filtered (F), Preserved (P) or Filtered and Preserved (FP) below

For all tests with rush TATs requested, please contact your Ad to confirm availability.

Analysis Request

Indicate Filtered (F), Preserved (P) or Filtered and Preserved (FP) below

For all tests with rush TATs requested, please contact your Ad to confirm availability.

Analysis Request

Indicate Filtered (F), Preserved (P) or Filtered and Preserved (FP) below

For all tests with rush TATs requested, please contact your Ad to confirm availability.

Analysis Request

Indicate Filtered (F), Preserved (P) or Filtered and Preserved (FP) below

For all tests with rush TATs requested, please contact your Ad to confirm availability.

Analysis Request

Indicate Filtered (F), Preserved (P) or Filtered and Preserved (FP) below

For all tests with rush TATs requested, please contact your Ad to confirm availability.

Analysis Request

Indicate Filtered (F), Preserved (P) or Filtered and Preserved (FP) below

For all tests with rush TATs requested, please contact your Ad to confirm availability.

Analysis Request

Indicate Filtered (F), Preserved (P) or Filtered and Preserved (FP) below

For all tests with rush TATs requested, please contact your Ad to confirm availability.

Analysis Request

Indicate Filtered (F), Preserved (P) or Filtered and Preserved (FP) below

For all tests with rush TATs requested, please contact your Ad to confirm availability.

Analysis Request

Indicate Filtered (F), Preserved (P) or Filtered and Preserved (FP) below

For all tests with rush TATs requested, please contact your Ad to confirm availability.

Analysis Request

Indicate Filtered (F), Preserved (P) or Filtered and Preserved (FP) below



Telephone: +1 519 886 8910

cd-mntr-vy htrm anipm

For all tests with rush TATs requested, please contact your Ad to confirm availability.

Analysis Request

Indicate Filtered (F), Preserved (P) or Filtered and Preserved (FP) below

For all tests with rush TATs requested, please contact your Ad to confirm availability.

Analysis Request

Indicate Filtered (F), Preserved (P) or Filtered and Preserved (FP) below

For all tests with rush TATs requested, please contact your Ad to confirm availability.

Analysis Request

Indicate Filtered (F), Preserved (P) or Filtered and Preserved (FP) below

For all tests with rush TATs requested, please contact your Ad to confirm availability.

Analysis Request

Indicate Filtered (F), Preserved (P) or Filtered and Preserved (FP) below

For all tests with rush TATs requested, please contact your Ad to confirm availability.

Analysis Request

Indicate Filtered (F), Preserved (P) or Filtered and Preserved (FP) below

For all tests with rush TATs requested, please contact your Ad to confirm availability.

Analysis Request

Indicate Filtered (F), Preserved (P) or Filtered and Preserved (FP) below

For all tests with rush TATs requested, please contact your Ad to confirm availability.

Analysis Request

Indicate Filtered (F), Preserved (P) or Filtered and Preserved (FP) below

For all tests with rush TATs requested, please contact your Ad to confirm availability.

Analysis Request

Indicate Filtered (F), Preserved (P) or Filtered and Preserved (FP) below

For all tests with rush TATs requested, please contact your Ad to confirm availability.

Analysis Request

Indicate Filtered (F), Preserved (P) or Filtered and Preserved (FP) below

For all tests with rush TATs requested, please contact your Ad to confirm availability.

Analysis Request

Indicate Filtered (F), Preserved (P) or Filtered and Preserved (FP) below

For all tests with rush TATs requested, please contact your Ad to confirm availability.

Analysis Request

Indicate Filtered (F), Preserved (P) or Filtered and Preserved (FP) below

For all tests with rush TATs requested, please contact your Ad to confirm availability.

Analysis Request

Indicate Filtered (F), Preserved (P) or Filtered and Preserved (FP) below

For all tests with rush TATs requested, please contact your Ad to confirm availability.

CERTIFICATE OF ANALYSIS (GUIDELINE EVALUATION)**Work Order** : **WT2212954****Amendment** : **1****Client** : **Township of Centre Wellington****Contact** : Matthew Alexander**Address** : 1 MacDonald Square
Elora ON Canada N0B 1S0**Telephone** : ----**Project** : ----**PO** : ----**C-O-C number** : 20-1007481**Sampler** : ----**Site** : ----**Quote number** : Special Non - Regulated Water**No. of samples received** : 1**No. of samples analysed** : 1**Page** : 1 of 18**Laboratory** : Waterloo - Environmental**Account Manager** : Candice Hunter**Address** : 60 Northland Road, Unit 1
Waterloo, Ontario Canada N2V 2B8**Telephone** : +1 519 886 6910**Date Samples Received** : 02-Sep-2022 11:45**Date Analysis Commenced** : 02-Sep-2022**Issue Date** : 04-Oct-2022 14:46

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results
- Guideline Comparison

Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QC Interpretive report to assist with Quality Review and Sample Receipt Notification (SRN).

Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is conducted in accordance with US FDA 21 CFR Part 11.

<i>Signatories</i>	<i>Position</i>	<i>Laboratory Department</i>
Adam Boettger	Team Leader - LCMS	LCMS, Waterloo, Ontario
Andrea Armstrong	Department Manager - Air Quality and Volatiles	Air Quality, Waterloo, Ontario
Greg Pokocky	Supervisor - Inorganic	Inorganics, Waterloo, Ontario
Greg Pokocky	Supervisor - Inorganic	Metals, Waterloo, Ontario
Jennifer Siemiernik		Metals, Waterloo, Ontario
Jeremy Gingras	Team Leader - Semi-Volatile Instrumentation	Organics, Waterloo, Ontario
Jihun Jeon	Laboratory Analyst	LCMS, Waterloo, Ontario
Jocelyn Kennedy	Department Manager - Semi-Volatile Organics	Organics, Waterloo, Ontario
Michelle Michalchuk	Analyst	Organics, Winnipeg, Manitoba
Ruby Sujeepan		Microbiology, Waterloo, Ontario
Sarah Birch	Team Leader - Volatiles	Organics, Waterloo, Ontario



Summary of Guideline Breaches by Sample

SampleID/Client ID	Matrix	Analyte	Analyte Summary	Guideline	Category	Result	Limit
F2-R	Water	solids, total dissolved [TDS]	Based on taste; TDS above 500 mg/L results in excessive scaling in water pipes, water heaters, boilers and appliances; TDS is composed of calcium, magnesium, sodium, potassium, carbonate, bicarbonate, chloride, sulphate and nitrate.	ONDWS	AO/OG	850 mg/L	500 mg/L
	Water	sodium, total	Based on taste; where a sodium-based water softener is used, a separate unsoftened supply for cooking and drinking purposes is recommended.	ONDWS	MAC	30.6 mg/L	20 mg/L

General Comments

The analytical methods used by ALS are developed using internationally recognized reference methods (where available), such as those published by US EPA, APHA Standard Methods, ASTM, ISO, Environment Canada, BC MOE, and Ontario MOE. Refer to the ALS Quality Control Interpretive report (QCI) for applicable references and methodology summaries. Reference methods may incorporate modifications to improve performance.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QA/QC Compliance Assessment to assist with Quality Review and Sample Receipt Notification.

When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes.

Application of guidelines is provided "as is" without warranty of any kind, either expressed or implied, including, but not limited to fitness for a particular purpose, or non-infringement. ALS assumes no responsibility for errors or omissions in the information. Guidelines are not adjusted for the hardness, pH or temperature of the sample (the most conservative values are used). Measurement uncertainty is not applied to test results prior to comparison with specified criteria values.

Key : LOR: Limit of Reporting (detection limit).

Unit	Description
µg/L	micrograms per litre
CU	colour units (1 CU = 1 mg/L Pt)
mg/L	milligrams per litre
MPN/100mL	most probable number per 100 mL
NTU	nephelometric turbidity units
pH units	pH units
ppmv	parts per million (volume/volume)



>: greater than.

<: less than.

Red shading is applied where the result is greater than the Guideline Upper Limit or the result is lower than the Guideline Lower Limit.

For drinking water samples, Red shading is applied where the result for E.coli, fecal or total coliforms is greater than or equal to the Guideline Upper Limit.

Workorder Comments

RRR: Results biased low due to sample preparation error.

<1 or Not Detected with LOR of 1 equals Zero (0).

Qualifiers

Qualifier	Description
DLDS	Detection Limit Raised: Dilution required due to high Dissolved Solids / Electrical Conductivity.
DLHC	Detection Limit Raised: Dilution required due to high concentration of test analyte(s).
DLM	Detection Limit Adjusted due to sample matrix effects (e.g. chemical interference, colour, turbidity).
RRR	Refer to report comments for issues regarding this analysis.

Matrix: Water

Matrix: Water	Client sample ID		F2-R	----	----	----	----	----	----
	Sampling date/time		02-Sep-2022 09:35	----	----	----	----	----	----
	Sub-Matrix		Water	----	----	----	----	----	----
Analyte	CAS Number	Unit	WT2212954-001	-----	-----	-----	-----	-----	-----
Physical Tests									
colour, true	----	CU	<2.0	----	----	----	----	----	----
hardness (as CaCO3), from total Ca/Mg	----	mg/L	637	----	----	----	----	----	----
pH	----	pH units	8.24	----	----	----	----	----	----
solids, total dissolved [TDS]	----	mg/L	850 <small>DLDS</small>	----	----	----	----	----	----
turbidity	----	NTU	<1.00	----	----	----	----	----	----
alkalinity, total (as CaCO3)	----	mg/L	238	----	----	----	----	----	----
Anions and Nutrients									
chloride	16887-00-6	mg/L	51.7 <small>DLDS</small>	----	----	----	----	----	----
fluoride	16984-48-8	mg/L	0.742 <small>DLDS</small>	----	----	----	----	----	----
nitrate (as N)	14797-55-8	mg/L	<0.100 <small>DLDS</small>	----	----	----	----	----	----
nitrite (as N)	14797-65-0	mg/L	<0.050 <small>DLDS</small>	----	----	----	----	----	----
nitrogen, total organic	----	mg/L	<0.123	----	----	----	----	----	----
sulfate (as SO4)	14808-79-8	mg/L	361 <small>DLDS</small>	----	----	----	----	----	----
ammonia, total (as N)	7664-41-7	mg/L	0.114	----	----	----	----	----	----
Kjeldahl nitrogen, total [TKN]	----	mg/L	0.120	----	----	----	----	----	----
Cyanides									
cyanide, strong acid dissociable (total)	----	mg/L	<0.0050	----	----	----	----	----	----
Organic / Inorganic Carbon									
carbon, dissolved organic [DOC]	----	mg/L	0.93	----	----	----	----	----	----
Total Sulfides									
sulfide, total (as S)	18496-25-8	mg/L	<0.018	----	----	----	----	----	----
Microbiological Tests									
coliforms, total	----	MPN/100mL	Not Detected	----	----	----	----	----	----
coliforms, Escherichia coli [E. coli]	----	MPN/100mL	Not Detected	----	----	----	----	----	----
Total Metals									
aluminum, total	7429-90-5	mg/L	0.0067	----	----	----	----	----	----

Matrix: Water	Client sample ID		F2-R	----	----	----	----	----	----
	Sampling date/time		02-Sep-2022 09:35	----	----	----	----	----	----
	Sub-Matrix		Water	----	----	----	----	----	----
	Analyte	CAS Number	Unit	WT2212954-001	-----	-----	-----	-----	-----
Total Metals									
antimony, total	7440-36-0	µg/L	<0.60	----	----	----	----	----	----
antimony, total	7440-36-0	mg/L	0.00020	----	----	----	----	----	----
arsenic, total	7440-38-2	µg/L	<1.0	----	----	----	----	----	----
arsenic, total	7440-38-2	mg/L	0.00074	----	----	----	----	----	----
barium, total	7440-39-3	µg/L	40	----	----	----	----	----	----
barium, total	7440-39-3	mg/L	0.0372	----	----	----	----	----	----
beryllium, total	7440-41-7	mg/L	<0.000020	----	----	----	----	----	----
bismuth, total	7440-69-9	mg/L	<0.000050	----	----	----	----	----	----
boron, total	7440-42-8	µg/L	<50	----	----	----	----	----	----
boron, total	7440-42-8	mg/L	0.044	----	----	----	----	----	----
cadmium, total	7440-43-9	µg/L	<0.10	----	----	----	----	----	----
cadmium, total	7440-43-9	mg/L	<0.0000050	----	----	----	----	----	----
calcium, total	7440-70-2	mg/L	184	----	----	----	----	----	----
cesium, total	7440-46-2	mg/L	0.000012	----	----	----	----	----	----
chromium, total	7440-47-3	µg/L	<1.0	----	----	----	----	----	----
chromium, total	7440-47-3	mg/L	<0.00050	----	----	----	----	----	----
cobalt, total	7440-48-4	mg/L	<0.00010	----	----	----	----	----	----
copper, total	7440-50-8	mg/L	<0.00050	----	----	----	----	----	----
iron, total	7439-89-6	mg/L	0.089	----	----	----	----	----	----
lead, total	7439-92-1	mg/L	0.000104	----	----	----	----	----	----
lithium, total	7439-93-2	mg/L	0.0065	----	----	----	----	----	----
magnesium, total	7439-95-4	mg/L	43.2	----	----	----	----	----	----
manganese, total	7439-96-5	mg/L	0.00517	----	----	----	----	----	----
mercury, total	7439-97-6	µg/L	<0.100	----	----	----	----	----	----
molybdenum, total	7439-98-7	mg/L	0.00135	----	----	----	----	----	----
nickel, total	7440-02-0	mg/L	0.00099	----	----	----	----	----	----
phosphorus, total	7723-14-0	mg/L	<0.050	----	----	----	----	----	----
potassium, total	7440-09-7	mg/L	1.82	----	----	----	----	----	----
rubidium, total	7440-17-7	mg/L	0.00107	----	----	----	----	----	----
selenium, total	7782-49-2	µg/L	<1.0	----	----	----	----	----	----

Matrix: Water	Client sample ID		F2-R	----	----	----	----	----	----
	Sampling date/time		02-Sep-2022 09:35	----	----	----	----	----	----
	Sub-Matrix		Water	----	----	----	----	----	----
	Analyte	CAS Number	Unit	WT2212954-001	-----	-----	-----	-----	-----
Total Metals									
selenium, total	7782-49-2	mg/L	<0.000050	----	----	----	----	----	----
silicon, total	7440-21-3	mg/L	4.91	----	----	----	----	----	----
silver, total	7440-22-4	mg/L	<0.000010	----	----	----	----	----	----
sodium, total	7440-23-5	mg/L	30.6	----	----	----	----	----	----
strontium, total	7440-24-6	mg/L	5.44 ^{DLHC}	----	----	----	----	----	----
sulfur, total	7704-34-9	mg/L	131	----	----	----	----	----	----
tellurium, total	13494-80-9	mg/L	0.00047	----	----	----	----	----	----
thallium, total	7440-28-0	mg/L	0.000021	----	----	----	----	----	----
thorium, total	7440-29-1	mg/L	<0.00010	----	----	----	----	----	----
tin, total	7440-31-5	mg/L	<0.00010	----	----	----	----	----	----
titanium, total	7440-32-6	mg/L	<0.00030	----	----	----	----	----	----
tungsten, total	7440-33-7	mg/L	<0.00010	----	----	----	----	----	----
uranium, total	7440-61-1	µg/L	<2.0	----	----	----	----	----	----
uranium, total	7440-61-1	mg/L	0.000247	----	----	----	----	----	----
vanadium, total	7440-62-2	mg/L	<0.00050	----	----	----	----	----	----
zinc, total	7440-66-6	mg/L	0.0129	----	----	----	----	----	----
zirconium, total	7440-67-7	mg/L	<0.00020	----	----	----	----	----	----
Aggregate Organics									
nitritotriacetic acid [NTA]	139-13-9	mg/L	<0.20	----	----	----	----	----	----
Dissolved Gases									
methane	74-82-8	µg/L	1.7	----	----	----	----	----	----
methane	74-82-8	ppmv	7.1 ^{RRR}	----	----	----	----	----	----
Volatile Organic Compounds									
Acetone	67-64-1	µg/L	<20	----	----	----	----	----	----
benzene	71-43-2	µg/L	<0.50	----	----	----	----	----	----
bromodichloromethane	75-27-4	µg/L	<0.50	----	----	----	----	----	----
bromoform	75-25-2	µg/L	<0.50	----	----	----	----	----	----
bromomethane	74-83-9	µg/L	<0.50	----	----	----	----	----	----
carbon tetrachloride	56-23-5	µg/L	<0.20	----	----	----	----	----	----

Analytical Results Evaluation

Matrix: Water

Matrix: Water			Client sample ID	F2-R	----	----	----	----	----	----
			Sampling date/time	02-Sep-2022 09:35	----	----	----	----	----	----
			Sub-Matrix	Water	----	----	----	----	----	----
Analyte	CAS Number	Unit	WT2212954-001	-----	-----	-----	-----	-----	-----	-----
Volatile Organic Compounds										
chlorobenzene	108-90-7	µg/L	<0.50	----	----	----	----	----	----	----
chloroform	67-66-3	µg/L	<0.50	----	----	----	----	----	----	----
dibromochloromethane	124-48-1	µg/L	<0.50	----	----	----	----	----	----	----
dibromoethane, 1,2-	106-93-4	µg/L	<0.20	----	----	----	----	----	----	----
dichlorobenzene, 1,2-	95-50-1	µg/L	<0.50	----	----	----	----	----	----	----
dichlorobenzene, 1,3-	541-73-1	µg/L	<0.50	----	----	----	----	----	----	----
dichlorobenzene, 1,4-	106-46-7	µg/L	<0.50	----	----	----	----	----	----	----
dichlorodifluoromethane	75-71-8	µg/L	<0.50	----	----	----	----	----	----	----
dichloroethane, 1,1-	75-34-3	µg/L	<0.50	----	----	----	----	----	----	----
dichloroethane, 1,2-	107-06-2	µg/L	<0.50	----	----	----	----	----	----	----
dichloroethylene, 1,1-	75-35-4	µg/L	<0.50	----	----	----	----	----	----	----
dichloroethylene, cis-1,2-	156-59-2	µg/L	<0.50	----	----	----	----	----	----	----
dichloroethylene, trans-1,2-	156-60-5	µg/L	<0.50	----	----	----	----	----	----	----
dichloromethane	75-09-2	µg/L	<1.0	----	----	----	----	----	----	----
dichloropropane, 1,2-	78-87-5	µg/L	<0.50	----	----	----	----	----	----	----
dichloropropylene, cis+trans-1,3-	542-75-6	µg/L	<0.50	----	----	----	----	----	----	----
dichloropropylene, cis-1,3-	10061-01-5	µg/L	<0.30	----	----	----	----	----	----	----
dichloropropylene, trans-1,3-	10061-02-6	µg/L	<0.30	----	----	----	----	----	----	----
ethylbenzene	100-41-4	µg/L	<0.50	----	----	----	----	----	----	----
hexane, n-	110-54-3	µg/L	<0.50	----	----	----	----	----	----	----
methyl ethyl ketone [MEK]	78-93-3	µg/L	<20	----	----	----	----	----	----	----
methyl isobutyl ketone [MIBK]	108-10-1	µg/L	<20	----	----	----	----	----	----	----
methyl-tert-butyl ether [MTBE]	1634-04-4	µg/L	<0.50	----	----	----	----	----	----	----
styrene	100-42-5	µg/L	<0.50	----	----	----	----	----	----	----
tetrachloroethane, 1,1,1,2-	630-20-6	µg/L	<0.50	----	----	----	----	----	----	----
tetrachloroethane, 1,1,2,2-	79-34-5	µg/L	<0.50	----	----	----	----	----	----	----
tetrachloroethylene	127-18-4	µg/L	<0.50	----	----	----	----	----	----	----
toluene	108-88-3	µg/L	<0.50	----	----	----	----	----	----	----
trichloroethane, 1,1,1-	71-55-6	µg/L	<0.50	----	----	----	----	----	----	----
trichloroethane, 1,1,2-	79-00-5	µg/L	<0.50	----	----	----	----	----	----	----

Matrix: Water	Client sample ID		F2-R	----	----	----	----	----	----
	Sampling date/time		02-Sep-2022 09:35	----	----	----	----	----	----
	Sub-Matrix		Water	----	----	----	----	----	----
	Analyte	CAS Number	Unit	WT2212954-001	-----	-----	-----	-----	-----
Volatile Organic Compounds									
trichloroethylene	79-01-6	µg/L	<0.50	----	----	----	----	----	----
trichlorofluoromethane	75-69-4	µg/L	<0.50	----	----	----	----	----	----
vinyl chloride	75-01-4	µg/L	<0.50	----	----	----	----	----	----
xylene, m+p-	179601-23-1	µg/L	<0.40	----	----	----	----	----	----
xylene, o-	95-47-6	µg/L	<0.30	----	----	----	----	----	----
xylenes, total	1330-20-7	µg/L	<0.50	----	----	----	----	----	----
BTEX, total	----	µg/L	<1.0	----	----	----	----	----	----
Volatile Organic Compounds [THMs]									
bromodichloromethane	75-27-4	µg/L	<1.0	----	----	----	----	----	----
bromoform	75-25-2	µg/L	<1.0	----	----	----	----	----	----
chloroform	67-66-3	µg/L	<1.0	----	----	----	----	----	----
dibromochloromethane	124-48-1	µg/L	<1.0	----	----	----	----	----	----
trihalomethanes [THMs], total	----	µg/L	<2.0	----	----	----	----	----	----
Volatile Organic Compounds [THMs] Surrogates									
bromofluorobenzene, 4-	460-00-4	%	89.7	----	----	----	----	----	----
difluorobenzene, 1,4-	540-36-3	%	104	----	----	----	----	----	----
Volatile Organic Compounds Surrogates									
bromofluorobenzene, 4-	460-00-4	%	89.7	----	----	----	----	----	----
difluorobenzene, 1,4-	540-36-3	%	104	----	----	----	----	----	----
Polycyclic Aromatic Hydrocarbons									
benzo(a)pyrene	50-32-8	µg/L	<0.0050	----	----	----	----	----	----
Polycyclic Aromatic Hydrocarbons Surrogates									
chrysene-d12	1719-03-5	%	109	----	----	----	----	----	----
naphthalene-d8	1146-65-2	%	91.6	----	----	----	----	----	----
phenanthrene-d10	1517-22-2	%	104	----	----	----	----	----	----
Disinfectant By-Products									
chlorate	14866-68-3	mg/L	<0.010	----	----	----	----	----	----
chlorite	14998-27-7	mg/L	<0.010	----	----	----	----	----	----



Analytical Results Evaluation

Matrix: Water			Client sample ID	F2-R	----	----	----	----	----	----
			Sampling date/time	02-Sep-2022 09:35	----	----	----	----	----	----
			Sub-Matrix	Water	----	----	----	----	----	----
Analyte	CAS Number	Unit	WT2212954-001	-----	-----	-----	-----	-----	-----	-----
Pesticides										
alachlor	15972-60-8	µg/L	<0.10	----	----	----	----	----	----	----
atrazine	1912-24-9	µg/L	<0.10	----	----	----	----	----	----	----
atrazine + n-dealkylated metabolites	----	µg/L	<0.20	----	----	----	----	----	----	----
atrazine-desethyl	6190-65-4	µg/L	<0.10	----	----	----	----	----	----	----
azinphos-methyl	86-50-0	µg/L	<0.10	----	----	----	----	----	----	----
carbaryl	63-25-2	µg/L	<0.20	----	----	----	----	----	----	----
carbofuran	1563-66-2	µg/L	<0.20	----	----	----	----	----	----	----
chlorpyrifos	2921-88-2	µg/L	<0.10	----	----	----	----	----	----	----
diazinon	333-41-5	µg/L	<0.10	----	----	----	----	----	----	----
diclofop-methyl	51338-27-3	µg/L	<0.10	----	----	----	----	----	----	----
dimethoate	60-51-5	µg/L	<0.10	----	----	----	----	----	----	----
malathion	121-75-5	µg/L	<0.10	----	----	----	----	----	----	----
metolachlor	51218-45-2	µg/L	<0.10	----	----	----	----	----	----	----
metribuzin	21087-64-9	µg/L	<0.10	----	----	----	----	----	----	----
phorate	298-02-2	µg/L	<0.50 ^{DLM}	----	----	----	----	----	----	----
prometryn	7287-19-6	µg/L	<0.10	----	----	----	----	----	----	----
simazine	122-34-9	µg/L	<0.10	----	----	----	----	----	----	----
terbufos	13071-79-9	µg/L	<0.50 ^{DLM}	----	----	----	----	----	----	----
triallate	2303-17-5	µg/L	<0.10	----	----	----	----	----	----	----
trifluralin	1582-09-8	µg/L	<0.10	----	----	----	----	----	----	----
Pesticides Surrogates										
fluorobiphenyl, 2-	321-60-8	%	77.3	----	----	----	----	----	----	----
terphenyl-d14, p-	1718-51-0	%	90.7	----	----	----	----	----	----	----
Nitrosamines Surrogates										
nitrosodimethylamine-d6, n-	17829-05-9	%	95.9	----	----	----	----	----	----	----
Organic Parameters										
microcystin	101043-37-2	µg/L	<0.20	----	----	----	----	----	----	----

Please refer to the General Comments section for an explanation of any qualifiers detected.



Summary of Guideline Limits

Analyte	CAS Number	Unit	ONDWS AO/OG	ONDWS MAC					
Physical Tests									
alkalinity, total (as CaCO ₃)	----	mg/L	30 - 500 mg/L						
colour, true	----	CU							
hardness (as CaCO ₃), from total Ca/Mg	----	mg/L							
pH	----	pH units	6.5 - 8.5 pH units						
solids, total dissolved [TDS]	----	mg/L	500 mg/L						
turbidity	----	NTU	5 NTU						
Anions and Nutrients									
ammonia, total (as N)	7664-41-7	mg/L							
chloride	16887-00-6	mg/L	250 mg/L						
fluoride	16984-48-8	mg/L		1.5 mg/L					
Kjeldahl nitrogen, total [TKN]	----	mg/L							
nitrate (as N)	14797-55-8	mg/L		10 mg/L					
nitrite (as N)	14797-65-0	mg/L		1 mg/L					
nitrogen, total organic	----	mg/L							
sulfate (as SO ₄)	14808-79-8	mg/L							
Cyanides									
cyanide, strong acid dissociable (total)	----	mg/L		0.2 mg/L					
Organic / Inorganic Carbon									
carbon, dissolved organic [DOC]	----	mg/L	5 mg/L						
Total Sulfides									
sulfide, total (as S)	18496-25-8	mg/L	0.05 mg/L						
Microbiological Tests									
coliforms, Escherichia coli [E. coli]	----	MPN/100mL		1 MPN/100mL					
coliforms, total	----	MPN/100mL		1 MPN/100mL					
Total Metals									
aluminum, total	7429-90-5	mg/L	0.1 mg/L						
antimony, total	7440-36-0	µg/L		0.006 mg/L					
antimony, total	7440-36-0	mg/L		0.006 mg/L					
arsenic, total	7440-38-2	µg/L		0.01 mg/L					
arsenic, total	7440-38-2	mg/L		0.01 mg/L					
barium, total	7440-39-3	µg/L		1 mg/L					
barium, total	7440-39-3	mg/L		1 mg/L					
beryllium, total	7440-41-7	mg/L							
bismuth, total	7440-69-9	mg/L							
boron, total	7440-42-8	µg/L		5 mg/L					
boron, total	7440-42-8	mg/L		5 mg/L					



Analyte	CAS Number	Unit	ONDWS AO/OG	ONDWS MAC					
Total Metals - Continued									
cadmium, total	7440-43-9	µg/L		0.005 mg/L					
cadmium, total	7440-43-9	mg/L		0.005 mg/L					
calcium, total	7440-70-2	mg/L							
cesium, total	7440-46-2	mg/L							
chromium, total	7440-47-3	µg/L		0.05 mg/L					
chromium, total	7440-47-3	mg/L		0.05 mg/L					
cobalt, total	7440-48-4	mg/L							
copper, total	7440-50-8	mg/L	1 mg/L						
iron, total	7439-89-6	mg/L	0.3 mg/L						
lead, total	7439-92-1	mg/L		0.01 mg/L					
lithium, total	7439-93-2	mg/L							
magnesium, total	7439-95-4	mg/L							
manganese, total	7439-96-5	mg/L	0.05 mg/L						
mercury, total	7439-97-6	µg/L		1 µg/L					
molybdenum, total	7439-98-7	mg/L							
nickel, total	7440-02-0	mg/L							
phosphorus, total	7723-14-0	mg/L							
potassium, total	7440-09-7	mg/L							
rubidium, total	7440-17-7	mg/L							
selenium, total	7782-49-2	µg/L		0.05 mg/L					
selenium, total	7782-49-2	mg/L		0.05 mg/L					
silicon, total	7440-21-3	mg/L							
silver, total	7440-22-4	mg/L							
sodium, total	7440-23-5	mg/L	200 mg/L	20 mg/L					
strontium, total	7440-24-6	mg/L							
sulfur, total	7704-34-9	mg/L							
tellurium, total	13494-80-9	mg/L							
thallium, total	7440-28-0	mg/L							
thorium, total	7440-29-1	mg/L							
tin, total	7440-31-5	mg/L							
titanium, total	7440-32-6	mg/L							
tungsten, total	7440-33-7	mg/L							
uranium, total	7440-61-1	µg/L		0.02 mg/L					
uranium, total	7440-61-1	mg/L		0.02 mg/L					
vanadium, total	7440-62-2	mg/L							
zinc, total	7440-66-6	mg/L	5 mg/L						
zirconium, total	7440-67-7	mg/L							
Aggregate Organics									
nitritotriacetic acid [NTA]	139-13-9	mg/L		0.4 mg/L					



Analyte	CAS Number	Unit	ONDWS AO/OG	ONDWS MAC					
Dissolved Gases									
methane	74-82-8	µg/L							
methane	74-82-8	ppmv							
Volatile Organic Compounds									
Acetone	67-64-1	µg/L							
benzene	71-43-2	µg/L		1 µg/L					
bromodichloromethane	75-27-4	µg/L							
bromoform	75-25-2	µg/L							
bromomethane	74-83-9	µg/L							
BTEX, total	----	µg/L							
carbon tetrachloride	56-23-5	µg/L		2 µg/L					
chlorobenzene	108-90-7	µg/L	30 µg/L	80 µg/L					
chloroform	67-66-3	µg/L							
dibromochloromethane	124-48-1	µg/L							
dibromoethane, 1,2-	106-93-4	µg/L							
dichlorobenzene, 1,2-	95-50-1	µg/L	3 µg/L	200 µg/L					
dichlorobenzene, 1,3-	541-73-1	µg/L							
dichlorobenzene, 1,4-	106-46-7	µg/L	1 µg/L	5 µg/L					
dichlorodifluoromethane	75-71-8	µg/L							
dichloroethane, 1,1-	75-34-3	µg/L							
dichloroethane, 1,2-	107-06-2	µg/L		5 µg/L					
dichloroethylene, 1,1-	75-35-4	µg/L		14 µg/L					
dichloroethylene, cis-1,2-	156-59-2	µg/L							
dichloroethylene, trans-1,2-	156-60-5	µg/L							
dichloromethane	75-09-2	µg/L		50 µg/L					
dichloropropane, 1,2-	78-87-5	µg/L							
dichloropropylene, cis+trans-1,3-	542-75-6	µg/L							
dichloropropylene, cis-1,3-	10061-01-5	µg/L							
dichloropropylene, trans-1,3-	10061-02-6	µg/L							
ethylbenzene	100-41-4	µg/L	2.4 µg/L	140 µg/L					
hexane, n-	110-54-3	µg/L							
methyl ethyl ketone [MEK]	78-93-3	µg/L							
methyl isobutyl ketone [MIBK]	108-10-1	µg/L							
methyl-tert-butyl ether [MTBE]	1634-04-4	µg/L		15 µg/L					
styrene	100-42-5	µg/L							
tetrachloroethane, 1,1,1,2-	630-20-6	µg/L							
tetrachloroethane, 1,1,2,2-	79-34-5	µg/L							
tetrachloroethylene	127-18-4	µg/L		10 µg/L					
toluene	108-88-3	µg/L	24 µg/L	60 µg/L					
trichloroethane, 1,1,1-	71-55-6	µg/L							



Analyte	CAS Number	Unit	ONDWS AO/OG	ONDWS MAC					
Volatile Organic Compounds - Continued									
trichloroethane, 1,1,2-	79-00-5	µg/L							
trichloroethylene	79-01-6	µg/L		5 µg/L					
trichlorofluoromethane	75-69-4	µg/L							
vinyl chloride	75-01-4	µg/L		1 µg/L					
xylene, m+p-	179601-23-1	µg/L							
xylene, o-	95-47-6	µg/L							
xylenes, total	1330-20-7	µg/L	300 µg/L	90 µg/L					
bromodichloromethane	75-27-4	µg/L							
bromoform	75-25-2	µg/L							
chloroform	67-66-3	µg/L							
dibromochloromethane	124-48-1	µg/L							
trihalomethanes [THMs], total	----	µg/L		100 µg/L					
Polycyclic Aromatic Hydrocarbons									
benzo(a)pyrene	50-32-8	µg/L		0.01 µg/L					
Disinfectant By-Products									
chlorate	14866-68-3	mg/L		1 mg/L					
chlorite	14998-27-7	mg/L		1 mg/L					
Haloacetic Acids									
dibromoacetic acid	631-64-1	µg/L							
dichloroacetic acid	79-43-6	µg/L							
haloacetic acids, total [HAA5]	----	µg/L		80 µg/L					
monobromoacetic acid	79-08-3	µg/L							
monochloroacetic acid	79-11-8	µg/L							
trichloroacetic acid	76-03-9	µg/L							
Semi-Volatile Organics									
nitrosodimethylamine, n- [NDMA]	62-75-9	µg/L		0.009 µg/L					
Chlorinated Phenolics									
dichlorophenol, 2,4-	120-83-2	µg/L	0.3 µg/L	900 µg/L					
pentachlorophenol [PCP]	87-86-5	µg/L	30 µg/L	60 µg/L					
tetrachlorophenol, 2,3,4,6-	58-90-2	µg/L	1 µg/L	100 µg/L					
trichlorophenol, 2,4,6-	88-06-2	µg/L	2 µg/L	5 µg/L					
Polychlorinated Biphenyls									
Aroclor 1016	12674-11-2	µg/L							
Aroclor 1221	11104-28-2	µg/L							
Aroclor 1232	11141-16-5	µg/L							
Aroclor 1242	53469-21-9	µg/L							
Aroclor 1248	12672-29-6	µg/L							
Aroclor 1254	11097-69-1	µg/L							
Aroclor 1260	11096-82-5	µg/L							



Analyte	CAS Number	Unit	ONDWS AO/OG	ONDWS MAC					
Polychlorinated Biphenyls - Continued									
Aroclor 1262	37324-23-5	µg/L							
Aroclor 1268	11100-14-4	µg/L							
polychlorinated biphenyls [PCBs], total	----	µg/L		3 µg/L					
Carbamate Pesticides									
diuron	330-54-1	µg/L		150 µg/L					
chlordane, cis- (alpha)	5103-71-9	µg/L							
chlordane, trans- (gamma)	5103-74-2	µg/L							
DDD, 4,4'-	72-54-8	µg/L							
DDE, 4,4'-	72-55-9	µg/L							
DDT, 2,4'-	789-02-6	µg/L							
DDT, 4,4'-	50-29-3	µg/L							
oxychlordane	27304-13-8	µg/L							
Herbicides									
acetic acid, 2-methyl-4-chlorophenoxy- [MCPA]	94-74-6	µg/L		100 µg/L					
AMPA	74341-63-2	µg/L							
bromoxynil	1689-84-5	µg/L		5 µg/L					
dicamba	1918-00-9	µg/L		120 µg/L					
dichlorophenoxyacetic acid, 2,4- [2,4-D]	94-75-7	µg/L		100 µg/L					
dinoseb	88-85-7	µg/L		10 µg/L					
diquat (ion)	2764-72-9	µg/L							
glyphosate	1071-83-6	µg/L		280 µg/L					
paraquat (as dichloride)	1910-42-5	µg/L		10 µg/L					
picloram	1918-02-1	µg/L		190 µg/L					
trichlorophenoxypropionic acid, 2,4,5- [2,4,5-TP]	93-72-1	µg/L							
Pesticides									
alachlor	15972-60-8	µg/L		5 µg/L					
atrazine + n-dealkylated metabolites	----	µg/L		5 µg/L					
atrazine	1912-24-9	µg/L							
atrazine-desethyl	6190-65-4	µg/L							
azinphos-methyl	86-50-0	µg/L		20 µg/L					
carbaryl	63-25-2	µg/L		90 µg/L					
carbofuran	1563-66-2	µg/L		90 µg/L					
chlorpyrifos	2921-88-2	µg/L		90 µg/L					
diazinon	333-41-5	µg/L		20 µg/L					
diclofop-methyl	51338-27-3	µg/L		9 µg/L					
dimethoate	60-51-5	µg/L		20 µg/L					
malathion	121-75-5	µg/L		190 µg/L					
metolachlor	51218-45-2	µg/L		50 µg/L					
metribuzin	21087-64-9	µg/L		80 µg/L					



Analyte	CAS Number	Unit	ONDWS AO/OG	ONDWS MAC					
Pesticides - Continued									
phorate	298-02-2	µg/L		2 µg/L					
prometryn	7287-19-6	µg/L		1 µg/L					
simazine	122-34-9	µg/L		10 µg/L					
terbufos	13071-79-9	µg/L		1 µg/L					
triallate	2303-17-5	µg/L		230 µg/L					
trifluralin	1582-09-8	µg/L		45 µg/L					
Organic Parameters									
microcystin	101043-37-2	µg/L		1.5 µg/L					

Please refer to the General Comments section for an explanation of any qualifiers detected.

Key:		
ONDWS		Ontario Drinking Water Regulation (JAN, 2020)
AO/OG		Aesthetic Objective/Operational Guideline
MAC		Schedule 1 (Microbiological) and 2 (Chemical) Standards (JAN,2020)

QUALITY CONTROL INTERPRETIVE REPORT

Work Order	: WT2212954	Page	: 1 of 19
Amendment	: 1		
Client	: Township of Centre Wellington	Laboratory	: Waterloo - Environmental
Contact	: Matthew Alexander	Account Manager	: Candice Hunter
Address	: 1 MacDonald Square Elora ON Canada N0B 1S0	Address	: 60 Northland Road, Unit 1 Waterloo, Ontario Canada N2V 2B8
Telephone	: ----	Telephone	: +1 519 886 6910
Project	: ----	Date Samples Received	: 02-Sep-2022 11:45
PO	: ----	Issue Date	: 04-Oct-2022 14:46
C-O-C number	: 20-1007481		
Sampler	: ----		
Site	: ----		
Quote number	: Special Non - Regulated Water		
No. of samples received	: 1		
No. of samples analysed	: 1		

This report is automatically generated by the ALS LIMS (Laboratory Information Management System) through evaluation of Quality Control (QC) results and other QA parameters associated with this submission, and is intended to facilitate rapid data validation by auditors or reviewers. The report highlights any exceptions and outliers to ALS Data Quality Objectives, provides holding time details and exceptions, summarizes QC sample frequencies, and lists applicable methodology references and summaries.

Key

Anonymous: Refers to samples which are not part of this work order, but which formed part of the QC process lot.

CAS Number: Chemical Abstracts Service number is a unique identifier assigned to discrete substances.

DQO: Data Quality Objective.

LOR: Limit of Reporting (detection limit).

RPD: Relative Percent Difference.

Workorder Comments

Holding times are displayed as "----" if no guidance exists from CCME, Canadian provinces, or broadly recognized international references.

Summary of Outliers

Outliers : Quality Control Samples

- No Duplicate outliers occur.
- Method Blank value outliers occur - please see following pages for full details.
- Laboratory Control Sample (LCS) outliers occur - please see following pages for full details.
- Matrix Spike outliers occur - please see following pages for full details.
- No Test sample Surrogate recovery outliers exist.

Outliers: Reference Material (RM) Samples

- No Reference Material (RM) Sample outliers occur.

Outliers : Analysis Holding Time Compliance (Breaches)

- Analysis Holding Time Outliers exist - please see following pages for full details.

Outliers : Frequency of Quality Control Samples

- No Quality Control Sample Frequency Outliers occur.



Outliers : Quality Control Samples

Duplicates, Method Blanks, Laboratory Control Samples and Matrix Spikes

Matrix: Water

Analyte Group	Laboratory sample ID	Client/Ref Sample ID	Analyte	CAS Number	Method	Result	Limits	Comment
Method Blank (MB) Values								
Total Metals	QC-633334-001	----	magnesium, total	7439-95-4	E420	0.0114 ^B mg/L	0.005 mg/L	Blank result exceeds permitted value
Volatile Organic Compounds	QC-MRG2-6378120 01	----	dichloromethane	75-09-2	E611D	1.1 µg/L ^B	1 µg/L	Blank result exceeds permitted value

Result Qualifiers

Qualifier Description

B Method Blank exceeds ALS DQO. Associated sample results which are < Limit of Reporting or > 5 times blank level are considered reliable.

Laboratory Control Sample (LCS) Recoveries								
Pesticides	QC-633345-002	----	alachlor	15972-60-8	E660E-H	155 % ^{LCS-H}	60.0-130%	Recovery greater than upper control limit
Pesticides	QC-633345-002	----	atrazine	1912-24-9	E660E-H	147 % ^{LCS-H}	60.0-130%	Recovery greater than upper control limit
Pesticides	QC-633345-002	----	azinphos-methyl	86-50-0	E660E-H	196 % ^{LCS-H}	60.0-140%	Recovery greater than upper control limit
Pesticides	QC-633345-002	----	carbaryl	63-25-2	E660E-H	145 % ^{LCS-H}	50.0-140%	Recovery greater than upper control limit
Pesticides	QC-633345-002	----	carbofuran	1563-66-2	E660E-H	145 % ^{LCS-H}	60.0-140%	Recovery greater than upper control limit
Pesticides	QC-633345-002	----	chlorpyrifos	2921-88-2	E660E-H	156 % ^{LCS-H}	60.0-130%	Recovery greater than upper control limit
Pesticides	QC-633345-002	----	diclofop-methyl	51338-27-3	E660E-H	156 % ^{LCS-H}	60.0-140%	Recovery greater than upper control limit
Pesticides	QC-633345-002	----	dimethoate	60-51-5	E660E-H	152 % ^{LCS-H}	60.0-130%	Recovery greater than upper control limit
Pesticides	QC-633345-002	----	malathion	121-75-5	E660E-H	191 % ^{LCS-H}	60.0-130%	Recovery greater than upper control limit
Pesticides	QC-633345-002	----	metolachlor	51218-45-2	E660E-H	181 % ^{LCS-H}	60.0-130%	Recovery greater than upper control limit
Pesticides	QC-633345-002	----	metribuzin	21087-64-9	E660E-H	154 % ^{LCS-H}	60.0-130%	Recovery greater than upper control limit
Pesticides	QC-633345-002	----	phorate	298-02-2	E660E-H	13.5 % ^{LCS-L}	60.0-140%	Recovery less than lower control limit
Pesticides	QC-633345-002	----	prometryn	7287-19-6	E660E-H	156 % ^{LCS-H}	60.0-130%	Recovery greater than upper control limit



Matrix: **Water**

Analyte Group	Laboratory sample ID	Client/Ref Sample ID	Analyte	CAS Number	Method	Result	Limits	Comment
Laboratory Control Sample (LCS) Recoveries - Continued								
Pesticides	QC-633345-002	----	simazine	122-34-9	E660E-H	135 % LCS-H	60.0-130%	Recovery greater than upper control limit
Pesticides	QC-633345-002	----	terbufos	13071-79-9	E660E-H	11.5 % LCS-L	60.0-130%	Recovery less than lower control limit
Pesticides	QC-633345-002	----	trifluralin	1582-09-8	E660E-H	146 % LCS-H	60.0-130%	Recovery greater than upper control limit

Result Qualifiers

Qualifier	Description
LCS-H	Lab Control Sample recovery was above ALS DQO. Non-detected sample results are considered reliable. Other results, if reported, have been qualified.
LCS-L	Lab Control Sample recovery was below ALS DQO. Reference Material and/or Matrix Spike results were acceptable. Non-detected sample results are considered reliable. Other results, if reported, have been qualified.

Matrix Spike (MS) Recoveries								
Total Metals	Anonymous	Anonymous	selenium, total	7782-49-2	E432	138 % MES	70.0-130%	Recovery greater than upper data quality objective
Volatile Organic Compounds	WT2212954-001	F2-R	bromomethane	74-83-9	E611D	19.6 % K	60.0-140%	Recovery less than lower data quality objective
Volatile Organic Compounds	WT2212954-001	F2-R	dichloropropylene, cis-1,3-	10061-01-5	E611D	38.3 % K	60.0-140%	Recovery less than lower data quality objective

Result Qualifiers

Qualifier	Description
K	Matrix Spike recovery outside ALS DQO due to sample matrix effects.
MES	Data Quality Objective was marginally exceeded (by < 10% absolute) for < 10% of analytes in a Multi-Element Scan / Multi-Parameter Scan (considered acceptable as per OMOE & CCME).



Analysis Holding Time Compliance

This report summarizes extraction / preparation and analysis times and compares each with ALS recommended holding times, which are selected to meet known provincial and /or federal requirements. In the absence of regulatory hold times, ALS establishes recommendations based on guidelines published by organizations such as CCME, US EPA, APHA Standard Methods, ASTM, or Environment Canada (where available). Dates and holding times reported below represent the first dates of extraction or analysis. If subsequent tests or dilutions exceeded holding times, qualifiers are added (refer to COA).

If samples are identified below as having been analyzed or extracted outside of recommended holding times, measurement uncertainties may be increased, and this should be taken into consideration when interpreting results.

Where actual sampling date is not provided on the chain of custody, the date of receipt with time at 00:00 is used for calculation purposes.

Where only the sample date without time is provided on the chain of custody, the sampling date at 00:00 is used for calculation purposes.

Matrix: **Water** Evaluation: * = Holding time exceedance ; ✓ = Within Holding Time

Analyte Group	Method	Sampling Date	Extraction / Preparation				Analysis			
			Preparation Date	Holding Times		Eval	Analysis Date	Holding Times		Eval
				Rec	Actual			Rec	Actual	
Aggregate Organics : Nitrilotriacetic Acid (NTA) in Water										
HDPE [ON MECP] F2-R	E394	02-Sep-2022	----	----	----		05-Sep-2022	30 days	3 days	✓
Anions and Nutrients : Ammonia by Fluorescence										
Amber glass total (sulfuric acid) F2-R	E298	02-Sep-2022	09-Sep-2022	----	----		12-Sep-2022	28 days	11 days	✓
Anions and Nutrients : Chloride in Water by IC										
HDPE [ON MECP] F2-R	E235.Cl	02-Sep-2022	08-Sep-2022	----	----		08-Sep-2022	28 days	6 days	✓
Anions and Nutrients : Fluoride in Water by IC										
HDPE [ON MECP] F2-R	E235.F	02-Sep-2022	08-Sep-2022	----	----		08-Sep-2022	28 days	6 days	✓
Anions and Nutrients : Nitrate in Water by IC										
HDPE [ON MECP] F2-R	E235.NO3	02-Sep-2022	08-Sep-2022	----	----		08-Sep-2022	7 days	6 days	✓
Anions and Nutrients : Nitrite in Water by IC										
HDPE [ON MECP] F2-R	E235.NO2	02-Sep-2022	08-Sep-2022	----	----		08-Sep-2022	7 days	6 days	✓
Anions and Nutrients : Sulfate in Water by IC										
HDPE [ON MECP] F2-R	E235.SO4	02-Sep-2022	08-Sep-2022	----	----		08-Sep-2022	28 days	6 days	✓



Matrix: **Water** Evaluation: * = Holding time exceedance ; ✓ = Within Holding Time

Analyte Group	Method	Sampling Date	Extraction / Preparation				Analysis			
Container / Client Sample ID(s)			Preparation Date	Holding Times		Eval	Analysis Date	Holding Times		Eval
				Rec	Actual			Rec	Actual	
Anions and Nutrients : Total Kjeldahl Nitrogen by Fluorescence (Low Level)										
Amber glass total (sulfuric acid) F2-R	E318	02-Sep-2022	12-Sep-2022	----	----		13-Sep-2022	28 days	11 days	✓
Carbamate Pesticides : Aldicarb and Diuron in Water by LC-MS/MS										
Amber glass/Teflon lined cap - LCMS F2-R	E712B	02-Sep-2022	09-Sep-2022	20 days	7 days	✓	12-Sep-2022	7 days	3 days	✓
Chlorinated Phenolics : Phenolics (Ontario Chlorophenols List) by GC-MS										
Amber glass/Teflon lined cap F2-R	E651D	02-Sep-2022	06-Sep-2022	7 days	4 days	✓	07-Sep-2022	40 days	1 days	✓
Cyanides : Total Cyanide										
UV-inhibited HDPE - total (sodium hydroxide) F2-R	E333	02-Sep-2022	06-Sep-2022	----	----		06-Sep-2022	14 days	4 days	✓
Disinfectant By-Products : Chlorate (CLO3) in Waters by Ion Chromatography										
HDPE (teflon free) F2-R	E409.CLO3	02-Sep-2022	07-Sep-2022	28 days	5 days	✓	07-Sep-2022	23 days	0 days	✓
Disinfectant By-Products : Chlorite (CLO2) in Waters by Ion Chromatography										
HDPE (teflon free) F2-R	E409.CLO2	02-Sep-2022	07-Sep-2022	14 days	5 days	✓	07-Sep-2022	9 days	0 days	✓
Dissolved Gases : Methane, Ethane, & Ethene by Headspace GC-FID										
Glass vial (sodium bisulfate) F2-R	E614B	02-Sep-2022	----	----	----		07-Sep-2022	14 days	5 days	✓
Haloacetic Acids : Haloacetic Acids in Water by LC-MS/MS										
Glass vial (ammonium chloride+copper sulfate) F2-R	E750	02-Sep-2022	09-Sep-2022	14 days	7 days	✓	11-Sep-2022	14 days	2 days	✓
Herbicides : Diquat and Paraquat in Water by LC-MS-MS										
Amber glass/Teflon lined cap - LCMS F2-R	E723A	02-Sep-2022	08-Sep-2022	7 days	6 days	✓	08-Sep-2022	21 days	0 days	✓



Matrix: **Water** Evaluation: * = Holding time exceedance ; ✓ = Within Holding Time

Analyte Group	Method	Sampling Date	Extraction / Preparation				Analysis			
Container / Client Sample ID(s)			Preparation Date	Holding Times		Eval	Analysis Date	Holding Times		Eval
				Rec	Actual			Rec	Actual	
Herbicides : Glyphosate and AMPA in Water										
Amber glass/Teflon lined cap - LCMS F2-R	E716A	02-Sep-2022	07-Sep-2022	14 days	5 days	✓	07-Sep-2022	40 days	0 days	✓
Herbicides : Phenoxy Acid Herbicides in Water by LC-MS-MS										
Amber glass/Teflon lined cap - LCMS F2-R	E706A	02-Sep-2022	06-Sep-2022	----	----		07-Sep-2022	14 days	5 days	✓
Microbiological Tests : Total Coliforms and E. coli (Enzyme Substrate)										
Sterile HDPE (Sodium thiosulphate) [ON MECP] F2-R	E010	02-Sep-2022	----	----	----		03-Sep-2022	48 hrs	26 hrs	✓
Organic / Inorganic Carbon : Dissolved Organic Carbon by Combustion (Low Level)										
Amber glass dissolved (sulfuric acid) F2-R	E358-L	02-Sep-2022	07-Sep-2022	----	----		14-Sep-2022	28 days	12 days	✓
Organic Parameters : Microcystin by ELISA (Extraction by Sonication)										
Amber glass/Teflon lined cap F2-R	E576	02-Sep-2022	----	----	----		09-Sep-2022	14 days	7 days	✓
Organochlorine Pesticides : OCP Analysis by GC-MS-MS										
Amber glass/Teflon lined cap F2-R	E660F	02-Sep-2022	06-Sep-2022	7 days	4 days	✓	07-Sep-2022	40 days	1 days	✓
Pesticides : Miscellaneous Pesticides by GC-MS										
Amber glass/Teflon lined cap F2-R	E660E-H	02-Sep-2022	05-Sep-2022	14 days	4 days	✓	06-Sep-2022	40 days	1 days	✓
Physical Tests : Alkalinity Species by Titration										
HDPE [ON MECP] F2-R	E290	02-Sep-2022	08-Sep-2022	----	----		09-Sep-2022	14 days	7 days	✓
Physical Tests : Colour (True) by Spectrometer (2 CU)										
HDPE [ON MECP] F2-R	E329-L	02-Sep-2022	03-Sep-2022	----	----		06-Sep-2022	48 hrs	128 hrs	✖ EHT



Matrix: **Water** Evaluation: ✖ = Holding time exceedance ; ✔ = Within Holding Time

Analyte Group Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis			
			Preparation Date	Holding Times		Eval	Analysis Date	Holding Times		Eval
				Rec	Actual			Rec	Actual	
Physical Tests : pH by Meter										
HDPE [ON MECP] F2-R	E108	02-Sep-2022	08-Sep-2022	----	----		09-Sep-2022	14 days	7 days	✓
Physical Tests : TDS by Gravimetry										
HDPE [ON MECP] F2-R	E162	02-Sep-2022	----	----	----		06-Sep-2022	7 days	4 days	✓
Physical Tests : Turbidity by Nephelometry										
HDPE [ON MECP] F2-R	E121	02-Sep-2022	----	----	----		02-Sep-2022	3 days	0 days	✓
Polychlorinated Biphenyls : PCB Aroclors by GC-MS										
Amber glass/Teflon lined cap F2-R	E687	02-Sep-2022	06-Sep-2022	14 days	4 days	✓	07-Sep-2022	40 days	1 days	✓
Polycyclic Aromatic Hydrocarbons : PAHs by Hexane LVI GC-MS										
Amber glass/Teflon lined cap F2-R	E641A	02-Sep-2022	08-Sep-2022	7 days	6 days	✓	12-Sep-2022	40 days	3 days	✓
Semi-Volatile Organics : N-Nitrosodimethylamine (NDMA) by LC-MS-MS (Trace Level)										
Amber glass/Teflon lined cap - LCMS F2-R	E725-T	02-Sep-2022	06-Sep-2022	28 days	4 days	✓	09-Sep-2022	28 days	3 days	✓
Total Metals : Drinking Water Metals [Ontario]										
HDPE total (nitric acid) F2-R	E432	02-Sep-2022	06-Sep-2022	----	----		06-Sep-2022	60 days	4 days	✓
Total Metals : Total Mercury in Water by CVAAS										
Glass vial total (hydrochloric acid) F2-R	E508	02-Sep-2022	06-Sep-2022	----	----		06-Sep-2022	28 days	4 days	✓
Total Metals : Total metals in Water by CRC ICPMS										
HDPE total (nitric acid) F2-R	E420	02-Sep-2022	06-Sep-2022	----	----		06-Sep-2022	180 days	5 days	✓



Matrix: **Water** Evaluation: ✖ = Holding time exceedance ; ✔ = Within Holding Time

Analyte Group Container / Client Sample ID(s)	Method	Sampling Date	Extraction / Preparation				Analysis			
			Preparation Date	Holding Times		Eval	Analysis Date	Holding Times		Eval
				Rec	Actual			Rec	Actual	
Total Sulfides : Total Sulfide by Colourimetry (Manual)										
HDPE total (zinc acetate+sodium hydroxide) F2-R	E396	02-Sep-2022	----	----	----		09-Sep-2022	7 days	7 days	✓
Volatile Organic Compounds : VOCs (Eastern Canada List) by Headspace GC-MS										
Glass vial (sodium bisulfate) F2-R	E611D	02-Sep-2022	08-Sep-2022	----	----		08-Sep-2022	14 days	6 days	✓
Volatile Organic Compounds [THMs] : THMs by Headspace GC-MS										
Glass vial (sodium bisulfate) F2-R	E611B	02-Sep-2022	08-Sep-2022	----	----		08-Sep-2022	14 days	6 days	✓

Legend & Qualifier Definitions

EHT: Exceeded ALS recommended hold time prior to analysis.

Rec. HT: ALS recommended hold time (see units).



Quality Control Parameter Frequency Compliance

The following report summarizes the frequency of laboratory QC samples analyzed within the analytical batches (QC lots) in which the submitted samples were processed. The actual frequency should be greater than or equal to the expected frequency.

Matrix: **Water** Evaluation: ✖ = QC frequency outside specification; ✔ = QC frequency within specification.

Quality Control Sample Type	Method	QC Lot #	Count		Frequency (%)		
Analytical Methods			QC	Regular	Actual	Expected	Evaluation
Laboratory Duplicates (DUP)							
Aldicarb and Diuron in Water by LC-MS/MS	E712B	638961	1	1	100.0	5.0	✔
Alkalinity Species by Titration	E290	637654	1	16	6.2	5.0	✔
Ammonia by Fluorescence	E298	639864	1	15	6.6	5.0	✔
Chlorate (CLO3) in Waters by Ion Chromatography	E409.CLO3	635446	1	5	20.0	5.0	✔
Chloride in Water by IC	E235.Cl	637486	1	12	8.3	5.0	✔
Chlorite (CLO2) in Waters by Ion Chromatography	E409.CLO2	635447	1	4	25.0	5.0	✔
Colour (True) by Spectrometer (2 CU)	E329-L	632380	1	1	100.0	5.0	✔
Diquat and Paraquat in Water by LC-MS-MS	E723A	637025	1	1	100.0	5.0	✔
Dissolved Organic Carbon by Combustion (Low Level)	E358-L	635753	1	9	11.1	5.0	✔
Drinking Water Metals [Ontario]	E432	634512	1	3	33.3	5.0	✔
Fluoride in Water by IC	E235.F	637487	1	5	20.0	5.0	✔
Glyphosate and AMPA in Water	E716A	633946	1	2	50.0	5.0	✔
Haloacetic Acids in Water by LC-MS/MS	E750	638905	1	14	7.1	4.7	✔
Methane, Ethane, & Ethene by Headspace GC-FID	E614B	635471	1	11	9.0	4.5	✔
Microcystin by ELISA (Extraction by Sonication)	E576	639186	1	11	9.0	5.0	✔
Nitrate in Water by IC	E235.NO3	637489	1	13	7.6	5.0	✔
Nitritotriacetic Acid (NTA) in Water	E394	633331	1	3	33.3	5.0	✔
Nitrite in Water by IC	E235.NO2	637490	1	6	16.6	5.0	✔
N-Nitrosodimethylamine (NDMA) by LC-MS-MS (Trace Level)	E725-T	638901	1	4	25.0	5.0	✔
pH by Meter	E108	637652	1	18	5.5	5.0	✔
Phenoxy Acid Herbicides in Water by LC-MS-MS	E706A	634443	1	16	6.2	5.0	✔
Sulfate in Water by IC	E235.SO4	637488	1	4	25.0	5.0	✔
TDS by Gravimetry	E162	634117	1	20	5.0	5.0	✔
THMs by Headspace GC-MS	E611B	637813	1	1	100.0	5.0	✔
Total Coliforms and E. coli (Enzyme Substrate)	E010	632124	1	11	9.0	5.0	✔
Total Cyanide	E333	634176	1	10	10.0	5.0	✔
Total Kjeldahl Nitrogen by Fluorescence (Low Level)	E318	639862	1	18	5.5	5.0	✔
Total Mercury in Water by CVAAS	E508	634028	1	8	12.5	5.0	✔
Total metals in Water by CRC ICPMS	E420	633334	1	20	5.0	5.0	✔
Total Sulfide by Colourimetry (Manual)	E396	639357	1	1	100.0	5.0	✔
Turbidity by Nephelometry	E121	631650	1	2	50.0	5.0	✔
VOCs (Eastern Canada List) by Headspace GC-MS	E611D	637812	1	1	100.0	5.0	✔
Laboratory Control Samples (LCS)							
Aldicarb and Diuron in Water by LC-MS/MS	E712B	638961	1	1	100.0	5.0	✔
Alkalinity Species by Titration	E290	637654	1	16	6.2	5.0	✔
Ammonia by Fluorescence	E298	639864	1	15	6.6	5.0	✔
Chlorate (CLO3) in Waters by Ion Chromatography	E409.CLO3	635446	1	5	20.0	5.0	✔



Matrix: **Water**

Evaluation: * = QC frequency outside specification; ✓ = QC frequency within specification.

Quality Control Sample Type			Count		Frequency (%)		
Analytical Methods	Method	QC Lot #	QC	Regular	Actual	Expected	Evaluation
Laboratory Control Samples (LCS) - Continued							
Chloride in Water by IC	E235.Cl	637486	1	12	8.3	5.0	✓
Chlorite (CLO2) in Waters by Ion Chromatography	E409.CLO2	635447	1	4	25.0	5.0	✓
Colour (True) by Spectrometer (2 CU)	E329-L	632380	1	1	100.0	5.0	✓
Diquat and Paraquat in Water by LC-MS-MS	E723A	637025	1	1	100.0	5.0	✓
Dissolved Organic Carbon by Combustion (Low Level)	E358-L	635753	1	9	11.1	5.0	✓
Drinking Water Metals [Ontario]	E432	634512	1	3	33.3	5.0	✓
Fluoride in Water by IC	E235.F	637487	1	5	20.0	5.0	✓
Glyphosate and AMPA in Water	E716A	633946	1	2	50.0	5.0	✓
Haloacetic Acids in Water by LC-MS/MS	E750	638905	1	14	7.1	4.7	✓
Microcystin by ELISA (Extraction by Sonication)	E576	639186	1	11	9.0	5.0	✓
Miscellaneous Pesticides by GC-MS	E660E-H	633345	1	3	33.3	5.0	✓
Nitrate in Water by IC	E235.NO3	637489	1	13	7.6	5.0	✓
Nitrilotriacetic Acid (NTA) in Water	E394	633331	1	3	33.3	5.0	✓
Nitrite in Water by IC	E235.NO2	637490	1	6	16.6	5.0	✓
N-Nitrosodimethylamine (NDMA) by LC-MS-MS (Trace Level)	E725-T	638901	1	4	25.0	5.0	✓
OCP Analysis by GC-MS-MS	E660F	633430	1	7	14.2	5.0	✓
PAHs by Hexane LVI GC-MS	E641A	638508	1	1	100.0	5.0	✓
PCB Aroclors by GC-MS	E687	633429	1	9	11.1	4.7	✓
pH by Meter	E108	637652	1	18	5.5	5.0	✓
Phenolics (Ontario Chlorophenols List) by GC-MS	E651D	633416	1	3	33.3	5.0	✓
Phenoxy Acid Herbicides in Water by LC-MS-MS	E706A	634443	1	16	6.2	5.0	✓
Sulfate in Water by IC	E235.SO4	637488	1	4	25.0	5.0	✓
TDS by Gravimetry	E162	634117	1	20	5.0	5.0	✓
THMs by Headspace GC-MS	E611B	637813	1	1	100.0	5.0	✓
Total Cyanide	E333	634176	1	10	10.0	5.0	✓
Total Kjeldahl Nitrogen by Fluorescence (Low Level)	E318	639862	1	18	5.5	5.0	✓
Total Mercury in Water by CVAAS	E508	634028	1	8	12.5	5.0	✓
Total metals in Water by CRC ICPMS	E420	633334	2	20	10.0	5.0	✓
Total Sulfide by Colourimetry (Manual)	E396	639357	1	1	100.0	5.0	✓
Turbidity by Nephelometry	E121	631650	1	2	50.0	5.0	✓
VOCs (Eastern Canada List) by Headspace GC-MS	E611D	637812	1	1	100.0	5.0	✓
Method Blanks (MB)							
Aldicarb and Diuron in Water by LC-MS/MS	E712B	638961	1	1	100.0	5.0	✓
Alkalinity Species by Titration	E290	637654	1	16	6.2	5.0	✓
Ammonia by Fluorescence	E298	639864	1	15	6.6	5.0	✓
Chlorate (CLO3) in Waters by Ion Chromatography	E409.CLO3	635446	1	5	20.0	5.0	✓
Chloride in Water by IC	E235.Cl	637486	1	12	8.3	5.0	✓
Chlorite (CLO2) in Waters by Ion Chromatography	E409.CLO2	635447	1	4	25.0	5.0	✓
Colour (True) by Spectrometer (2 CU)	E329-L	632380	1	1	100.0	5.0	✓
Diquat and Paraquat in Water by LC-MS-MS	E723A	637025	1	1	100.0	5.0	✓
Dissolved Organic Carbon by Combustion (Low Level)	E358-L	635753	1	9	11.1	5.0	✓



Matrix: **Water**

Evaluation: ✖ = QC frequency outside specification; ✔ = QC frequency within specification.

Quality Control Sample Type			Count		Frequency (%)		
Analytical Methods	Method	QC Lot #	QC	Regular	Actual	Expected	Evaluation
Method Blanks (MB) - Continued							
Drinking Water Metals [Ontario]	E432	634512	1	3	33.3	5.0	✔
Fluoride in Water by IC	E235.F	637487	1	5	20.0	5.0	✔
Glyphosate and AMPA in Water	E716A	633946	1	2	50.0	5.0	✔
Haloacetic Acids in Water by LC-MS/MS	E750	638905	1	14	7.1	4.7	✔
Methane, Ethane, & Ethene by Headspace GC-FID	E614B	635471	1	11	9.0	4.5	✔
Microcystin by ELISA (Extraction by Sonication)	E576	639186	1	11	9.0	5.0	✔
Miscellaneous Pesticides by GC-MS	E660E-H	633345	1	3	33.3	5.0	✔
Nitrate in Water by IC	E235.NO3	637489	1	13	7.6	5.0	✔
Nitrilotriacetic Acid (NTA) in Water	E394	633331	1	3	33.3	5.0	✔
Nitrite in Water by IC	E235.NO2	637490	1	6	16.6	5.0	✔
N-Nitrosodimethylamine (NDMA) by LC-MS-MS (Trace Level)	E725-T	638901	1	4	25.0	5.0	✔
OCP Analysis by GC-MS-MS	E660F	633430	1	7	14.2	5.0	✔
PAHs by Hexane LVI GC-MS	E641A	638508	1	1	100.0	5.0	✔
PCB Aroclors by GC-MS	E687	633429	1	9	11.1	4.7	✔
Phenolics (Ontario Chlorophenols List) by GC-MS	E651D	633416	1	3	33.3	5.0	✔
Phenoxy Acid Herbicides in Water by LC-MS-MS	E706A	634443	1	16	6.2	5.0	✔
Sulfate in Water by IC	E235.SO4	637488	1	4	25.0	5.0	✔
TDS by Gravimetry	E162	634117	1	20	5.0	5.0	✔
THMs by Headspace GC-MS	E611B	637813	1	1	100.0	5.0	✔
Total Coliforms and E. coli (Enzyme Substrate)	E010	632124	1	11	9.0	5.0	✔
Total Cyanide	E333	634176	1	10	10.0	5.0	✔
Total Kjeldahl Nitrogen by Fluorescence (Low Level)	E318	639862	1	18	5.5	5.0	✔
Total Mercury in Water by CVAAS	E508	634028	1	8	12.5	5.0	✔
Total metals in Water by CRC ICPMS	E420	633334	1	20	5.0	5.0	✔
Total Sulfide by Colourimetry (Manual)	E396	639357	1	1	100.0	5.0	✔
Turbidity by Nephelometry	E121	631650	1	2	50.0	5.0	✔
VOCs (Eastern Canada List) by Headspace GC-MS	E611D	637812	1	1	100.0	5.0	✔
Matrix Spikes (MS)							
Aldicarb and Diuron in Water by LC-MS/MS	E712B	638961	1	1	100.0	5.0	✔
Ammonia by Fluorescence	E298	639864	1	15	6.6	5.0	✔
Chlorate (CLO3) in Waters by Ion Chromatography	E409.CLO3	635446	1	5	20.0	5.0	✔
Chloride in Water by IC	E235.Cl	637486	1	12	8.3	5.0	✔
Chlorite (CLO2) in Waters by Ion Chromatography	E409.CLO2	635447	1	4	25.0	5.0	✔
Diquat and Paraquat in Water by LC-MS-MS	E723A	637025	1	1	100.0	5.0	✔
Dissolved Organic Carbon by Combustion (Low Level)	E358-L	635753	1	9	11.1	5.0	✔
Drinking Water Metals [Ontario]	E432	634512	1	3	33.3	5.0	✔
Fluoride in Water by IC	E235.F	637487	1	5	20.0	5.0	✔
Glyphosate and AMPA in Water	E716A	633946	1	2	50.0	5.0	✔
Haloacetic Acids in Water by LC-MS/MS	E750	638905	1	14	7.1	4.7	✔
Microcystin by ELISA (Extraction by Sonication)	E576	639186	1	11	9.0	5.0	✔
Nitrate in Water by IC	E235.NO3	637489	1	13	7.6	5.0	✔



Matrix: **Water**

Evaluation: ✖ = QC frequency outside specification; ✔ = QC frequency within specification.

Quality Control Sample Type			Count		Frequency (%)		
Analytical Methods	Method	QC Lot #	QC	Regular	Actual	Expected	Evaluation
Matrix Spikes (MS) - Continued							
Nitriiotriacetic Acid (NTA) in Water	E394	633331	1	3	33.3	5.0	✔
Nitrite in Water by IC	E235.NO2	637490	1	6	16.6	5.0	✔
N-Nitrosodimethylamine (NDMA) by LC-MS-MS (Trace Level)	E725-T	638901	1	4	25.0	5.0	✔
Phenoxy Acid Herbicides in Water by LC-MS-MS	E706A	634443	1	16	6.2	5.0	✔
Sulfate in Water by IC	E235.SO4	637488	1	4	25.0	5.0	✔
THMs by Headspace GC-MS	E611B	637813	1	1	100.0	5.0	✔
Total Cyanide	E333	634176	1	10	10.0	5.0	✔
Total Kjeldahl Nitrogen by Fluorescence (Low Level)	E318	639862	1	18	5.5	5.0	✔
Total Mercury in Water by CVAAS	E508	634028	1	8	12.5	5.0	✔
Total metals in Water by CRC ICPMS	E420	633334	1	20	5.0	5.0	✔
Total Sulfide by Colourimetry (Manual)	E396	639357	1	1	100.0	5.0	✔
VOCs (Eastern Canada List) by Headspace GC-MS	E611D	637812	1	1	100.0	5.0	✔



Methodology References and Summaries

The analytical methods used by ALS are developed using internationally recognized reference methods (where available), such as those published by US EPA, APHA Standard Methods, ASTM, ISO, Environment Canada, BC MOE, and Ontario MOE. Reference methods may incorporate modifications to improve performance (indicated by "mod").

Analytical Methods	Method / Lab	Matrix	Method Reference	Method Descriptions
Total Coliforms and E. coli (Enzyme Substrate)	E010 Waterloo - Environmental	Water	APHA 9223 (mod)	The enzyme substrate test simultaneously detects Total Coliforms and E. coli in a 100 mL sample after incubation at $35.0 \pm 0.5^{\circ}\text{C}$ for either 18 or 24 hours (dependent on reagent used).
pH by Meter	E108 Waterloo - Environmental	Water	APHA 4500-H (mod)	pH is determined by potentiometric measurement with a pH electrode, and is conducted at ambient laboratory temperature (normally $20 \pm 5^{\circ}\text{C}$). For high accuracy test results, pH should be measured in the field within the recommended 15 minute hold time.
Turbidity by Nephelometry	E121 Waterloo - Environmental	Water	APHA 2130 B (mod)	Turbidity is measured by the nephelometric method, by measuring the intensity of light scatter under defined conditions.
TDS by Gravimetry	E162 Waterloo - Environmental	Water	APHA 2540 C (mod)	Total Dissolved Solids (TDS) are determined by filtering a sample through a glass fibre filter, with evaporation of the filtrate at $180 \pm 2^{\circ}\text{C}$ for 16 hours or to constant weight, with gravimetric measurement of the residue.
Chloride in Water by IC	E235.Cl Waterloo - Environmental	Water	EPA 300.1 (mod)	Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.
Fluoride in Water by IC	E235.F Waterloo - Environmental	Water	EPA 300.1 (mod)	Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.
Nitrite in Water by IC	E235.NO2 Waterloo - Environmental	Water	EPA 300.1 (mod)	Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.
Nitrate in Water by IC	E235.NO3 Waterloo - Environmental	Water	EPA 300.1 (mod)	Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.
Sulfate in Water by IC	E235.SO4 Waterloo - Environmental	Water	EPA 300.1 (mod)	Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.
Alkalinity Species by Titration	E290 Waterloo - Environmental	Water	APHA 2320 B (mod)	Total alkalinity is determined by potentiometric titration to a pH 4.5 endpoint. Bicarbonate, carbonate and hydroxide alkalinity are calculated from phenolphthalein alkalinity and total alkalinity values.



Analytical Methods	Method / Lab	Matrix	Method Reference	Method Descriptions
Ammonia by Fluorescence	E298 Waterloo - Environmental	Water	Method Fialab 100, 2018	Ammonia in water is determined by automated continuous flow analysis with membrane diffusion and fluorescence detection, after reaction with OPA (ortho-phthalaldehyde). This method is approved under US EPA 40 CFR Part 136 (May 2021)
Total Kjeldahl Nitrogen by Fluorescence (Low Level)	E318 Waterloo - Environmental	Water	Method Fialab 100, 2018	TKN in water is determined by automated continuous flow analysis with membrane diffusion and fluorescence detection, after reaction with OPA (ortho-phthalaldehyde). This method is approved under US EPA 40 CFR Part 136 (May 2021).
Colour (True) by Spectrometer (2 CU)	E329-L Waterloo - Environmental	Water	APHA 2120 C (mod)	Colour (True Colour) is determined by filtering a sample through a 0.45 micron membrane filter followed by analysis of the filtrate using the platinum-cobalt colourimetric method. Colour measurements can be highly pH dependent, and apply to the pH of the sample as received (at time of testing), without pH adjustment.
Total Cyanide	E333 Waterloo - Environmental	Water	ISO 14403 (mod)	Total or Strong Acid Dissociable (SAD) Cyanide is determined by Continuous Flow Analyzer (CFA) with in-line UV digestion followed by colourimetric analysis. Method Limitation: High levels of thiocyanate (SCN) may cause positive interference (up to 0.5% of SCN concentration).
Dissolved Organic Carbon by Combustion (Low Level)	E358-L Waterloo - Environmental	Water	APHA 5310 B (mod)	Dissolved Organic Carbon (Non-Purgeable), also known as NPOC (dissolved), is a direct measurement of DOC after a filtered (0.45 micron) sample has been acidified and purged to remove inorganic carbon (IC). Analysis is by high temperature combustion with infrared detection of CO ₂ . NPOC does not include volatile organic species that are purged off with IC. For samples where the majority of DC (dissolved carbon) is comprised of IC (which is common), this method is more accurate and more reliable than the DOC by subtraction method (i.e. DC minus DIC).
Nitrilotriacetic Acid (NTA) in Water	E394 Waterloo - Environmental	Water	EPA 430.1 (mod)	NTA refers to the tri-sodium salt of nitrilotriacetic acid, N(CH ₂ COONa) ₃ . Zinc forms a blue-coloured complex with 2 carboxy-2-hydroxy-5-sulfoformazylbenzene (Zincon) in a solution buffered to pH 9.2. When NTA is added to the sample, the Zinc-Zincon complex is broken which reduces the absorbance in proportion to the amount of NTA present. Samples are filtered with a 0.45 um membrane before analysis.
Total Sulfide by Colourimetry (Manual)	E396 Waterloo - Environmental	Water	APHA 4500-S ₂ D (mod)	Total Sulfide is determined by spectrophotometer using the methylene blue colourimetric method. Results expressed "as H ₂ S" if reported represent the maximum possible H ₂ S concentration based on the total sulfide concentration in the sample. The H ₂ S calculation converts Total Sulphide as (S ₂ ⁻) and reports it as Total Sulphide as (H ₂ S).
Chlorite (ClO ₂) in Waters by Ion Chromatography	E409.ClO ₂ Waterloo - Environmental	Water	EPA 300.1 (mod)	Inorganic anions are analyzed by Ion Chromatography with conductivity detection.
Chlorate (ClO ₃) in Waters by Ion Chromatography	E409.ClO ₃ Waterloo - Environmental	Water	EPA 300.1 (mod)	Inorganic anions are analyzed by Ion Chromatography with conductivity detection.



Analytical Methods	Method / Lab	Matrix	Method Reference	Method Descriptions
Total metals in Water by CRC ICPMS	E420 Waterloo - Environmental	Water	EPA 200.2/6020B (mod)	Water samples are digested with nitric and hydrochloric acids, and analyzed by Collision/Reaction Cell ICPMS. Method Limitation (re: Sulfur): Sulfide and volatile sulfur species may not be recovered by this method.
Drinking Water Metals [Ontario]	E432 Waterloo - Environmental	Water	APHA 3030E/EPA 6020A	Instrumental analysis is by inductively coupled plasma - mass spectrometry (EPA Method 6020A).
Total Mercury in Water by CVAAS	E508 Waterloo - Environmental	Water	EPA 1631E (mod)	Water samples undergo a cold-oxidation using bromine monochloride prior to reduction with stannous chloride, and analyzed by CVAAS
Microcystin by ELISA (Extraction by Sonication)	E576 Winnipeg - Environmental	Water	ENVIROLOGIX QUANTIPLATE KIT CAT. EP022	Total Microcystins (intracellular and extracellular) in aqueous matrices is determined by the Enzyme-Linked ImmunoSorbent Assay (ELISA) method. Extraction is by sonication
THMs by Headspace GC-MS	E611B Waterloo - Environmental	Water	EPA 8260D (mod)	Volatile Organic Compounds (VOCs) are analyzed by static headspace GC-MS. Samples are prepared in headspace vials and are heated and agitated on the headspace autosampler, causing VOCs to partition between the aqueous phase and the headspace in accordance with Henry's law.
VOCs (Eastern Canada List) by Headspace GC-MS	E611D Waterloo - Environmental	Water	EPA 8260D (mod)	Volatile Organic Compounds (VOCs) are analyzed by static headspace GC-MS. Samples are prepared in headspace vials and are heated and agitated on the headspace autosampler, causing VOCs to partition between the aqueous phase and the headspace in accordance with Henry's law.
Methane, Ethane, & Ethene by Headspace GC-FID	E614B Waterloo - Environmental	Water	EPA REGION 1, NATATTEN.WPD, REV. 1	Volatile hydrocarbons are analyzed by static headspace GC/FID. Samples are prepared in headspace vials and are heated and agitated on the headspace autosampler, causing the analyte(s) to partition between the aqueous phase and the headspace in accordance with Henry's law.
PAHs by Hexane LVI GC-MS	E641A Waterloo - Environmental	Water	EPA 8270E (mod)	Polycyclic Aromatic Hydrocarbons (PAHs) are analyzed by large volume injection (LVI) GC-MS.
Phenolics (Ontario Chlorophenols List) by GC-MS	E651D Waterloo - Environmental	Water	EPA 8270E (mod)	Phenolics are analyzed by GC-MS.
Miscellaneous Pesticides by GC-MS	E660E-H Waterloo - Environmental	Water	EPA 8270E (mod)	Pesticides are analyzed by GC-MS.
OCP Analysis by GC-MS-MS	E660F Waterloo - Environmental	Water	EPA 8270E (mod)	Pesticides are analyzed by GC-MS-MS



Analytical Methods	Method / Lab	Matrix	Method Reference	Method Descriptions
PCB Aroclors by GC-MS	E687 Waterloo - Environmental	Water	EPA 8270E (mod)	PCB Aroclors are analyzed by GC-MS
Phenoxy Acid Herbicides in Water by LC-MS-MS	E706A Waterloo - Environmental	Water	MOE E3552	Water samples are subjected to 0.2 µM RC filtration and analyzed by direct injection using liquid chromatography tandem mass spectrometry (LC-MS/MS).
Aldicarb and Diuron in Water by LC-MS/MS	E712B Waterloo - Environmental	Water	E3501	An aliquot of water sample is diluted 1:1 using acetonitrile and analyzed using LC/MS/MS
Glyphosate and AMPA in Water	E716A Waterloo - Environmental	Water	E3505	An aliquot of 4.0 ± 0.1 mL of a water sample is spiked with an Internal Standard, Glyphosate-13C2,15N, and derivatized to FMOC-Glyphosate and FMOC-AMPA, then analyzed by LC-MS/MS.
Diquat and Paraquat in Water by LC-MS-MS	E723A Waterloo - Environmental	Water	EPA 549.2	If the sample is not clear filter a portion of the sample using a RC filter. An aliquot of the sample is taken and internal standard is added. The sample is analyzed by LC/MS/MS.
N-Nitrosodimethylamine (NDMA) by LC-MS-MS (Trace Level)	E725-T Waterloo - Environmental	Water	EPA/600/r-05/054. Method 521	Nitrosamines analytes are analyzed via LC/MS/MS in Positive APCI mode.
Haloacetic Acids in Water by LC-MS/MS	E750 Waterloo - Environmental	Water	MOE E3478	An aliquot of sample is fortified with formic acid and internal standards and analyzed via direct injection by LCMSMS
Hardness (Calculated) from Total Ca/Mg	EC100A Waterloo - Environmental	Water	APHA 2340B	"Hardness (as CaCO3), from total Ca/Mg" is calculated from the sum of total Calcium and Magnesium concentrations, expressed in CaCO3 equivalents. "Total Hardness" refers to the sum of Calcium and Magnesium Hardness. Hardness is normally or preferentially calculated from dissolved Calcium and Magnesium concentrations, because it is a property of water due to dissolved divalent cations. Hardness from total Ca/Mg is normally comparable to Dissolved Hardness in non-turbid waters.
Total Organic Nitrogen (Calculation)	EC363 Waterloo - Environmental	Water	APHA 4500-NORG (TKN)/NH3-NITROGEN (NH3)	Total Organic Nitrogen is a calculated parameter. Total Organic Nitrogen = Total Kjeldahl Nitrogen - Ammonia.
Methane, Ethane, & Ethene by Headspace GC-FID	EC614B Waterloo - Environmental	Water	Unit Conversion	Convert ppmV to ug/L
Preparation Methods	Method / Lab	Matrix	Method Reference	Method Descriptions
Preparation for Ammonia	EP298	Water		Sample preparation for Preserved Nutrients Water Quality Analysis.



Preparation Methods	Method / Lab	Matrix	Method Reference	Method Descriptions
	Waterloo - Environmental			
Digestion for TKN in water	EP318 Waterloo - Environmental	Water	APHA 4500-Norg D (mod)	Samples are digested at high temperature using Sulfuric Acid with Copper catalyst, which converts organic nitrogen sources to Ammonia, which is then quantified by the analytical method as TKN. This method is unsuitable for samples containing high levels of nitrate. If nitrate exceeds TKN concentration by ten times or more, results may be biased low.
Preparation for Dissolved Organic Carbon for Combustion	EP358 Waterloo - Environmental	Water	APHA 5310 B (mod)	Preparation for Dissolved Organic Carbon
VOCs Preparation for Headspace Analysis	EP581 Waterloo - Environmental	Water	EPA 5021A (mod)	Samples are prepared in headspace vials and are heated and agitated on the headspace autosampler. An aliquot of the headspace is then injected into the GC/MS-FID system.
PHCs and PAHs Hexane Extraction	EP601 Waterloo - Environmental	Water	EPA 3511 (mod)	Petroleum Hydrocarbons (PHCs) and Polycyclic Aromatic Hydrocarbons (PAHs) are extracted using a hexane liquid-liquid extraction.
Phenolics Extraction	EP651 Waterloo - Environmental	Water	EPA 3511 (mod)	Phenolics are extracted from acidic aqueous sample using DCM liquid-liquid extraction.
Pesticides, PCB, and Neutral Extractable Chlorinated Hydrocarbons Extraction	EP660 Waterloo - Environmental	Water	EPA 3511 (mod)	Samples are extracted from aqueous sample using an organic solvent liquid-liquid extraction.
Pesticides & Toxaphene Extraction by DCM	EP660D Waterloo - Environmental	Water	EPA 1699 (mod)	Samples are extracted from aqueous sample using DCM liquid-liquid extraction.
Preparation of Phenoxy Acid Herbicides in Water by LC-MS-MS	EP706 Waterloo - Environmental	Water	MOE E3552	Water samples are subjected to 0.2 µm RC filtration (drinking water samples are not filtered) and analyzed by direct injection using liquid chromatography tandem mass spectrometry (LC-MS/MS).
Preparation of Aldicarb and Diuron in Water by LC-MS/MS	EP712B Waterloo - Environmental	Water	E3501	An aliquot of water sample is diluted 1:1 using acetonitrile and analyzed using LC/MS/MS
Preparation of Glyphosate and AMPA in Water	EP716 Waterloo - Environmental	Water	MOE E3500	Preparation of Glyphosate and AMPA in Water



<i>Preparation Methods</i>	<i>Method / Lab</i>	<i>Matrix</i>	<i>Method Reference</i>	<i>Method Descriptions</i>
Preparation of Diquat and Paraquat in Water	EP723 Waterloo - Environmental	Water	EPA 549.2	If the sample is not clear filter a portion of the sample using a RC filter. An aliquot of the sample is taken and internal standard is added. The sample is analyzed by LC/MS/MS.
Nitrosamines SPE Extraction	EP725 Waterloo - Environmental	Water	EPA/600/r-05/054. Method 521	Nitrosamines analytes are extracted from water samples using SPE (solid phase extraction). The analytes are eluted and evaporated for solvent exchange and then analyzed via LC/MS/MS in Positive APCI mode.
Preparation of Haloacetic acid in Water for LCMSMS	EP750 Waterloo - Environmental	Water	E3478	An aliquot of samples is fortified with formic acid and internal standard to be analyzed by direct injection LCMSMS



QUALITY CONTROL REPORT

Work Order : **WT2212954**

Amendment : **1**

Client : Township of Centre Wellington

Contact : Matthew Alexander

Address : 1 MacDonald Square
Elora ON Canada N0B 1S0

Telephone : ----

Project : ----

PO : ----

C-O-C number : 20-1007481

Sampler : ----

Site : ----

Quote number : Special Non - Regulated Water

No. of samples received : 1

No. of samples analysed : 1

Page : 1 of 26

Laboratory : Waterloo - Environmental

Account Manager : Candice Hunter

Address : 60 Northland Road, Unit 1
Waterloo, Ontario Canada N2V 2B8

Telephone : +1 519 886 6910

Date Samples Received : 02-Sep-2022 11:45

Date Analysis Commenced : 02-Sep-2022

Issue Date : 04-Oct-2022 14:46

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Quality Control Report contains the following information:

- Laboratory Duplicate (DUP) Report; Relative Percent Difference (RPD) and Data Quality Objectives
- Matrix Spike (MS) Report; Recovery and Data Quality Objectives
- Method Blank (MB) Report; Recovery and Data Quality Objectives
- Laboratory Control Sample (LCS) Report; Recovery and Data Quality Objectives

Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is conducted in accordance with US FDA 21 CFR Part 11.

Signatories	Position	Laboratory Department
Adam Boettger	Team Leader - LCMS	Waterloo LCMS, Waterloo, Ontario
Andrea Armstrong	Department Manager - Air Quality and Volatiles	Waterloo Air Quality, Waterloo, Ontario
Greg Pokocky	Supervisor - Inorganic	Waterloo Inorganics, Waterloo, Ontario
Greg Pokocky	Supervisor - Inorganic	Waterloo Metals, Waterloo, Ontario
Jennifer Siemiernik		Waterloo Metals, Waterloo, Ontario
Jeremy Gingras	Team Leader - Semi-Volatile Instrumentation	Waterloo Organics, Waterloo, Ontario
Jihun Jeon	Laboratory Analyst	Waterloo LCMS, Waterloo, Ontario
Jocelyn Kennedy	Department Manager - Semi-Volatile Organics	Waterloo Organics, Waterloo, Ontario
Michelle Michalchuk	Analyst	Winnipeg Organics, Winnipeg, Manitoba
Ruby Sujeepan		Waterloo Microbiology, Waterloo, Ontario
Sarah Birch	Team Leader - Volatiles	Waterloo Organics, Waterloo, Ontario



General Comments

The ALS Quality Control (QC) report is optionally provided to ALS clients upon request. ALS test methods include comprehensive QC checks with every analysis to ensure our high standards of quality are met. Each QC result has a known or expected target value, which is compared against predetermined Data Quality Objectives (DQOs) to provide confidence in the accuracy of associated test results. This report contains detailed results for all QC results applicable to this sample submission. Please refer to the ALS Quality Control Interpretation report (QCI) for applicable method references and methodology summaries.

Key :

Anonymous = Refers to samples which are not part of this work order, but which formed part of the QC process lot.

CAS Number = Chemical Abstracts Service number is a unique identifier assigned to discrete substances.

DQO = Data Quality Objective.

LOR = Limit of Reporting (detection limit).

RPD = Relative Percent Difference

= Indicates a QC result that did not meet the ALS DQO.

Workorder Comments

Holding times are displayed as "----" if no guidance exists from CCME, Canadian provinces, or broadly recognized international references.



Laboratory Duplicate (DUP) Report

A Laboratory Duplicate (DUP) is a randomly selected intralaboratory replicate sample. Laboratory Duplicates provide information regarding method precision and sample heterogeneity. ALS DQOs for Laboratory Duplicates are expressed as test-specific limits for Relative Percent Difference (RPD), or as an absolute difference limit of 2 times the LOR for low concentration duplicates within ~ 4-10 times the LOR (cut-off is test-specific).

Sub-Matrix: Water					Laboratory Duplicate (DUP) Report						
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	LOR	Unit	Original Result	Duplicate Result	RPD(%) or Difference	Duplicate Limits	Qualifier
Physical Tests (QC Lot: 631650)											
WT2212573-001	Anonymous	turbidity	----	E121	1.00	NTU	<1.00	<1.00	0	Diff <2x LOR	----
Physical Tests (QC Lot: 632380)											
WT2212954-001	F2-R	colour, true	----	E329-L	2.0	CU	<2.0	<2.0	0	Diff <2x LOR	----
Physical Tests (QC Lot: 634117)											
WT2212859-003	Anonymous	solids, total dissolved [TDS]	----	E162	20	mg/L	327	304	7.45%	20%	----
Physical Tests (QC Lot: 637652)											
WT2212938-001	Anonymous	pH	----	E108	0.10	pH units	8.08	8.10	0.247%	4%	----
Physical Tests (QC Lot: 637654)											
WT2212938-001	Anonymous	alkalinity, total (as CaCO ₃)	----	E290	2.0	mg/L	85.0	79.5	6.73%	20%	----
Anions and Nutrients (QC Lot: 637486)											
WT2213026-001	Anonymous	chloride	16887-00-6	E235.Cl	2.50	mg/L	149	151	1.30%	20%	----
Anions and Nutrients (QC Lot: 637487)											
WT2213026-001	Anonymous	fluoride	16984-48-8	E235.F	0.100	mg/L	0.340	0.347	0.007	Diff <2x LOR	----
Anions and Nutrients (QC Lot: 637488)											
WT2213026-001	Anonymous	sulfate (as SO ₄)	14808-79-8	E235.SO ₄	1.50	mg/L	397	403	1.56%	20%	----
Anions and Nutrients (QC Lot: 637489)											
WT2213026-001	Anonymous	nitrate (as N)	14797-55-8	E235.NO ₃	0.100	mg/L	0.185	0.187	0.003	Diff <2x LOR	----
Anions and Nutrients (QC Lot: 637490)											
WT2213026-001	Anonymous	nitrite (as N)	14797-65-0	E235.NO ₂	0.050	mg/L	<0.050	<0.050	0	Diff <2x LOR	----
Anions and Nutrients (QC Lot: 639862)											
WT2212926-001	Anonymous	Kjeldahl nitrogen, total [TKN]	----	E318	0.500	mg/L	7.70	8.10	5.06%	20%	----
Anions and Nutrients (QC Lot: 639864)											
WT2212951-001	Anonymous	ammonia, total (as N)	7664-41-7	E298	0.0050	mg/L	0.0505	0.0504	0.198%	20%	----
Cyanides (QC Lot: 634176)											
SK2204799-001	Anonymous	cyanide, strong acid dissociable (total)	----	E333	0.0100	mg/L	<0.0100	<0.0100	0	Diff <2x LOR	----
Organic / Inorganic Carbon (QC Lot: 635753)											
TY2201174-008	Anonymous	carbon, dissolved organic [DOC]	----	E358-L	0.50	mg/L	<0.50	<0.50	0	Diff <2x LOR	----
Total Sulfides (QC Lot: 639357)											
WT2212954-001	F2-R	sulfide, total (as S)	18496-25-8	E396	0.018	mg/L	<0.018	<0.018	0	Diff <2x LOR	----
Microbiological Tests (QC Lot: 632124)											
WT2212944-002	Anonymous	coliforms, Escherichia coli [E. coli]	----	E010	1	MPN/100mL	<1	<1	0	Diff <2x LOR	----



Sub-Matrix: **Water**

					Laboratory Duplicate (DUP) Report						
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	LOR	Unit	Original Result	Duplicate Result	RPD(%) or Difference	Duplicate Limits	Qualifier
Microbiological Tests (QC Lot: 632124) - continued											
WT2212944-002	Anonymous	coliforms, total	----	E010	1	MPN/100mL	<1	<1	0	Diff <2x LOR	----
Total Metals (QC Lot: 633334)											
WT2212936-001	Anonymous	aluminum, total	7429-90-5	E420	0.0030	mg/L	0.233	0.233	0.0652%	20%	----
		antimony, total	7440-36-0	E420	0.00010	mg/L	0.00022	0.00023	0.000008	Diff <2x LOR	----
		arsenic, total	7440-38-2	E420	0.00010	mg/L	0.00394	0.00394	0.0634%	20%	----
		barium, total	7440-39-3	E420	0.00010	mg/L	0.00772	0.00746	3.43%	20%	----
		beryllium, total	7440-41-7	E420	0.000020	mg/L	<0.000020	<0.000020	0	Diff <2x LOR	----
		bismuth, total	7440-69-9	E420	0.000050	mg/L	0.000068	0.000065	0.000003	Diff <2x LOR	----
		boron, total	7440-42-8	E420	0.010	mg/L	0.039	0.037	0.001	Diff <2x LOR	----
		cadmium, total	7440-43-9	E420	0.0000050	mg/L	0.000153	0.000161	5.10%	20%	----
		calcium, total	7440-70-2	E420	0.050	mg/L	45.6	43.2	5.33%	20%	----
		cesium, total	7440-46-2	E420	0.000010	mg/L	0.000028	0.000028	0.0000004	Diff <2x LOR	----
		chromium, total	7440-47-3	E420	0.00050	mg/L	0.00097	0.00089	0.00007	Diff <2x LOR	----
		cobalt, total	7440-48-4	E420	0.00010	mg/L	0.00431	0.00432	0.236%	20%	----
		copper, total	7440-50-8	E420	0.00050	mg/L	0.0909	0.0904	0.538%	20%	----
		iron, total	7439-89-6	E420	0.010	mg/L	2.30	2.29	0.166%	20%	----
		lead, total	7439-92-1	E420	0.000050	mg/L	1.79 µg/L	0.00181	1.35%	20%	----
		lithium, total	7439-93-2	E420	0.0010	mg/L	0.0014	0.0011	0.0003	Diff <2x LOR	----
		magnesium, total	7439-95-4	E420	0.0050	mg/L	8.69	8.64	0.603%	20%	----
		manganese, total	7439-96-5	E420	0.00010	mg/L	0.200	0.200	0.0186%	20%	----
		molybdenum, total	7439-98-7	E420	0.000050	mg/L	0.000432	0.000441	0.000010	Diff <2x LOR	----
		nickel, total	7440-02-0	E420	0.00050	mg/L	0.00693	0.00697	0.578%	20%	----
		phosphorus, total	7723-14-0	E420	0.050	mg/L	2.07	2.01	2.57%	20%	----
		potassium, total	7440-09-7	E420	0.050	mg/L	9.24	9.34	1.06%	20%	----
		rubidium, total	7440-17-7	E420	0.00020	mg/L	0.00679	0.00706	3.87%	20%	----
		selenium, total	7782-49-2	E420	0.000050	mg/L	0.000140	0.000138	0.000002	Diff <2x LOR	----
		silicon, total	7440-21-3	E420	0.10	mg/L	1.17	1.16	1.15%	20%	----
		silver, total	7440-22-4	E420	0.000010	mg/L	0.000018	0.000018	0.0000005	Diff <2x LOR	----
		sodium, total	7440-23-5	E420	0.050	mg/L	48.1	48.3	0.323%	20%	----
		strontium, total	7440-24-6	E420	0.00020	mg/L	0.0864	0.0876	1.35%	20%	----
		sulfur, total	7704-34-9	E420	0.50	mg/L	5.44	5.30	2.57%	20%	----
		tellurium, total	13494-80-9	E420	0.00020	mg/L	<0.00020	<0.00020	0	Diff <2x LOR	----
		thallium, total	7440-28-0	E420	0.000010	mg/L	<0.000010	<0.000010	0	Diff <2x LOR	----
		thorium, total	7440-29-1	E420	0.00010	mg/L	<0.00010	<0.00010	0	Diff <2x LOR	----
		tin, total	7440-31-5	E420	0.00010	mg/L	0.00224	0.00223	0.448%	20%	----



Sub-Matrix: Water					Laboratory Duplicate (DUP) Report						
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	LOR	Unit	Original Result	Duplicate Result	RPD(%) or Difference	Duplicate Limits	Qualifier
Total Metals (QC Lot: 633334) - continued											
WT2212936-001	Anonymous	titanium, total	7440-32-6	E420	0.00240	mg/L	<0.00240	<0.00240	0	Diff <2x LOR	----
		tungsten, total	7440-33-7	E420	0.00010	mg/L	<0.00010	<0.00010	0	Diff <2x LOR	----
		uranium, total	7440-61-1	E420	0.000010	mg/L	0.000209	0.000214	2.65%	20%	----
		vanadium, total	7440-62-2	E420	0.00050	mg/L	<0.00050	<0.00050	0	Diff <2x LOR	----
		zinc, total	7440-66-6	E420	0.0030	mg/L	0.0589	0.0589	0.0593%	20%	----
		zirconium, total	7440-67-7	E420	0.00020	mg/L	0.00086	0.00093	0.00008	Diff <2x LOR	----
Total Metals (QC Lot: 634028)											
WT2212782-006	Anonymous	mercury, total	7439-97-6	E508	0.0000050	mg/L	<0.0000050	<0.0000050	0	Diff <2x LOR	----
Total Metals (QC Lot: 634512)											
WT2212529-002	Anonymous	antimony, total	7440-36-0	E432	0.00060	mg/L	<0.60 µg/L	<0.00060	0	Diff <2x LOR	----
		arsenic, total	7440-38-2	E432	0.0010	mg/L	<1.0 µg/L	<0.0010	0	Diff <2x LOR	----
		barium, total	7440-39-3	E432	0.010	mg/L	<10 µg/L	<0.010	0	Diff <2x LOR	----
		boron, total	7440-42-8	E432	0.05	mg/L	<50 µg/L	<0.05	0	Diff <2x LOR	----
		cadmium, total	7440-43-9	E432	0.00010	mg/L	<0.10 µg/L	<0.00010	0	Diff <2x LOR	----
		chromium, total	7440-47-3	E432	0.0010	mg/L	<1.0 µg/L	<0.0010	0	Diff <2x LOR	----
		selenium, total	7782-49-2	E432	0.0010	mg/L	<1.0 µg/L	<0.0010	0	Diff <2x LOR	----
		uranium, total	7440-61-1	E432	0.0020	mg/L	<2.0 µg/L	<0.0020	0	Diff <2x LOR	----
Aggregate Organics (QC Lot: 633331)											
CG2211713-001	Anonymous	nitrilotriacetic acid [NTA]	139-13-9	E394	0.20	mg/L	<0.20	<0.20	0	Diff <2x LOR	----
Aggregate Organics (QC Lot: 639186)											
CG2212007-001	Anonymous	microcystin	101043-37-2	E576	0.20	µg/L	<0.20	<0.20	0	Diff <2x LOR	----
Dissolved Gases (QC Lot: 635471)											
VA22C0739-002	Anonymous	methane	74-82-8	E614B	4.0	ppmv	17500	20600	16.1%	30%	----
Volatile Organic Compounds (QC Lot: 637812)											
WT2212954-001	F2-R	Acetone	67-64-1	E611D	20	µg/L	<20	<20	0	Diff <2x LOR	----
		benzene	71-43-2	E611D	0.50	µg/L	<0.50	<0.50	0	Diff <2x LOR	----
		bromodichloromethane	75-27-4	E611D	0.50	µg/L	<0.50	<0.50	0	Diff <2x LOR	----
		bromoform	75-25-2	E611D	0.50	µg/L	<0.50	<0.50	0	Diff <2x LOR	----
		bromomethane	74-83-9	E611D	0.50	µg/L	<0.50	<0.50	0	Diff <2x LOR	----
		carbon tetrachloride	56-23-5	E611D	0.20	µg/L	<0.20	<0.20	0	Diff <2x LOR	----
		chlorobenzene	108-90-7	E611D	0.50	µg/L	<0.50	<0.50	0	Diff <2x LOR	----
		chloroform	67-66-3	E611D	0.50	µg/L	<0.50	<0.50	0	Diff <2x LOR	----
		dibromochloromethane	124-48-1	E611D	0.50	µg/L	<0.50	<0.50	0	Diff <2x LOR	----
		dibromoethane, 1,2-	106-93-4	E611D	0.20	µg/L	<0.20	<0.20	0	Diff <2x LOR	----
		dichlorobenzene, 1,2-	95-50-1	E611D	0.50	µg/L	<0.50	<0.50	0	Diff <2x LOR	----

Laboratory Duplicate (DUP) Report

Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	LOR	Unit	Original Result	Duplicate Result	RPD(% or Difference	Duplicate Limits	Qualifier
Volatile Organic Compounds (QC Lot: 637812) - continued											
WT2212954-001	F2-R	dichlorobenzene, 1,3-	541-73-1	E611D	0.50	µg/L	<0.50	<0.50	0	Diff <2x LOR	----
		dichlorobenzene, 1,4-	106-46-7	E611D	0.50	µg/L	<0.50	<0.50	0	Diff <2x LOR	----
		dichlorodifluoromethane	75-71-8	E611D	0.50	µg/L	<0.50	<0.50	0	Diff <2x LOR	----
		dichloroethane, 1,1-	75-34-3	E611D	0.50	µg/L	<0.50	<0.50	0	Diff <2x LOR	----
		dichloroethane, 1,2-	107-06-2	E611D	0.50	µg/L	<0.50	<0.50	0	Diff <2x LOR	----
		dichloroethylene, 1,1-	75-35-4	E611D	0.50	µg/L	<0.50	<0.50	0	Diff <2x LOR	----
		dichloroethylene, cis-1,2-	156-59-2	E611D	0.50	µg/L	<0.50	<0.50	0	Diff <2x LOR	----
		dichloroethylene, trans-1,2-	156-60-5	E611D	0.50	µg/L	<0.50	<0.50	0	Diff <2x LOR	----
		dichloromethane	75-09-2	E611D	1.0	µg/L	<1.0	<1.0	0	Diff <2x LOR	----
		dichloropropane, 1,2-	78-87-5	E611D	0.50	µg/L	<0.50	<0.50	0	Diff <2x LOR	----
		dichloropropylene, cis-1,3-	10061-01-5	E611D	0.30	µg/L	<0.30	<0.30	0	Diff <2x LOR	----
		dichloropropylene, trans-1,3-	10061-02-6	E611D	0.30	µg/L	<0.30	<0.30	0	Diff <2x LOR	----
		ethylbenzene	100-41-4	E611D	0.50	µg/L	<0.50	<0.50	0	Diff <2x LOR	----
		hexane, n-	110-54-3	E611D	0.50	µg/L	<0.50	<0.50	0	Diff <2x LOR	----
		methyl ethyl ketone [MEK]	78-93-3	E611D	20	µg/L	<20	<20	0	Diff <2x LOR	----
		methyl isobutyl ketone [MIBK]	108-10-1	E611D	20	µg/L	<20	<20	0	Diff <2x LOR	----
		methyl-tert-butyl ether [MTBE]	1634-04-4	E611D	0.50	µg/L	<0.50	<0.50	0	Diff <2x LOR	----
		styrene	100-42-5	E611D	0.50	µg/L	<0.50	<0.50	0	Diff <2x LOR	----
		tetrachloroethane, 1,1,1,2-	630-20-6	E611D	0.50	µg/L	<0.50	<0.50	0	Diff <2x LOR	----
		tetrachloroethane, 1,1,1,2,2-	79-34-5	E611D	0.50	µg/L	<0.50	<0.50	0	Diff <2x LOR	----
		tetrachloroethylene	127-18-4	E611D	0.50	µg/L	<0.50	<0.50	0	Diff <2x LOR	----
		toluene	108-88-3	E611D	0.50	µg/L	<0.50	<0.50	0	Diff <2x LOR	----
		trichloroethane, 1,1,1-	71-55-6	E611D	0.50	µg/L	<0.50	<0.50	0	Diff <2x LOR	----
		trichloroethane, 1,1,2-	79-00-5	E611D	0.50	µg/L	<0.50	<0.50	0	Diff <2x LOR	----
		trichloroethylene	79-01-6	E611D	0.50	µg/L	<0.50	<0.50	0	Diff <2x LOR	----
		trichlorofluoromethane	75-69-4	E611D	0.50	µg/L	<0.50	<0.50	0	Diff <2x LOR	----
		vinyl chloride	75-01-4	E611D	0.50	µg/L	<0.50	<0.50	0	Diff <2x LOR	----
		xylene, m+p-	179601-23-1	E611D	0.40	µg/L	<0.40	<0.40	0	Diff <2x LOR	----
xylene, o-	95-47-6	E611D	0.30	µg/L	<0.30	<0.30	0	Diff <2x LOR	----		
Volatile Organic Compounds [THMs] (QC Lot: 637813)											
WT2212954-001	F2-R	bromodichloromethane	75-27-4	E611B	1.0	µg/L	<1.0	<1.0	0	Diff <2x LOR	----
		bromoform	75-25-2	E611B	1.0	µg/L	<1.0	<1.0	0	Diff <2x LOR	----
		chloroform	67-66-3	E611B	1.0	µg/L	<1.0	<1.0	0	Diff <2x LOR	----
		dibromochloromethane	124-48-1	E611B	1.0	µg/L	<1.0	<1.0	0	Diff <2x LOR	----
Disinfectant By-Products (QC Lot: 635446)											



Sub-Matrix: Water					Laboratory Duplicate (DUP) Report						
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	LOR	Unit	Original Result	Duplicate Result	RPD(%) or Difference	Duplicate Limits	Qualifier
Disinfectant By-Products (QC Lot: 635446) - continued											
EO2207084-001	Anonymous	chlorate	14866-68-3	E409.CLO3	0.010	mg/L	<0.010	<0.010	0	Diff <2x LOR	----
Disinfectant By-Products (QC Lot: 635447)											
EO2207084-001	Anonymous	chlorite	14998-27-7	E409.CLO2	0.010	mg/L	<0.010	<0.010	0	Diff <2x LOR	----
Haloacetic Acids (QC Lot: 638905)											
CG2211691-001	Anonymous	dibromoacetic acid	631-64-1	E750	1.00	µg/L	<1.00	<1.00	0	Diff <2x LOR	----
		dichloroacetic acid	79-43-6	E750	1.00	µg/L	12.7	12.3	3.20%	30%	----
		monobromoacetic acid	79-08-3	E750	1.00	µg/L	<1.00	<1.00	0	Diff <2x LOR	----
		monochloroacetic acid	79-11-8	E750	1.00	µg/L	1.46	1.73	0.27	Diff <2x LOR	----
		trichloroacetic acid	76-03-9	E750	1.00	µg/L	9.49	9.29	2.19%	30%	----
Carbamate Pesticides (QC Lot: 638961)											
WT2212954-001	F2-R	diuron	330-54-1	E712B	1.0	µg/L	<1.0	<1.0	0	Diff <2x LOR	----
Herbicides (QC Lot: 633946)											
CG2211713-001	Anonymous	AMPA	74341-63-2	E716A	0.50	µg/L	<0.50	<0.50	0	Diff <2x LOR	----
		glyphosate	1071-83-6	E716A	0.20	µg/L	<0.20	<0.20	0	Diff <2x LOR	----
Herbicides (QC Lot: 634443)											
CG2211713-001	Anonymous	acetic acid, 2-methyl-4-chlorophenoxy-[MCPA]	94-74-6	E706A	0.050	µg/L	<0.050	<0.050	0	Diff <2x LOR	----
		bromoxynil	1689-84-5	E706A	0.050	µg/L	<0.050	<0.050	0	Diff <2x LOR	----
		dicamba	1918-00-9	E706A	0.10	µg/L	<0.10	<0.10	0	Diff <2x LOR	----
		dichlorophenoxyacetic acid, 2,4-[2,4-D]	94-75-7	E706A	0.050	µg/L	<0.050	<0.050	0	Diff <2x LOR	----
		dinoseb	88-85-7	E706A	0.050	µg/L	<0.050	<0.050	0	Diff <2x LOR	----
		picloram	1918-02-1	E706A	0.10	µg/L	<0.10	<0.10	0	Diff <2x LOR	----
		trichlorophenoxypropionic acid, 2,4,5- [2,4,5-TP]	93-72-1	E706A	0.050	µg/L	<0.050	<0.050	0	Diff <2x LOR	----
Herbicides (QC Lot: 637025)											
WT2212954-001	F2-R	diquat (ion)	2764-72-9	E723A	1.0	µg/L	<1.0	<1.0	0	Diff <2x LOR	----
		paraquat (as dichloride)	1910-42-5	E723A	1.0	µg/L	<1.0	<1.0	0	Diff <2x LOR	----
Nitrosamines (QC Lot: 638901)											
WT2213464-001	Anonymous	nitrosodimethylamine, n- [NDMA]	62-75-9	E725-T	0.00090	µg/L	<0.00090	<0.00090	0	Diff <2x LOR	----



Method Blank (MB) Report

A Method Blank is an analyte-free matrix that undergoes sample processing identical to that carried out for test samples. Method Blank results are used to monitor and control for potential contamination from the laboratory environment and reagents. For most tests, the DQO for Method Blanks is for the result to be < LOR.

Sub-Matrix: **Water**

Analyte	CAS Number	Method	LOR	Unit	Result	Qualifier
Physical Tests (QCLot: 631650)						
turbidity	----	E121	0.1	NTU	<0.10	B
Physical Tests (QCLot: 632380)						
colour, true	----	E329-L	2	CU	<2.0	----
Physical Tests (QCLot: 634117)						
solids, total dissolved [TDS]	----	E162	10	mg/L	<10	----
Physical Tests (QCLot: 637654)						
alkalinity, total (as CaCO ₃)	----	E290	1	mg/L	<1.0	----
Anions and Nutrients (QCLot: 637486)						
chloride	16887-00-6	E235.Cl	0.5	mg/L	<0.50	----
Anions and Nutrients (QCLot: 637487)						
fluoride	16984-48-8	E235.F	0.02	mg/L	<0.020	----
Anions and Nutrients (QCLot: 637488)						
sulfate (as SO ₄)	14808-79-8	E235.SO ₄	0.3	mg/L	<0.30	----
Anions and Nutrients (QCLot: 637489)						
nitrate (as N)	14797-55-8	E235.NO ₃	0.02	mg/L	<0.020	----
Anions and Nutrients (QCLot: 637490)						
nitrite (as N)	14797-65-0	E235.NO ₂	0.01	mg/L	<0.010	----
Anions and Nutrients (QCLot: 639862)						
Kjeldahl nitrogen, total [TKN]	----	E318	0.05	mg/L	<0.050	----
Anions and Nutrients (QCLot: 639864)						
ammonia, total (as N)	7664-41-7	E298	0.005	mg/L	<0.0050	----
Cyanides (QCLot: 634176)						
cyanide, strong acid dissociable (total)	----	E333	0.002	mg/L	<0.0020	----
Organic / Inorganic Carbon (QCLot: 635753)						
carbon, dissolved organic [DOC]	----	E358-L	0.5	mg/L	<0.50	----
Total Sulfides (QCLot: 639357)						
sulfide, total (as S)	18496-25-8	E396	0.018	mg/L	<0.018	----
Microbiological Tests (QCLot: 632124)						
coliforms, Escherichia coli [E. coli]	----	E010	1	MPN/100mL	<1	----
coliforms, total	----	E010	1	MPN/100mL	<1	----
Total Metals (QCLot: 633334)						
aluminum, total	7429-90-5	E420	0.003	mg/L	<0.0030	----
antimony, total	7440-36-0	E420	0.0001	mg/L	<0.00010	----



Sub-Matrix: Water

Analyte	CAS Number	Method	LOR	Unit	Result	Qualifier
Total Metals (QCLot: 633334) - continued						
arsenic, total	7440-38-2	E420	0.0001	mg/L	<0.00010	----
barium, total	7440-39-3	E420	0.0001	mg/L	<0.00010	----
beryllium, total	7440-41-7	E420	0.00002	mg/L	<0.000020	----
bismuth, total	7440-69-9	E420	0.00005	mg/L	<0.000050	----
boron, total	7440-42-8	E420	0.01	mg/L	<0.010	----
cadmium, total	7440-43-9	E420	0.000005	mg/L	<0.0000050	----
calcium, total	7440-70-2	E420	0.05	mg/L	<0.050	----
cesium, total	7440-46-2	E420	0.00001	mg/L	<0.000010	----
chromium, total	7440-47-3	E420	0.0005	mg/L	<0.00050	----
cobalt, total	7440-48-4	E420	0.0001	mg/L	<0.00010	----
copper, total	7440-50-8	E420	0.0005	mg/L	<0.00050	----
iron, total	7439-89-6	E420	0.01	mg/L	<0.010	----
lead, total	7439-92-1	E420	0.00005	mg/L	<0.000050	----
lithium, total	7439-93-2	E420	0.001	mg/L	<0.0010	----
magnesium, total	7439-95-4	E420	0.005	mg/L	# 0.0114	B
manganese, total	7439-96-5	E420	0.0001	mg/L	<0.00010	----
molybdenum, total	7439-98-7	E420	0.00005	mg/L	<0.000050	----
nickel, total	7440-02-0	E420	0.0005	mg/L	<0.00050	----
phosphorus, total	7723-14-0	E420	0.05	mg/L	<0.050	----
potassium, total	7440-09-7	E420	0.05	mg/L	<0.050	----
rubidium, total	7440-17-7	E420	0.0002	mg/L	<0.00020	----
selenium, total	7782-49-2	E420	0.00005	mg/L	<0.000050	----
silicon, total	7440-21-3	E420	0.1	mg/L	<0.10	----
silver, total	7440-22-4	E420	0.00001	mg/L	<0.000010	----
sodium, total	7440-23-5	E420	0.05	mg/L	<0.050	----
strontium, total	7440-24-6	E420	0.0002	mg/L	<0.00020	----
sulfur, total	7704-34-9	E420	0.5	mg/L	<0.50	----
tellurium, total	13494-80-9	E420	0.0002	mg/L	<0.00020	----
thallium, total	7440-28-0	E420	0.00001	mg/L	<0.000010	----
thorium, total	7440-29-1	E420	0.0001	mg/L	<0.00010	----
tin, total	7440-31-5	E420	0.0001	mg/L	<0.00010	----
titanium, total	7440-32-6	E420	0.0003	mg/L	<0.00030	----
tungsten, total	7440-33-7	E420	0.0001	mg/L	<0.00010	----
uranium, total	7440-61-1	E420	0.00001	mg/L	<0.000010	----
vanadium, total	7440-62-2	E420	0.0005	mg/L	<0.00050	----
zinc, total	7440-66-6	E420	0.003	mg/L	<0.0030	----



Sub-Matrix: Water

Analyte	CAS Number	Method	LOR	Unit	Result	Qualifier
Total Metals (QCLot: 633334) - continued						
zirconium, total	7440-67-7	E420	0.0002	mg/L	<0.00020	----
Total Metals (QCLot: 634028)						
mercury, total	7439-97-6	E508	0.000005	mg/L	<0.0000050	----
Total Metals (QCLot: 634512)						
antimony, total	7440-36-0	E432	0.0006	mg/L	<0.00060	----
arsenic, total	7440-38-2	E432	0.001	mg/L	<0.0010	----
barium, total	7440-39-3	E432	0.01	mg/L	<0.010	----
boron, total	7440-42-8	E432	0.05	mg/L	<0.05	----
cadmium, total	7440-43-9	E432	0.0001	mg/L	<0.00010	----
chromium, total	7440-47-3	E432	0.001	mg/L	<0.0010	----
selenium, total	7782-49-2	E432	0.001	mg/L	<0.0010	----
uranium, total	7440-61-1	E432	0.002	mg/L	<0.0020	----
Aggregate Organics (QCLot: 633331)						
nitrilotriacetic acid [NTA]	139-13-9	E394	0.2	mg/L	<0.20	----
Aggregate Organics (QCLot: 639186)						
microcystin	101043-37-2	E576	0.2	µg/L	<0.20	----
Dissolved Gases (QCLot: 635471)						
methane	74-82-8	E614B	4	ppmv	<4.0	----
Volatile Organic Compounds (QCLot: 637812)						
Acetone	67-64-1	E611D	20	µg/L	<20	----
benzene	71-43-2	E611D	0.5	µg/L	<0.50	----
bromodichloromethane	75-27-4	E611D	0.5	µg/L	<0.50	----
bromoform	75-25-2	E611D	0.5	µg/L	<0.50	----
bromomethane	74-83-9	E611D	0.5	µg/L	<0.50	----
carbon tetrachloride	56-23-5	E611D	0.2	µg/L	<0.20	----
chlorobenzene	108-90-7	E611D	0.5	µg/L	<0.50	----
chloroform	67-66-3	E611D	0.5	µg/L	<0.50	----
dibromochloromethane	124-48-1	E611D	0.5	µg/L	<0.50	----
dibromoethane, 1,2-	106-93-4	E611D	0.2	µg/L	<0.20	----
dichlorobenzene, 1,2-	95-50-1	E611D	0.5	µg/L	<0.50	----
dichlorobenzene, 1,3-	541-73-1	E611D	0.5	µg/L	<0.50	----
dichlorobenzene, 1,4-	106-46-7	E611D	0.5	µg/L	<0.50	----
dichlorodifluoromethane	75-71-8	E611D	0.5	µg/L	<0.50	----
dichloroethane, 1,1-	75-34-3	E611D	0.5	µg/L	<0.50	----
dichloroethane, 1,2-	107-06-2	E611D	0.5	µg/L	<0.50	----
dichloroethylene, 1,1-	75-35-4	E611D	0.5	µg/L	<0.50	----



Sub-Matrix: Water

Analyte	CAS Number	Method	LOR	Unit	Result	Qualifier
Volatile Organic Compounds (QCLot: 637812) - continued						
dichloroethylene, cis-1,2-	156-59-2	E611D	0.5	µg/L	<0.50	----
dichloroethylene, trans-1,2-	156-60-5	E611D	0.5	µg/L	<0.50	----
dichloromethane	75-09-2	E611D	1	µg/L	# 1.1	B
dichloropropane, 1,2-	78-87-5	E611D	0.5	µg/L	<0.50	----
dichloropropylene, cis-1,3-	10061-01-5	E611D	0.3	µg/L	<0.30	----
dichloropropylene, trans-1,3-	10061-02-6	E611D	0.3	µg/L	<0.30	----
ethylbenzene	100-41-4	E611D	0.5	µg/L	<0.50	----
hexane, n-	110-54-3	E611D	0.5	µg/L	<0.50	----
methyl ethyl ketone [MEK]	78-93-3	E611D	20	µg/L	<20	----
methyl isobutyl ketone [MIBK]	108-10-1	E611D	20	µg/L	<20	----
methyl-tert-butyl ether [MTBE]	1634-04-4	E611D	0.5	µg/L	<0.50	----
styrene	100-42-5	E611D	0.5	µg/L	<0.50	----
tetrachloroethane, 1,1,1,2-	630-20-6	E611D	0.5	µg/L	<0.50	----
tetrachloroethane, 1,1,2,2-	79-34-5	E611D	0.5	µg/L	<0.50	----
tetrachloroethylene	127-18-4	E611D	0.5	µg/L	<0.50	----
toluene	108-88-3	E611D	0.5	µg/L	<0.50	----
trichloroethane, 1,1,1-	71-55-6	E611D	0.5	µg/L	<0.50	----
trichloroethane, 1,1,2-	79-00-5	E611D	0.5	µg/L	<0.50	----
trichloroethylene	79-01-6	E611D	0.5	µg/L	<0.50	----
trichlorofluoromethane	75-69-4	E611D	0.5	µg/L	<0.50	----
vinyl chloride	75-01-4	E611D	0.5	µg/L	<0.50	----
xylene, m+p-	179601-23-1	E611D	0.4	µg/L	<0.40	----
xylene, o-	95-47-6	E611D	0.3	µg/L	<0.30	----
Volatile Organic Compounds [THMs] (QCLot: 637813)						
bromodichloromethane	75-27-4	E611B	1	µg/L	<1.0	----
bromoform	75-25-2	E611B	1	µg/L	<1.0	----
chloroform	67-66-3	E611B	1	µg/L	<1.0	----
dibromochloromethane	124-48-1	E611B	1	µg/L	<1.0	----
Polycyclic Aromatic Hydrocarbons (QCLot: 638508)						
benzo(a)pyrene	50-32-8	E641A	0.005	µg/L	<0.0050	----
Disinfectant By-Products (QCLot: 635446)						
chlorate	14866-68-3	E409.CLO3	0.01	mg/L	<0.010	----
Disinfectant By-Products (QCLot: 635447)						
chlorite	14998-27-7	E409.CLO2	0.01	mg/L	<0.010	----
Haloacetic Acids (QCLot: 638905)						
dibromoacetic acid	631-64-1	E750	1	µg/L	<1.00	----



Sub-Matrix: Water

Analyte	CAS Number	Method	LOR	Unit	Result	Qualifier
Haloacetic Acids (QCLot: 638905) - continued						
dichloroacetic acid	79-43-6	E750	1	µg/L	<1.00	----
monobromoacetic acid	79-08-3	E750	0.2	µg/L	<0.20	----
monochloroacetic acid	79-11-8	E750	0.5	µg/L	<0.50	----
trichloroacetic acid	76-03-9	E750	1	µg/L	<1.00	----
Chlorinated Phenolics (QCLot: 633416)						
dichlorophenol, 2,4-	120-83-2	E651D	0.3	µg/L	<0.30	----
pentachlorophenol [PCP]	87-86-5	E651D	0.5	µg/L	<0.50	----
tetrachlorophenol, 2,3,4,6-	58-90-2	E651D	0.5	µg/L	<0.50	----
trichlorophenol, 2,4,6-	88-06-2	E651D	0.5	µg/L	<0.50	----
Polychlorinated Biphenyls (QCLot: 633429)						
Aroclor 1016	12674-11-2	E687	0.02	µg/L	<0.020	----
Aroclor 1221	11104-28-2	E687	0.02	µg/L	<0.020	----
Aroclor 1232	11141-16-5	E687	0.02	µg/L	<0.020	----
Aroclor 1242	53469-21-9	E687	0.02	µg/L	<0.020	----
Aroclor 1248	12672-29-6	E687	0.02	µg/L	<0.020	----
Aroclor 1254	11097-69-1	E687	0.02	µg/L	<0.020	----
Aroclor 1260	11096-82-5	E687	0.02	µg/L	<0.020	----
Aroclor 1262	37324-23-5	E687	0.02	µg/L	<0.020	----
Aroclor 1268	11100-14-4	E687	0.02	µg/L	<0.020	----
Carbamate Pesticides (QCLot: 638961)						
diuron	330-54-1	E712B	1	µg/L	<1.0	----
Organochlorine Pesticides (QCLot: 633430)						
chlordane, cis- (alpha)	5103-71-9	E660F	0.008	µg/L	<0.0080	----
chlordane, trans- (gamma)	5103-74-2	E660F	0.008	µg/L	<0.0080	----
DDD, 4,4'-	72-54-8	E660F	0.004	µg/L	<0.0040	----
DDE, 4,4'-	72-55-9	E660F	0.004	µg/L	<0.0040	----
DDT, 2,4'-	789-02-6	E660F	0.004	µg/L	<0.0040	----
DDT, 4,4'-	50-29-3	E660F	0.004	µg/L	<0.0040	----
oxychlordane	27304-13-8	E660F	0.008	µg/L	<0.0080	----
Herbicides (QCLot: 633946)						
AMPA	74341-63-2	E716A	0.5	µg/L	<0.50	----
glyphosate	1071-83-6	E716A	0.2	µg/L	<0.20	----
Herbicides (QCLot: 634443)						
acetic acid, 2-methyl-4-chlorophenoxy- [MCPA]	94-74-6	E706A	0.05	µg/L	<0.050	----
bromoxynil	1689-84-5	E706A	0.05	µg/L	<0.050	----
dicamba	1918-00-9	E706A	0.1	µg/L	<0.10	----



Sub-Matrix: Water

Analyte	CAS Number	Method	LOR	Unit	Result	Qualifier
Herbicides (QCLot: 634443) - continued						
dichlorophenoxyacetic acid, 2,4- [2,4-D]	94-75-7	E706A	0.05	µg/L	<0.050	----
dinoseb	88-85-7	E706A	0.05	µg/L	<0.050	----
picloram	1918-02-1	E706A	0.1	µg/L	<0.10	----
trichlorophenoxypropionic acid, 2,4,5- [2,4,5-TP]	93-72-1	E706A	0.05	µg/L	<0.050	----
Herbicides (QCLot: 637025)						
diquat (ion)	2764-72-9	E723A	1	µg/L	<1.0	----
paraquat (as dichloride)	1910-42-5	E723A	1	µg/L	<1.0	----
Pesticides (QCLot: 633345)						
alachlor	15972-60-8	E660E-H	0.1	µg/L	<0.10	----
atrazine	1912-24-9	E660E-H	0.1	µg/L	<0.10	----
atrazine-desethyl	6190-65-4	E660E-H	0.1	µg/L	<0.10	----
azinphos-methyl	86-50-0	E660E-H	0.1	µg/L	<0.10	----
carbaryl	63-25-2	E660E-H	0.2	µg/L	<0.20	----
carbofuran	1563-66-2	E660E-H	0.2	µg/L	<0.20	----
chlorpyrifos	2921-88-2	E660E-H	0.1	µg/L	<0.10	----
diazinon	333-41-5	E660E-H	0.1	µg/L	<0.10	----
diclofop-methyl	51338-27-3	E660E-H	0.1	µg/L	<0.10	----
dimethoate	60-51-5	E660E-H	0.1	µg/L	<0.10	----
malathion	121-75-5	E660E-H	0.1	µg/L	<0.10	----
metolachlor	51218-45-2	E660E-H	0.1	µg/L	<0.10	----
metribuzin	21087-64-9	E660E-H	0.1	µg/L	<0.10	----
phorate	298-02-2	E660E-H	0.1	µg/L	<0.10	----
prometryn	7287-19-6	E660E-H	0.1	µg/L	<0.10	----
simazine	122-34-9	E660E-H	0.1	µg/L	<0.10	----
terbufos	13071-79-9	E660E-H	0.1	µg/L	<0.10	----
triallate	2303-17-5	E660E-H	0.1	µg/L	<0.10	----
trifluralin	1582-09-8	E660E-H	0.1	µg/L	<0.10	----
Nitrosamines (QCLot: 638901)						
nitrosodimethylamine, n- [NDMA]	62-75-9	E725-T	0.0009	µg/L	<0.00090	----

Qualifiers

Qualifier	Description
B	Method Blank exceeds ALS DQO. Associated sample results which are < Limit of Reporting or > 5 times blank level are considered reliable.



Laboratory Control Sample (LCS) Report

A Laboratory Control Sample (LCS) is an analyte-free matrix that has been fortified (spiked) with test analytes at known concentration and processed in an identical manner to test samples. LCS results are expressed as percent recovery, and are used to monitor and control test method accuracy and precision, independent of test sample matrix.

Sub-Matrix: Water					Laboratory Control Sample (LCS) Report				
					Spike	Recovery (%)	Recovery Limits (%)		Qualifier
					Concentration	LCS	Low	High	
Analyte	CAS Number	Method	LOR	Unit	Concentration	LCS	Low	High	Qualifier
Physical Tests (QCLot: 631650)									
turbidity	----	E121	0.1	NTU	200 NTU	99.4	85.0	115	----
Physical Tests (QCLot: 632380)									
colour, true	----	E329-L	2	CU	25 CU	105	85.0	115	----
Physical Tests (QCLot: 634117)									
solids, total dissolved [TDS]	----	E162	10	mg/L	1000 mg/L	100	85.0	115	----
Physical Tests (QCLot: 637652)									
pH	----	E108	----	pH units	7 pH units	101	98.0	102	----
Physical Tests (QCLot: 637654)									
alkalinity, total (as CaCO3)	----	E290	1	mg/L	150 mg/L	100	85.0	115	----
Anions and Nutrients (QCLot: 637486)									
chloride	16887-00-6	E235.Cl	0.5	mg/L	100 mg/L	102	90.0	110	----
Anions and Nutrients (QCLot: 637487)									
fluoride	16984-48-8	E235.F	0.02	mg/L	1 mg/L	100	90.0	110	----
Anions and Nutrients (QCLot: 637488)									
sulfate (as SO4)	14808-79-8	E235.SO4	0.3	mg/L	100 mg/L	102	90.0	110	----
Anions and Nutrients (QCLot: 637489)									
nitrate (as N)	14797-55-8	E235.NO3	0.02	mg/L	2.5 mg/L	100	90.0	110	----
Anions and Nutrients (QCLot: 637490)									
nitrite (as N)	14797-65-0	E235.NO2	0.01	mg/L	0.5 mg/L	102	90.0	110	----
Anions and Nutrients (QCLot: 639862)									
Kjeldahl nitrogen, total [TKN]	----	E318	0.05	mg/L	4 mg/L	97.8	75.0	125	----
Anions and Nutrients (QCLot: 639864)									
ammonia, total (as N)	7664-41-7	E298	0.005	mg/L	0.2 mg/L	95.6	85.0	115	----
Cyanides (QCLot: 634176)									
cyanide, strong acid dissociable (total)	----	E333	0.002	mg/L	0.25 mg/L	88.8	80.0	120	----
Organic / Inorganic Carbon (QCLot: 635753)									
carbon, dissolved organic [DOC]	----	E358-L	0.5	mg/L	8.57 mg/L	107	80.0	120	----
Total Sulfides (QCLot: 639357)									
sulfide, total (as S)	18496-25-8	E396	0.018	mg/L	0.1244 mg/L	97.3	75.0	125	----



Sub-Matrix: Water

					Laboratory Control Sample (LCS) Report				
					Spike	Recovery (%)	Recovery Limits (%)		
Analyte	CAS Number	Method	LOR	Unit	Concentration	LCS	Low	High	Qualifier
Total Metals (QCLot: 633334)									
aluminum, total	7429-90-5	E420	0.003	mg/L	0.1 mg/L	107	80.0	120	----
antimony, total	7440-36-0	E420	0.0001	mg/L	0.05 mg/L	104	80.0	120	----
arsenic, total	7440-38-2	E420	0.0001	mg/L	0.05 mg/L	107	80.0	120	----
barium, total	7440-39-3	E420	0.0001	mg/L	0.0125 mg/L	106	80.0	120	----
beryllium, total	7440-41-7	E420	0.00002	mg/L	0.005 mg/L	108	80.0	120	----
bismuth, total	7440-69-9	E420	0.00005	mg/L	0.05 mg/L	104	80.0	120	----
boron, total	7440-42-8	E420	0.01	mg/L	0.05 mg/L	106	80.0	120	----
cadmium, total	7440-43-9	E420	0.000005	mg/L	0.005 mg/L	107	80.0	120	----
calcium, total	7440-70-2	E420	0.05	mg/L	2.5 mg/L	106	80.0	120	----
cesium, total	7440-46-2	E420	0.00001	mg/L	0.0025 mg/L	108	80.0	120	----
chromium, total	7440-47-3	E420	0.0005	mg/L	0.0125 mg/L	105	80.0	120	----
cobalt, total	7440-48-4	E420	0.0001	mg/L	0.0125 mg/L	103	80.0	120	----
copper, total	7440-50-8	E420	0.0005	mg/L	0.0125 mg/L	103	80.0	120	----
iron, total	7439-89-6	E420	0.01	mg/L	0.05 mg/L	107	80.0	120	----
lead, total	7439-92-1	E420	0.00005	mg/L	0.025 mg/L	108	80.0	120	----
lithium, total	7439-93-2	E420	0.001	mg/L	0.0125 mg/L	111	80.0	120	----
magnesium, total	7439-95-4	E420	0.005	mg/L	2.5 mg/L	118	80.0	120	----
manganese, total	7439-96-5	E420	0.0001	mg/L	0.0125 mg/L	107	80.0	120	----
molybdenum, total	7439-98-7	E420	0.00005	mg/L	0.0125 mg/L	98.2	80.0	120	----
nickel, total	7440-02-0	E420	0.0005	mg/L	0.025 mg/L	105	80.0	120	----
phosphorus, total	7723-14-0	E420	0.05	mg/L	0.5 mg/L	105	80.0	120	----
potassium, total	7440-09-7	E420	0.05	mg/L	2.5 mg/L	100	80.0	120	----
rubidium, total	7440-17-7	E420	0.0002	mg/L	0.005 mg/L	106	80.0	120	----
selenium, total	7782-49-2	E420	0.00005	mg/L	0.05 mg/L	110	80.0	120	----
silicon, total	7440-21-3	E420	0.1	mg/L	0.5 mg/L	108	80.0	120	----
silver, total	7440-22-4	E420	0.00001	mg/L	0.005 mg/L	99.4	80.0	120	----
sodium, total	7440-23-5	E420	0.05	mg/L	2.5 mg/L	107	80.0	120	----
strontium, total	7440-24-6	E420	0.0002	mg/L	0.0125 mg/L	102	80.0	120	----
sulfur, total	7704-34-9	E420	0.5	mg/L	2.5 mg/L	102	80.0	120	----
tellurium, total	13494-80-9	E420	0.0002	mg/L	0.005 mg/L	104	80.0	120	----
thallium, total	7440-28-0	E420	0.00001	mg/L	0.05 mg/L	104	80.0	120	----
thorium, total	7440-29-1	E420	0.0001	mg/L	0.005 mg/L	102	80.0	120	----
tin, total	7440-31-5	E420	0.0001	mg/L	0.025 mg/L	104	80.0	120	----
titanium, total	7440-32-6	E420	0.0003	mg/L	0.0125 mg/L	100	80.0	120	----
tungsten, total	7440-33-7	E420	0.0001	mg/L	0.005 mg/L	102	80.0	120	----
uranium, total	7440-61-1	E420	0.00001	mg/L	0.00025 mg/L	109	80.0	120	----
vanadium, total	7440-62-2	E420	0.0005	mg/L	0.025 mg/L	105	80.0	120	----
zinc, total	7440-66-6	E420	0.003	mg/L	0.025 mg/L	106	80.0	120	----



Sub-Matrix: Water

					Laboratory Control Sample (LCS) Report				
					Spike	Recovery (%)	Recovery Limits (%)		
Analyte	CAS Number	Method	LOR	Unit	Concentration	LCS	Low	High	Qualifier
Total Metals (QCLot: 633334) - continued									
zirconium, total	7440-67-7	E420	0.0002	mg/L	0.005 mg/L	102	80.0	120	----
Total Metals (QCLot: 634028)									
mercury, total	7439-97-6	E508	0.000005	mg/L	0.0001 mg/L	100	80.0	120	----
Total Metals (QCLot: 634512)									
antimony, total	7440-36-0	E432	0.0006	mg/L	0.05 mg/L	102	80.0	120	----
arsenic, total	7440-38-2	E432	0.001	mg/L	0.05 mg/L	105	80.0	120	----
barium, total	7440-39-3	E432	0.01	mg/L	0.0125 mg/L	104	80.0	120	----
boron, total	7440-42-8	E432	0.05	mg/L	0.05 mg/L	92.3	80.0	120	----
cadmium, total	7440-43-9	E432	0.0001	mg/L	0.005 mg/L	102	80.0	120	----
chromium, total	7440-47-3	E432	0.001	mg/L	0.0125 mg/L	99.3	80.0	120	----
selenium, total	7782-49-2	E432	0.001	mg/L	0.05 mg/L	103	80.0	120	----
uranium, total	7440-61-1	E432	0.002	mg/L	0.00025 mg/L	107	80.0	120	----
Total Metals (QCLot: 635062)									
aluminum, total	7429-90-5	E420	----	mg/L	0.1 mg/L	105	80.0	120	----
antimony, total	7440-36-0	E420	----	mg/L	0.05 mg/L	107	80.0	120	----
arsenic, total	7440-38-2	E420	----	mg/L	0.05 mg/L	104	80.0	120	----
barium, total	7440-39-3	E420	----	mg/L	0.0125 mg/L	101	80.0	120	----
beryllium, total	7440-41-7	E420	----	mg/L	0.005 mg/L	103	80.0	120	----
bismuth, total	7440-69-9	E420	----	mg/L	0.05 mg/L	100	80.0	120	----
boron, total	7440-42-8	E420	----	mg/L	0.05 mg/L	103	80.0	120	----
cadmium, total	7440-43-9	E420	----	mg/L	0.005 mg/L	103	80.0	120	----
calcium, total	7440-70-2	E420	----	mg/L	2.5 mg/L	103	80.0	120	----
cesium, total	7440-46-2	E420	----	mg/L	0.0025 mg/L	106	80.0	120	----
chromium, total	7440-47-3	E420	----	mg/L	0.0125 mg/L	103	80.0	120	----
cobalt, total	7440-48-4	E420	----	mg/L	0.0125 mg/L	101	80.0	120	----
copper, total	7440-50-8	E420	----	mg/L	0.0125 mg/L	99.9	80.0	120	----
iron, total	7439-89-6	E420	----	mg/L	0.05 mg/L	103	80.0	120	----
lead, total	7439-92-1	E420	----	mg/L	0.025 mg/L	104	80.0	120	----
lithium, total	7439-93-2	E420	----	mg/L	0.0125 mg/L	98.8	80.0	120	----
magnesium, total	7439-95-4	E420	----	mg/L	2.5 mg/L	110	80.0	120	----
manganese, total	7439-96-5	E420	----	mg/L	0.0125 mg/L	103	80.0	120	----
molybdenum, total	7439-98-7	E420	----	mg/L	0.0125 mg/L	103	80.0	120	----
nickel, total	7440-02-0	E420	----	mg/L	0.025 mg/L	101	80.0	120	----
phosphorus, total	7723-14-0	E420	----	mg/L	0.5 mg/L	115	80.0	120	----
potassium, total	7440-09-7	E420	----	mg/L	2.5 mg/L	100	80.0	120	----
rubidium, total	7440-17-7	E420	----	mg/L	0.005 mg/L	107	80.0	120	----
selenium, total	7782-49-2	E420	----	mg/L	0.05 mg/L	106	80.0	120	----



Sub-Matrix: Water

					Laboratory Control Sample (LCS) Report				
					Spike	Recovery (%)	Recovery Limits (%)		
Analyte	CAS Number	Method	LOR	Unit	Concentration	LCS	Low	High	Qualifier
Total Metals (QCLot: 635062) - continued									
silicon, total	7440-21-3	E420	----	mg/L	0.5 mg/L	106	80.0	120	----
silver, total	7440-22-4	E420	----	mg/L	0.005 mg/L	96.5	80.0	120	----
sodium, total	7440-23-5	E420	----	mg/L	2.5 mg/L	102	80.0	120	----
strontium, total	7440-24-6	E420	----	mg/L	0.0125 mg/L	107	80.0	120	----
sulfur, total	7704-34-9	E420	----	mg/L	2.5 mg/L	108	80.0	120	----
tellurium, total	13494-80-9	E420	----	mg/L	0.005 mg/L	105	80.0	120	----
thallium, total	7440-28-0	E420	----	mg/L	0.05 mg/L	102	80.0	120	----
thorium, total	7440-29-1	E420	----	mg/L	0.005 mg/L	102	80.0	120	----
tin, total	7440-31-5	E420	----	mg/L	0.025 mg/L	103	80.0	120	----
titanium, total	7440-32-6	E420	----	mg/L	0.0125 mg/L	103	80.0	120	----
tungsten, total	7440-33-7	E420	----	mg/L	0.005 mg/L	102	80.0	120	----
uranium, total	7440-61-1	E420	----	mg/L	0.00025 mg/L	107	80.0	120	----
vanadium, total	7440-62-2	E420	----	mg/L	0.025 mg/L	102	80.0	120	----
zinc, total	7440-66-6	E420	----	mg/L	0.025 mg/L	103	80.0	120	----
zirconium, total	7440-67-7	E420	----	mg/L	0.005 mg/L	98.1	80.0	120	----
Aggregate Organics (QCLot: 633331)									
nitritotriacetic acid [NTA]	139-13-9	E394	0.2	mg/L	1 mg/L	93.7	75.0	125	----
Aggregate Organics (QCLot: 639186)									
microcystin	101043-37-2	E576	0.2	µg/L	0.5 µg/L	102	70.0	130	----
Volatile Organic Compounds (QCLot: 637812)									
Acetone	67-64-1	E611D	20	µg/L	100 µg/L	125	70.0	130	----
benzene	71-43-2	E611D	0.5	µg/L	100 µg/L	112	70.0	130	----
bromodichloromethane	75-27-4	E611D	0.5	µg/L	100 µg/L	121	70.0	130	----
bromoform	75-25-2	E611D	0.5	µg/L	100 µg/L	117	70.0	130	----
bromomethane	74-83-9	E611D	0.5	µg/L	100 µg/L	121	60.0	140	----
carbon tetrachloride	56-23-5	E611D	0.2	µg/L	100 µg/L	109	70.0	130	----
chlorobenzene	108-90-7	E611D	0.5	µg/L	100 µg/L	105	70.0	130	----
chloroform	67-66-3	E611D	0.5	µg/L	100 µg/L	112	70.0	130	----
dibromochloromethane	124-48-1	E611D	0.5	µg/L	100 µg/L	106	70.0	130	----
dibromoethane, 1,2-	106-93-4	E611D	0.2	µg/L	100 µg/L	112	70.0	130	----
dichlorobenzene, 1,2-	95-50-1	E611D	0.5	µg/L	100 µg/L	106	70.0	130	----
dichlorobenzene, 1,3-	541-73-1	E611D	0.5	µg/L	100 µg/L	102	70.0	130	----
dichlorobenzene, 1,4-	106-46-7	E611D	0.5	µg/L	100 µg/L	103	70.0	130	----
dichlorodifluoromethane	75-71-8	E611D	0.5	µg/L	100 µg/L	104	60.0	140	----
dichloroethane, 1,1-	75-34-3	E611D	0.5	µg/L	100 µg/L	109	70.0	130	----
dichloroethane, 1,2-	107-06-2	E611D	0.5	µg/L	100 µg/L	116	70.0	130	----



Sub-Matrix: Water

					Laboratory Control Sample (LCS) Report				
					Spike	Recovery (%)	Recovery Limits (%)		
Analyte	CAS Number	Method	LOR	Unit	Concentration	LCS	Low	High	Qualifier
Volatile Organic Compounds (QCLot: 637812) - continued									
dichloroethylene, 1,1-	75-35-4	E611D	0.5	µg/L	100 µg/L	101	70.0	130	----
dichloroethylene, cis-1,2-	156-59-2	E611D	0.5	µg/L	100 µg/L	122	70.0	130	----
dichloroethylene, trans-1,2-	156-60-5	E611D	0.5	µg/L	100 µg/L	105	70.0	130	----
dichloromethane	75-09-2	E611D	1	µg/L	100 µg/L	118	70.0	130	----
dichloropropane, 1,2-	78-87-5	E611D	0.5	µg/L	100 µg/L	114	70.0	130	----
dichloropropylene, cis-1,3-	10061-01-5	E611D	0.3	µg/L	100 µg/L	128	70.0	130	----
dichloropropylene, trans-1,3-	10061-02-6	E611D	0.3	µg/L	100 µg/L	117	70.0	130	----
ethylbenzene	100-41-4	E611D	0.5	µg/L	100 µg/L	96.1	70.0	130	----
hexane, n-	110-54-3	E611D	0.5	µg/L	100 µg/L	101	70.0	130	----
methyl ethyl ketone [MEK]	78-93-3	E611D	20	µg/L	100 µg/L	125	70.0	130	----
methyl isobutyl ketone [MIBK]	108-10-1	E611D	20	µg/L	100 µg/L	111	70.0	130	----
methyl-tert-butyl ether [MTBE]	1634-04-4	E611D	0.5	µg/L	100 µg/L	102	70.0	130	----
styrene	100-42-5	E611D	0.5	µg/L	100 µg/L	101	70.0	130	----
tetrachloroethane, 1,1,1,2-	630-20-6	E611D	0.5	µg/L	100 µg/L	108	70.0	130	----
tetrachloroethane, 1,1,2,2-	79-34-5	E611D	0.5	µg/L	100 µg/L	122	70.0	130	----
tetrachloroethylene	127-18-4	E611D	0.5	µg/L	100 µg/L	104	70.0	130	----
toluene	108-88-3	E611D	0.5	µg/L	100 µg/L	99.5	70.0	130	----
trichloroethane, 1,1,1-	71-55-6	E611D	0.5	µg/L	100 µg/L	110	70.0	130	----
trichloroethane, 1,1,2-	79-00-5	E611D	0.5	µg/L	100 µg/L	107	70.0	130	----
trichloroethylene	79-01-6	E611D	0.5	µg/L	100 µg/L	113	70.0	130	----
trichlorofluoromethane	75-69-4	E611D	0.5	µg/L	100 µg/L	107	60.0	140	----
vinyl chloride	75-01-4	E611D	0.5	µg/L	100 µg/L	94.8	60.0	140	----
xylene, m+p-	179601-23-1	E611D	0.4	µg/L	200 µg/L	99.3	70.0	130	----
xylene, o-	95-47-6	E611D	0.3	µg/L	100 µg/L	96.7	70.0	130	----
Volatile Organic Compounds [THMs] (QCLot: 637813)									
bromodichloromethane	75-27-4	E611B	1	µg/L	100 µg/L	121	70.0	130	----
bromoform	75-25-2	E611B	1	µg/L	100 µg/L	117	70.0	130	----
chloroform	67-66-3	E611B	1	µg/L	100 µg/L	112	70.0	130	----
dibromochloromethane	124-48-1	E611B	1	µg/L	100 µg/L	106	70.0	130	----
Polycyclic Aromatic Hydrocarbons (QCLot: 638508)									
benzo(a)pyrene	50-32-8	E641A	0.005	µg/L	0.5263 µg/L	110	50.0	140	----
Disinfectant By-Products (QCLot: 635446)									
chlorate	14866-68-3	E409.CLO3	0.01	mg/L	1 mg/L	103	85.0	115	----
Disinfectant By-Products (QCLot: 635447)									
chlorite	14998-27-7	E409.CLO2	0.01	mg/L	1 mg/L	102	85.0	115	----

Sub-Matrix: Water					Laboratory Control Sample (LCS) Report				
					Spike	Recovery (%)	Recovery Limits (%)		
Analyte	CAS Number	Method	LOR	Unit	Concentration	LCS	Low	High	Qualifier
Haloacetic Acids (QCLot: 638905)									
dibromoacetic acid	631-64-1	E750	1	µg/L	5 µg/L	119	70.0	130	----
dichloroacetic acid	79-43-6	E750	1	µg/L	5 µg/L	124	70.0	130	----
monobromoacetic acid	79-08-3	E750	0.2	µg/L	1 µg/L	83.7	70.0	130	----
monochloroacetic acid	79-11-8	E750	0.5	µg/L	2.5 µg/L	106	70.0	130	----
trichloroacetic acid	76-03-9	E750	1	µg/L	5 µg/L	111	70.0	130	----
Chlorinated Phenolics (QCLot: 633416)									
dichlorophenol, 2,4-	120-83-2	E651D	0.3	µg/L	4.8 µg/L	103	50.0	140	----
pentachlorophenol [PCP]	87-86-5	E651D	0.5	µg/L	4.8 µg/L	140	50.0	140	----
tetrachlorophenol, 2,3,4,6-	58-90-2	E651D	0.5	µg/L	4.8 µg/L	100	50.0	140	----
trichlorophenol, 2,4,6-	88-06-2	E651D	0.5	µg/L	4.8 µg/L	104	50.0	140	----
Polychlorinated Biphenyls (QCLot: 633429)									
Aroclor 1016	12674-11-2	E687	0.02	µg/L	0.2 µg/L	118	60.0	140	----
Aroclor 1221	11104-28-2	E687	0.02	µg/L	0.2 µg/L	118	60.0	140	----
Aroclor 1232	11141-16-5	E687	0.02	µg/L	0.2 µg/L	118	60.0	140	----
Aroclor 1242	53469-21-9	E687	0.02	µg/L	0.2 µg/L	118	60.0	140	----
Aroclor 1248	12672-29-6	E687	0.02	µg/L	0.2 µg/L	91.3	60.0	140	----
Aroclor 1254	11097-69-1	E687	0.02	µg/L	0.2 µg/L	118	60.0	140	----
Aroclor 1260	11096-82-5	E687	0.02	µg/L	0.2 µg/L	108	60.0	140	----
Aroclor 1262	37324-23-5	E687	0.02	µg/L	0.2 µg/L	108	60.0	140	----
Aroclor 1268	11100-14-4	E687	0.02	µg/L	0.2 µg/L	108	60.0	140	----
Carbamate Pesticides (QCLot: 638961)									
diuron	330-54-1	E712B	1	µg/L	10 µg/L	106	80.0	120	----
Organochlorine Pesticides (QCLot: 633430)									
chlordane, cis- (alpha)	5103-71-9	E660F	0.008	µg/L	0.2 µg/L	105	50.0	150	----
chlordane, trans- (gamma)	5103-74-2	E660F	0.008	µg/L	0.2 µg/L	123	50.0	150	----
DDD, 4,4'-	72-54-8	E660F	0.004	µg/L	0.2 µg/L	96.4	50.0	150	----
DDE, 4,4'-	72-55-9	E660F	0.004	µg/L	0.2 µg/L	107	50.0	150	----
DDT, 2,4'-	789-02-6	E660F	0.004	µg/L	0.2 µg/L	116	50.0	150	----
DDT, 4,4'-	50-29-3	E660F	0.004	µg/L	0.2 µg/L	114	50.0	150	----
oxychlordane	27304-13-8	E660F	0.008	µg/L	0.2 µg/L	89.6	50.0	150	----
Herbicides (QCLot: 633946)									
AMPA	74341-63-2	E716A	0.5	µg/L	5 µg/L	94.0	70.0	130	----
glyphosate	1071-83-6	E716A	0.2	µg/L	5 µg/L	100	70.0	130	----
Herbicides (QCLot: 634443)									



Sub-Matrix: Water

					Laboratory Control Sample (LCS) Report				
					Spike	Recovery (%)	Recovery Limits (%)		
Analyte	CAS Number	Method	LOR	Unit	Concentration	LCS	Low	High	Qualifier
Herbicides (QCLot: 634443) - continued									
acetic acid, 2-methyl-4-chlorophenoxy- [MCPA]	94-74-6	E706A	0.05	µg/L	1 µg/L	76.1	65.0	130	----
bromoxynil	1689-84-5	E706A	0.05	µg/L	1 µg/L	112	65.0	130	----
dicamba	1918-00-9	E706A	0.1	µg/L	2 µg/L	81.5	50.0	150	----
dichlorophenoxyacetic acid, 2,4- [2,4-D]	94-75-7	E706A	0.05	µg/L	1 µg/L	76.0	65.0	130	----
dinoseb	88-85-7	E706A	0.05	µg/L	1 µg/L	88.7	65.0	130	----
picloram	1918-02-1	E706A	0.1	µg/L	2 µg/L	94.5	50.0	150	----
trichlorophenoxypropionic acid, 2,4,5- [2,4,5-TP]	93-72-1	E706A	0.05	µg/L	1 µg/L	105	65.0	130	----
Herbicides (QCLot: 637025)									
diquat (ion)	2764-72-9	E723A	1	µg/L	25 µg/L	105	70.0	130	----
paraquat (as dichloride)	1910-42-5	E723A	1	µg/L	25 µg/L	83.8	70.0	130	----
Pesticides (QCLot: 633345)									
alachlor	15972-60-8	E660E-H	0.1	µg/L	0.2 µg/L	# 155	60.0	130	LCS-H
atrazine	1912-24-9	E660E-H	0.1	µg/L	0.2 µg/L	# 147	60.0	130	LCS-H
atrazine-desethyl	6190-65-4	E660E-H	0.1	µg/L	0.2 µg/L	88.8	50.0	130	----
azinphos-methyl	86-50-0	E660E-H	0.1	µg/L	0.2 µg/L	# 196	60.0	140	LCS-H
carbaryl	63-25-2	E660E-H	0.2	µg/L	0.2 µg/L	# 145	50.0	140	LCS-H
carbofuran	1563-66-2	E660E-H	0.2	µg/L	0.2 µg/L	# 145	60.0	140	LCS-H
chlorpyrifos	2921-88-2	E660E-H	0.1	µg/L	0.2 µg/L	# 156	60.0	130	LCS-H
diazinon	333-41-5	E660E-H	0.1	µg/L	0.2 µg/L	111	60.0	130	----
diclofop-methyl	51338-27-3	E660E-H	0.1	µg/L	0.2 µg/L	# 156	60.0	140	LCS-H
dimethoate	60-51-5	E660E-H	0.1	µg/L	0.2 µg/L	# 152	60.0	130	LCS-H
malathion	121-75-5	E660E-H	0.1	µg/L	0.2 µg/L	# 191	60.0	130	LCS-H
metolachlor	51218-45-2	E660E-H	0.1	µg/L	0.2 µg/L	# 181	60.0	130	LCS-H
metribuzin	21087-64-9	E660E-H	0.1	µg/L	0.2 µg/L	# 154	60.0	130	LCS-H
phorate	298-02-2	E660E-H	0.1	µg/L	0.2 µg/L	# 13.5	60.0	140	LCS-L
prometryn	7287-19-6	E660E-H	0.1	µg/L	0.2 µg/L	# 156	60.0	130	LCS-H
simazine	122-34-9	E660E-H	0.1	µg/L	0.2 µg/L	# 135	60.0	130	LCS-H
terbufos	13071-79-9	E660E-H	0.1	µg/L	0.2 µg/L	# 11.5	60.0	130	LCS-L
triallate	2303-17-5	E660E-H	0.1	µg/L	0.2 µg/L	126	60.0	130	----
trifluralin	1582-09-8	E660E-H	0.1	µg/L	0.2 µg/L	# 146	60.0	130	LCS-H
Nitrosamines (QCLot: 638901)									
nitrosodimethylamine, n- [NDMA]	62-75-9	E725-T	0.0009	µg/L	0.005 µg/L	105	50.0	150	----



Qualifiers

Qualifier	Description
LCS-H	Lab Control Sample recovery was above ALS DQO. Non-detected sample results are considered reliable. Other results, if reported, have been qualified.
LCS-L	Lab Control Sample recovery was below ALS DQO. Reference Material and/or Matrix Spike results were acceptable. Non-detected sample results are considered reliable. Other results, if reported, have been qualified.

A Matrix Spike (MS) is a randomly selected intra-laboratory replicate sample that has been fortified (spiked) with test analytes at known concentration, and processed in an identical manner to test samples. Matrix Spikes provide information regarding analyte recovery and potential matrix effects. MS DQO exceedances due to sample matrix may sometimes be unavoidable; in such cases, test results for the associated sample (or similar samples) may be subject to bias. ND – Recovery not determined, background level $\geq 1 \times$ spike level.

Sub-Matrix: Water					Matrix Spike (MS) Report					
					Spike		Recovery (%)	Recovery Limits (%)		
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	Concentration	Target	MS	Low	High	Qualifier
Anions and Nutrients (QCLot: 637486)										
WT2213026-001	Anonymous	chloride	16887-00-6	E235.Cl	478 mg/L	500 mg/L	95.6	75.0	125	----
Anions and Nutrients (QCLot: 637487)										
WT2213026-001	Anonymous	fluoride	16984-48-8	E235.F	4.93 mg/L	5 mg/L	98.6	75.0	125	----
Anions and Nutrients (QCLot: 637488)										
WT2213026-001	Anonymous	sulfate (as SO4)	14808-79-8	E235.SO4	462 mg/L	500 mg/L	92.4	75.0	125	----
Anions and Nutrients (QCLot: 637489)										
WT2213026-001	Anonymous	nitrate (as N)	14797-55-8	E235.NO3	11.7 mg/L	12.5 mg/L	94.0	75.0	125	----
Anions and Nutrients (QCLot: 637490)										
WT2213026-001	Anonymous	nitrite (as N)	14797-65-0	E235.NO2	2.39 mg/L	2.5 mg/L	95.6	75.0	125	----
Anions and Nutrients (QCLot: 639862)										
WT2212926-001	Anonymous	Kjeldahl nitrogen, total [TKN]	----	E318	25.4 mg/L	2.5 mg/L	102	70.0	130	----
Anions and Nutrients (QCLot: 639864)										
WT2212951-001	Anonymous	ammonia, total (as N)	7664-41-7	E298	0.0970 mg/L	0.1 mg/L	97.0	75.0	125	----
Cyanides (QCLot: 634176)										
SK2204799-001	Anonymous	cyanide, strong acid dissociable (total)	----	E333	0.224 mg/L	0.25 mg/L	89.7	75.0	125	----
Organic / Inorganic Carbon (QCLot: 635753)										
TY2201174-008	Anonymous	carbon, dissolved organic [DOC]	----	E358-L	5.93 mg/L	5 mg/L	118	70.0	130	----
Total Sulfides (QCLot: 639357)										
WT2212954-001	F2-R	sulfide, total (as S)	18496-25-8	E396	0.102 mg/L	0.1244 mg/L	82.0	65.0	135	----
Total Metals (QCLot: 633334)										
WT2212936-002	Anonymous	aluminum, total	7429-90-5	E420	0.0990 mg/L	0.1 mg/L	99.0	70.0	130	----
		antimony, total	7440-36-0	E420	0.0531 mg/L	0.05 mg/L	106	70.0	130	----
		arsenic, total	7440-38-2	E420	0.0515 mg/L	0.05 mg/L	103	70.0	130	----
		barium, total	7440-39-3	E420	ND mg/L	0.0125 mg/L	ND	70.0	130	----
		beryllium, total	7440-41-7	E420	0.00510 mg/L	0.005 mg/L	102	70.0	130	----
		bismuth, total	7440-69-9	E420	0.0475 mg/L	0.05 mg/L	95.1	70.0	130	----
		boron, total	7440-42-8	E420	ND mg/L	0.05 mg/L	ND	70.0	130	----
		cadmium, total	7440-43-9	E420	0.00512 mg/L	0.005 mg/L	102	70.0	130	----
		calcium, total	7440-70-2	E420	ND mg/L	2.5 mg/L	ND	70.0	130	----



Sub-Matrix: Water					Matrix Spike (MS) Report					
					Spike		Recovery (%)	Recovery Limits (%)		Qualifier
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	Concentration	Target	MS	Low	High	
Total Metals (QCLot: 633334) - continued										
WT2212936-002	Anonymous	cesium, total	7440-46-2	E420	0.00264 mg/L	0.0025 mg/L	106	70.0	130	----
		chromium, total	7440-47-3	E420	0.0128 mg/L	0.0125 mg/L	102	70.0	130	----
		cobalt, total	7440-48-4	E420	ND mg/L	0.0125 mg/L	ND	70.0	130	----
		copper, total	7440-50-8	E420	0.0120 mg/L	0.0125 mg/L	96.0	70.0	130	----
		iron, total	7439-89-6	E420	ND mg/L	0.05 mg/L	ND	70.0	130	----
		lead, total	7439-92-1	E420	0.0249 mg/L	0.025 mg/L	99.6	70.0	130	----
		lithium, total	7439-93-2	E420	0.0132 mg/L	0.0125 mg/L	105	70.0	130	----
		magnesium, total	7439-95-4	E420	ND mg/L	2.5 mg/L	ND	70.0	130	----
		manganese, total	7439-96-5	E420	ND mg/L	0.0125 mg/L	ND	70.0	130	----
		molybdenum, total	7439-98-7	E420	0.0124 mg/L	0.0125 mg/L	99.1	70.0	130	----
		nickel, total	7440-02-0	E420	ND mg/L	0.025 mg/L	ND	70.0	130	----
		phosphorus, total	7723-14-0	E420	0.497 mg/L	0.5 mg/L	99.4	70.0	130	----
		potassium, total	7440-09-7	E420	ND mg/L	2.5 mg/L	ND	70.0	130	----
		rubidium, total	7440-17-7	E420	0.00515 mg/L	0.005 mg/L	103	70.0	130	----
		selenium, total	7782-49-2	E420	0.0520 mg/L	0.05 mg/L	104	70.0	130	----
		silicon, total	7440-21-3	E420	ND mg/L	0.5 mg/L	ND	70.0	130	----
		silver, total	7440-22-4	E420	0.00470 mg/L	0.005 mg/L	93.9	70.0	130	----
		sodium, total	7440-23-5	E420	ND mg/L	2.5 mg/L	ND	70.0	130	----
		strontium, total	7440-24-6	E420	ND mg/L	0.0125 mg/L	ND	70.0	130	----
		sulfur, total	7704-34-9	E420	ND mg/L	2.5 mg/L	ND	70.0	130	----
		tellurium, total	13494-80-9	E420	0.00478 mg/L	0.005 mg/L	95.6	70.0	130	----
		thallium, total	7440-28-0	E420	0.0486 mg/L	0.05 mg/L	97.2	70.0	130	----
		thorium, total	7440-29-1	E420	0.00459 mg/L	0.005 mg/L	91.8	70.0	130	----
		tin, total	7440-31-5	E420	0.0249 mg/L	0.025 mg/L	99.5	70.0	130	----
		titanium, total	7440-32-6	E420	0.0124 mg/L	0.0125 mg/L	99.6	70.0	130	----
		tungsten, total	7440-33-7	E420	0.00504 mg/L	0.005 mg/L	101	70.0	130	----
		uranium, total	7440-61-1	E420	ND mg/L	0.00025 mg/L	ND	70.0	130	----
		vanadium, total	7440-62-2	E420	0.0263 mg/L	0.025 mg/L	105	70.0	130	----
		zinc, total	7440-66-6	E420	0.0231 mg/L	0.025 mg/L	92.3	70.0	130	----
		zirconium, total	7440-67-7	E420	0.00476 mg/L	0.005 mg/L	95.1	70.0	130	----
Total Metals (QCLot: 634028)										
WT2212938-001	Anonymous	mercury, total	7439-97-6	E508	0.0000830 mg/L	0.0001 mg/L	83.0	70.0	130	----
Total Metals (QCLot: 634512)										
WT2212529-003	Anonymous	antimony, total	7440-36-0	E432	0.0567 mg/L	0.05 mg/L	113	70.0	130	----
		arsenic, total	7440-38-2	E432	0.0644 mg/L	0.05 mg/L	129	70.0	130	----
		barium, total	7440-39-3	E432	ND mg/L	0.0125 mg/L	ND	70.0	130	----



Sub-Matrix: Water					Matrix Spike (MS) Report					
					Spike		Recovery (%)	Recovery Limits (%)		Qualifier
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	Concentration	Target	MS	Low	High	
Total Metals (QCLot: 634512) - continued										
WT2212529-003	Anonymous	boron, total	7440-42-8	E432	0.05 mg/L	0.05 mg/L	98.1	70.0	130	----
		cadmium, total	7440-43-9	E432	0.00583 mg/L	0.005 mg/L	117	70.0	130	----
		chromium, total	7440-47-3	E432	0.0135 mg/L	0.0125 mg/L	108	70.0	130	----
		selenium, total	7782-49-2	E432	0.0692 mg/L	0.05 mg/L	138	70.0	130	MES
		uranium, total	7440-61-1	E432	0.0003 mg/L	0.00025 mg/L	111	70.0	130	----
Aggregate Organics (QCLot: 633331)										
CG2211713-001	Anonymous	nitritotriacetic acid [NTA]	139-13-9	E394	0.82 mg/L	1 mg/L	82.2	50.0	150	----
Aggregate Organics (QCLot: 639186)										
CG2212007-001	Anonymous	microcystin	101043-37-2	E576	0.51 µg/L	1 µg/L	50.8	50.0	150	----
Volatile Organic Compounds (QCLot: 637812)										
WT2212954-001	F2-R	Acetone	67-64-1	E611D	100 µg/L	100 µg/L	99.5	60.0	140	----
		benzene	71-43-2	E611D	113 µg/L	100 µg/L	113	60.0	140	----
		bromodichloromethane	75-27-4	E611D	119 µg/L	100 µg/L	119	60.0	140	----
		bromoform	75-25-2	E611D	106 µg/L	100 µg/L	106	60.0	140	----
		bromomethane	74-83-9	E611D	19.6 µg/L	100 µg/L	19.6	60.0	140	K
		carbon tetrachloride	56-23-5	E611D	115 µg/L	100 µg/L	115	60.0	140	----
		chlorobenzene	108-90-7	E611D	106 µg/L	100 µg/L	106	60.0	140	----
		chloroform	67-66-3	E611D	113 µg/L	100 µg/L	113	60.0	140	----
		dibromochloromethane	124-48-1	E611D	102 µg/L	100 µg/L	102	60.0	140	----
		dibromoethane, 1,2-	106-93-4	E611D	99.1 µg/L	100 µg/L	99.1	60.0	140	----
		dichlorobenzene, 1,2-	95-50-1	E611D	107 µg/L	100 µg/L	107	60.0	140	----
		dichlorobenzene, 1,3-	541-73-1	E611D	106 µg/L	100 µg/L	106	60.0	140	----
		dichlorobenzene, 1,4-	106-46-7	E611D	106 µg/L	100 µg/L	106	60.0	140	----
		dichlorodifluoromethane	75-71-8	E611D	100 µg/L	100 µg/L	100	60.0	140	----
		dichloroethane, 1,1-	75-34-3	E611D	111 µg/L	100 µg/L	111	60.0	140	----
		dichloroethane, 1,2-	107-06-2	E611D	108 µg/L	100 µg/L	108	60.0	140	----
		dichloroethylene, 1,1-	75-35-4	E611D	105 µg/L	100 µg/L	105	60.0	140	----
		dichloroethylene, cis-1,2-	156-59-2	E611D	113 µg/L	100 µg/L	113	60.0	140	----
		dichloroethylene, trans-1,2-	156-60-5	E611D	109 µg/L	100 µg/L	109	60.0	140	----
		dichloromethane	75-09-2	E611D	112 µg/L	100 µg/L	112	60.0	140	----
		dichloropropane, 1,2-	78-87-5	E611D	111 µg/L	100 µg/L	111	60.0	140	----
		dichloropropylene, cis-1,3-	10061-01-5	E611D	38.3 µg/L	100 µg/L	38.3	60.0	140	K
		dichloropropylene, trans-1,3-	10061-02-6	E611D	64.2 µg/L	100 µg/L	64.2	60.0	140	----
		ethylbenzene	100-41-4	E611D	101 µg/L	100 µg/L	101	60.0	140	----
		hexane, n-	110-54-3	E611D	106 µg/L	100 µg/L	106	60.0	140	----
		methyl ethyl ketone [MEK]	78-93-3	E611D	100 µg/L	100 µg/L	99.8	60.0	140	----



Sub-Matrix: **Water**


Sub-Matrix: Water					Matrix Spike (MS) Report					
					Spike		Recovery (%)	Recovery Limits (%)		
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	Concentration	Target	MS	Low	High	Qualifier
Volatile Organic Compounds (QCLot: 637812) - continued										
WT2212954-001	F2-R	methyl isobutyl ketone [MIBK]	108-10-1	E611D	92 µg/L	100 µg/L	92.3	60.0	140	----
		methyl-tert-butyl ether [MTBE]	1634-04-4	E611D	104 µg/L	100 µg/L	104	60.0	140	----
		styrene	100-42-5	E611D	95.6 µg/L	100 µg/L	95.6	60.0	140	----
		tetrachloroethane, 1,1,1,2-	630-20-6	E611D	109 µg/L	100 µg/L	109	60.0	140	----
		tetrachloroethane, 1,1,2,2-	79-34-5	E611D	106 µg/L	100 µg/L	106	60.0	140	----
		tetrachloroethylene	127-18-4	E611D	111 µg/L	100 µg/L	111	60.0	140	----
		toluene	108-88-3	E611D	104 µg/L	100 µg/L	104	60.0	140	----
		trichloroethane, 1,1,1-	71-55-6	E611D	115 µg/L	100 µg/L	115	60.0	140	----
		trichloroethane, 1,1,2-	79-00-5	E611D	100 µg/L	100 µg/L	100	60.0	140	----
		trichloroethylene	79-01-6	E611D	118 µg/L	100 µg/L	118	60.0	140	----
		trichlorofluoromethane	75-69-4	E611D	112 µg/L	100 µg/L	112	60.0	140	----
		vinyl chloride	75-01-4	E611D	95.6 µg/L	100 µg/L	95.6	60.0	140	----
		xylene, m+p-	179601-23-1	E611D	209 µg/L	200 µg/L	104	60.0	140	----
		xylene, o-	95-47-6	E611D	100 µg/L	100 µg/L	100	60.0	140	----
Volatile Organic Compounds [THMs] (QCLot: 637813)										
WT2212954-001	F2-R	bromodichloromethane	75-27-4	E611B	119 µg/L	100 µg/L	119	60.0	140	----
		bromoform	75-25-2	E611B	106 µg/L	100 µg/L	106	60.0	140	----
		chloroform	67-66-3	E611B	113 µg/L	100 µg/L	113	60.0	140	----
		dibromochloromethane	124-48-1	E611B	102 µg/L	100 µg/L	102	60.0	140	----
Disinfectant By-Products (QCLot: 635446)										
EO2207084-001	Anonymous	chlorate	14866-68-3	E409.CLO3	0.966 mg/L	1 mg/L	96.6	75.0	125	----
Disinfectant By-Products (QCLot: 635447)										
EO2207084-001	Anonymous	chlorite	14998-27-7	E409.CLO2	0.974 mg/L	1 mg/L	97.4	75.0	125	----
Haloacetic Acids (QCLot: 638905)										
CG2211691-001	Anonymous	dibromoacetic acid	631-64-1	E750	5.91 µg/L	5 µg/L	118	50.0	150	----
		dichloroacetic acid	79-43-6	E750	ND µg/L	5 µg/L	ND	50.0	150	----
		monobromoacetic acid	79-08-3	E750	0.75 µg/L	1 µg/L	75.4	50.0	150	----
		monochloroacetic acid	79-11-8	E750	2.78 µg/L	2.5 µg/L	111	50.0	150	----
		trichloroacetic acid	76-03-9	E750	ND µg/L	5 µg/L	ND	50.0	150	----
Carbamate Pesticides (QCLot: 638961)										
WT2212954-001	F2-R	diuron	330-54-1	E712B	9.8 µg/L	10 µg/L	97.9	70.0	130	----
Herbicides (QCLot: 633946)										
CG2211713-001	Anonymous	AMPA	74341-63-2	E716A	4.90 µg/L	5 µg/L	98.0	70.0	130	----
		glyphosate	1071-83-6	E716A	4.98 µg/L	5 µg/L	99.7	70.0	130	----



Sub-Matrix: Water					Matrix Spike (MS) Report					
					Spike		Recovery (%)	Recovery Limits (%)		
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	Concentration	Target	MS	Low	High	Qualifier
Herbicides (QCLot: 634443)										
CG2211713-001	Anonymous	acetic acid, 2-methyl-4-chlorophenoxy-[MCPA]	94-74-6	E706A	1.14 µg/L	1 µg/L	114	50.0	130	----
		bromoxynil	1689-84-5	E706A	0.664 µg/L	1 µg/L	66.4	50.0	130	----
		dicamba	1918-00-9	E706A	1.65 µg/L	2 µg/L	82.3	50.0	150	----
		dichlorophenoxyacetic acid, 2,4- [2,4-D]	94-75-7	E706A	0.901 µg/L	1 µg/L	90.1	50.0	130	----
		dinoseb	88-85-7	E706A	0.704 µg/L	1 µg/L	70.4	50.0	130	----
		picloram	1918-02-1	E706A	1.75 µg/L	2 µg/L	87.7	50.0	150	----
		trichlorophenoxypropionic acid, 2,4,5-[2,4,5-TP]	93-72-1	E706A	0.939 µg/L	1 µg/L	93.9	50.0	130	----
Herbicides (QCLot: 637025)										
WT2212954-001	F2-R	diquat (ion)	2764-72-9	E723A	25.2 µg/L	25 µg/L	101	70.0	130	----
		paraquat (as dichloride)	1910-42-5	E723A	20.7 µg/L	25 µg/L	83.0	70.0	130	----
Nitrosamines (QCLot: 638901)										
WT2213464-002	Anonymous	nitrosodimethylamine, n- [NDMA]	62-75-9	E725-T	0.00437 µg/L	0.005 µg/L	81.2	50.0	150	----

Qualifiers

Qualifier	Description
K	Matrix Spike recovery outside ALS DQO due to sample matrix effects.
MES	Data Quality Objective was marginally exceeded (by < 10% absolute) for < 10% of analytes in a Multi-Element Scan / Multi-Parameter Scan (considered acceptable as per OMOE & CCME).



Telephone : +1 519 886 6910



AGAT

Laboratories

5835 Coopers Avenue
Mississauga, ON
L4Z 1Y2

Drinking Water Chain of Custody Record

P: 905.712.5100 • F: 905.712.5122 • TF: 1.800.856.6261

Client Information

Company: AECOM
Contact: Matthew Alexander
Address: 50 Sportsworld Crossing Rd
Suite 290, Kitchener ON N2P 0A4
Phone: 226-821-4906 Fax: _____
PO #: _____
Client Project #: Centre Wellington; 60664299
AGAT Quotation #: _____

Report Information

1. Name: Matthew Alexander
Email: matthew.alexander@aecom.com
2. Name: Adam Gilmore
Email: A.Gilmore@centrewellington.ca

Report Format

☐ Single Sample
per page
☐ Multiple
Samples per
page

Facility Type (Check all that are applicable)

☐ Large ☐ OR ☐ Small
☐ Residential ☐ OR ☐ Non-Residential
☐ Municipal ☐ OR ☐ Non-Municipal

+ Water Type

(Specify in column below)
Raw (R), Treated (TR),
Distribution (D), Tap (TP)
Private Well (P)

Requirements (Check one)

☐ O. Regulation 170 ☐ Not Applicable
☐ O. Regulation 243 ☐ Federal
☐ O. Regulation 318/319 ☒ Other O.R. 169/03

IS THIS WATER BEING CONSUMED BY HUMANS?

☐ Yes ☒ No

DO THE RESULTS REQUIRE REPORTING TO THE MECP OR LOCAL PUBLIC HEALTH UNIT?

☐ Yes ☒ No

FOR RAW WATER (E.G. UNTREATED), IS THE SAMPLE COLLECTED FROM A POINT OF HUMAN CONSUMPTION?

☐ Yes ☒ No

CLIENT IS RESPONSIBLE TO COMPLETE AND SUBMIT LAB SERVICE NOTIFICATION (LSN) FORM TO THE MOECC/PHU. FAILURE TO DO SO MAY DELAY REPORTING.

NOTIFICATION INFORMATION MUST BE COMPLETE BELOW UPON SUBMISSION OF SAMPLES. LABORATORY ANALYSIS WILL NOT COMMENCE UNTIL ALL INFORMATION HAS BEEN PROVIDED.

SAMPLE IDENTIFICATION/LOCATION	DATE SAMPLED	TIME SAMPLED	WATER TYPE *	# OF CONTAINERS	CHLORINE RESIDUAL (incl. Units)	STANDING	FLUSHED	COMMENTS/STANDING TIME (IN MINUTES)	Inorganics (Sch. 23)	Organics (Sch. 24)	Lead	Fluoride	Sodium	Turbidity	Nitrate, Nitrite	Trihalomethanes / HAAs	E.coli, Total Coliforms	Water Quality Assessment Package	Bromate & Chloramine
F2-R	2022/09/02	9:35	GW(R)	4			✓												✓
			AM																
			PM																
			AM																
			PM																
			AM																
			PM																
			AM																
			PM																

Samples Taken By (Print Name and Sign):

* TAT is exclusive of weekends and statutory holidays. Prior arrangements must be made with the laboratory in order to submit Microbiology samples on Fridays

NOTIFICATION INFORMATION - (required to report adverse results as per the Safe Drinking Water Act) - Laboratory analysis will not commence until all information is received.

INFORMATION FOR ADVERSE REPORTING

Waterworks Name: _____ Phone: _____ Fax: _____
MOECC# (ie: Waterworks #): _____ After Hours Phone: _____
Contact: _____ Address/Location (if different from client above): _____
Email: _____

MEDICAL OFFICER OF HEALTH (MOH)

Region: _____ PHU Contact: _____
Phone: _____ Fax: _____
Email: _____

Samples Relinquished By (Print Name and Sign):

Peter Mulla

Date/Time

12:52
2022/09/02

Samples Received By (Print Name and Sign):

Anthony Dosha

Date/Time

Samples Relinquished By (Print Name and Sign):

Date/Time

Samples Received By (Print Name and Sign):

Date/Time

Pink Copy - Client

Yellow/Golden

Copy - AGAI

White Copy AGAT

Page 1 of 1

Nº: **DW 07063**

Sep 13, 2022

This report was generated for samples included in SRC Group # 2022-10697

Quality Control Report

Eva Janzen
AGAT Labs
5835 Coopers Ave
Mississauga, ON L4Z 1Y2

Reference Materials and Standards:

A reference material of known concentration is used whenever possible as either a control sample or control standard and analyzed with each batch of samples. These "QC" results are used to assess the performance of the method and must be within clearly defined limits; otherwise corrective action is required.

QC Analysis	Units	Target Value	Obtained Value
Free chlorine	mg/L	27.6	26.1
Total residual chlorine	mg/L	1.86	1.87

Duplicates:

Duplicates are used to assess problems with precision and help ensure that samples within a given batch were processed appropriately. The difference between duplicates must be within strict limits, otherwise corrective action is required. Please note, the duplicate(s) in this report are duplicates analyzed within a given batch of test samples and may not be from this specific group of samples.

Duplicate Analysis	Units	Sample ID	First Result	Second Result
Chloramines	mg/L	34582	<0.01	<0.01

All quality control results were within the specified limits and considered acceptable.

Approved by Section Supervisor

SRC Group # 2022-10697

Sep 13, 2022

AGAT Labs
5835 Coopers Ave
Mississauga, ON L4Z 1Y2
Attn: Eva Janzen

Date Samples Received: Sep-07-2022

Client P.O.: 197466

All results have been reviewed and approved by a Qualified Person in accordance with the Saskatchewan Environmental Code, Corrective Action Plan Chapter, for the purposes of certifying a laboratory analysis

Results from Lab Section 3 approved by Tamosiunis, Cindy

- * Test methods and data are validated by the laboratory's Quality Assurance Program.
- * Routine methods follow recognized procedures from sources such as
 - * Standard Methods for the Examination of Water and Wastewater APHA AWWA WEF
 - * Environment Canada
 - * US EPA
 - * CANMET
- * The results reported relate only to the test samples as provided by the client. Results apply to the sample as received, unless otherwise indicated.
- * Data marked as "by Client" has been provided by the client and may affect the validity of results.
- * Samples will be kept for 30 days after the final report is sent. Please contact the lab if you have any special requirements.
- * Additional information is available upon request.
- * Where applicable, unless otherwise noted, Measurement Uncertainty has not been accounted for when stating conformity to the referenced standard.

This is a final report.

SRC Group # 2022-10697

Sep 13, 2022

AGAT Labs

5835 Coopers Ave

Mississauga, ON L4Z 1Y2

Attn: Eva Janzen

Date Samples Received: Sep-07-2022

Client P.O.: 197466

34582 09/02/2022 22T940792 4270526 *WATER*

Analyte	Units	34582
---------	-------	-------

Lab Section 3

Chloramines	mg/L	<0.01
-------------	------	-------

Symbol of "<" means "less than". This indicates that it was not detected at level stated above.

Time between sampling and receipt in lab exceeds the recommended 24 hours for Chloramines.

The temperature of the cooler was 17 °C upon receipt.

SRC Group # 2022-10697

Sep 13, 2022

AGAT Labs

Analyte Methods

Name	Units	Method
Chloramines	mg/L	CHM-340

**SGS Canada Inc.**

P.O. Box 4300 - 185 Concession St.
Lakefield - Ontario - K0L 2H0
Phone: 705-652-2000 FAX: 705-652-6365

20-September-2022

AGAT Laboratories - Mississauga

Attn : Eva Janzen, Neil Ramnaraig

5835 Coopers Avenue
Mississauga, ON
L4Z 1Y2, Canada

Phone: 905-712-5096
Fax:

Date Rec. : 07 September 2022
LR Report: CA12164-SEP22
Reference: PO#: 197468 - AGAT Job #:
22T940792

Copy: #1

CERTIFICATE OF ANALYSIS

Final Report

Sample ID	Sample Date & Time	Temperature Upon Receipt °C	Bromate mg/L
1: Analysis Start Date		---	15-Sep-22
2: Analysis Start Time		---	10:52
3: Analysis Completed Date		---	20-Sep-22
4: Analysis Completed Time		---	09:19
5: QC - Blank		---	< 0.005
6: QC - STD % Recovery		---	87%
7: QC - DUP % RPD		---	ND
8: RL		---	0.005
9: NR 4270526	02-Sep-22 09:35	13.0	0.005 <MDL

RL - SGS Reporting Limit
ND - Not Detected

Method Descriptions

Parameter	Description	SGS Method Code	Reference Method Code
Bromate	Bromate by Ion Chromatography	ME-CA-[ENV]IC-LAK-AN-006	EPA317

Kimberley Didsbury
Project Specialist,
Environment, Health & Safety